# eVS International Label API

## USPS Web Tools™

## Application Programming Interface

## User Guide

**Version 3.12 (08/24/2026)**

# Table of Contents

**1.0 Introduction to Web Tools ..... 3**
1.1 Before you get started: ..... 3
**2.0 eVS Priority Mail Express International Label API ..... 4**
2.1 Overview ..... 4
2.1.1 API Signature ..... 4
2.2 Request Descriptions ..... 4
2.2.1 Sample Request ..... 18
2.3 Response Descriptions ..... 21
2.3.1 Sample Response ..... 22
**3.0 eVS Priority Mail International Label API ..... 24**
3.1 Overview ..... 24
3.1.1 API Signature ..... 24
3.2 Request Descriptions ..... 24
3.2.1 Sample Request ..... 38
3.3 Response Descriptions ..... 41
3.3.1 Sample Response ..... 43
**4.0 eVS First Class Mail International Label API ..... 44**
4.1 Overview ..... 44
4.1.1 API Signature ..... 44
4.2 Request Descriptions ..... 44
4.2.1 Sample Request ..... 59
4.3 Response Descriptions ..... 61
4.3.1 Sample Response ..... 63
**5.0 eVS International Cancel API ..... 64**
5.1 Overview ..... 64
5.1.1 API Signature ..... 65
5.2 Request Descriptions ..... 65
5.2.1 Sample Request ..... 65
5.3 Response Descriptions ..... 65
5.3.1 Sample Response ..... 66
**6.0 Appendices ..... 67**
6.1 Appendix A ..... 67
6.1.1 eVS International Label Example – Express Mail International (P.S. Form 2976-B) ..... 67
6.1.2 eVS International Label Example – Priority Mail International (P.S. Form 2976-A) ..... 68
6.1.3 eVS International Label Example – First Class Mail International (P.S. Form 2976) ..... 69
6.2 Appendix B - Country Codes ..... 70
6.3 Appendix C - Categories for International Shipping Regulatory Mandates ..... 85

# 1.0 Introduction to Web Tools

This document contains a Reference Guide to the eVS international label APIs: Priority Mail Express International, Priority Mail International, and First Class Mail International (First Class Package International Service). See the Developers Guide to learn the administrative process for gaining access to the Web Tools APIs as well as the basic mechanism for calling the APIs and processing the results. The Developer's Guide also contains information on testing and troubleshooting.

**Note:** The Request Parameter sections present the XML input tags for generating live requests along with the restrictions on the values allowed. An error message will be returned if an incorrect value is entered. Also, be aware of the maximum character amounts allowed for some tags. If the user enters more than those amounts, an error will not be generated. The Web Tool will simply pass in the characters up to the maximum amount allowed and disregard the rest. This is important since the resulting value could prevent a correct response.

When building the XML request, pay particular attention to the order and case for tags. An error message will be returned if an incorrect value is entered. Remember that all data and attribute values in this document are for illustration purposes and are to be replaced by your actual values. For instance, a line of sample code may be:

<Pounds>2</Pounds>

In this instance, you will replace "2" with the weight in pounds for the package.

## 1.1 Before you get started:

The only option for creating labels through our APIs requires eVS setup/enrollment. In general, eVS:

- Requires 50 pieces or 50 pounds per mailing
- Requires a permit imprint
- Requires payment via ACH debit daily (no other forms of payment)
- Handles origin entered mail (no destination entry or presort)
- Requires enrollment and new Mailer IDs (MIDs) and permits
- Will do domestic/international/apo/fpo/dpo/US Territories

eVS, or Electronic Verification System, allows high-volume package mailers and package consolidators to document and pay postage, including special service fees, using electronic manifest files. The files are transmitted over the Internet to a Postal Service™ database. eVS is designed to make it easy for high-volume package mailers to take advantage of destination entry rates.

If you want to explore using eVS, please first contact the eVS@usps.gov.

For registration please visit: https://www.usps.com/postalone/evs.htm. If that will not work for you, then you can follow up with sales@usps.gov (or your local Postmaster or USPS Sales Manager) for additional solutions outside of the Web Tools API suite.

**Note**: The "Certify" API signatures are for testing purposes and will not generate usable labels and barcodes.

Whether you are a new or existing mailer, USPS strongly suggests a conversation with you to discuss your business requirements so your account will be properly configured. To initiate this conversation please contact the National Customer Support Center (NCSC) at 877-264-9693 Option 4 and request a referral to an Operations Integration Specialist (OIS) and Technical Integration Specialist (TIS). USPS will align the appropriate team to assist with swift onboarding.

Depending on your needs, your account may be configured in many flexible ways; however, each account will be configured with credentials in a master/child relationship. Minimally, credentials will be established as follows:

- A master Mailer ID is created
    - Child Mailer IDs are created for each origin site and may be created as needed by the requirements of your business units and brands.
- A permit number is created
    - Additional permit numbers may be created as needed by the requirements of your business units and brands

- A CAPS Debit account is created for payment processing
    - Additional CAPS Debit accounts may be created as needed

Your Operations Integration Specialist and Technical Integration Specialist will be involved at the local and national levels to ensure successful launch and introduction to appropriate production support teams.

For information on registering and getting started with Web Tools, please refer to the Step-By-Step guide found on the Web Tools Technical Documentation Page.

***Note:*** All Label APIs handle a pipe special character ("|") as a space. Integrators are recommended to not include a pipe special character ("|") in the API request. If a pipe is provided in the API request, Web Tools will treat as a space where applicable in the API XML response, label image, Shipping Partner Event File, and Shipping Services File.

***Note:*** All Label APIs can accept a trademark symbol ("™") in the XML request but any response from the API will strip the symbol from the text (e.g., Firm Name) and will not display the symbol on the printed labels.

# 2.0 eVS Priority Mail Express International Label API

## 2.1 Overview

The eVS Priority Mail Express International Label API lets customers generate eVS Priority Mail Express International labels and integrated customs forms.

**Note**: Scan form is eligible for eVS if HoldForManifest is set to 'Y' (Yes).

### 2.1.1 API Signature

| Scheme | Host | Path | API | XML |
|---|---|---|---|---|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSExpressMailIntl | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSExpressMailIntl Certify | &XML=(see Tag Descriptions below) |

The "eVSExpressMailIntlCertify" API signature is for testing purposes and will not generate usable labels and barcodes.

**Note**: GET HTTP requests have length restrictions, whereas POST HTTP requests do not. Please take this under consideration when determining the request-response method that you choose.

## 2.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request | Required | | (Alias) | |
| eVSExpressMailIntl Request / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSExpressMailIntl Request / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSExpressMailIntl Request / Option | Optional | For future use. | Empty | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / Revision | Optional | Use of value 2 Required as of January 2011.<br>For example: <Revision>2</Revision> | String | minLength=0<br>pattern=\d{1}<br>pattern= |
| eVSExpressMailIntl Request / ImageParameters | Optional | Groups alternate image options. | (Group) | |
| eVSExpressMailIntl Request / ImageParameters / ImageParameter | Optional, repeating up to 3 times | Returns alternate label image. Only alternate 4''x6'' size label image may be requested at this time.<br>• 4X6LABEL (4X6 on a full page 8.5/11" background)<br>• 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page)<br>• 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page)<br>• 4X6ZPL203DPI (ZPL - Zebra Programming Language) format<br>• 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi.<br>•<br>For example:<br><ImageParameter>4X6LABEL</ImageParameter> | String | Enumerations=<br>• 4X6LABEL<br>• 4X6LABELL<br>• 4X6LABELP<br>• 4X6ZPL203DPI<br>• 4X6ZPL300DPI |
| eVSExpressMailIntl Request / FromFirstName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example:<br><FromFirstName>John</FromFirstName> | String | maxLength=30<br>minLength=0 |
| eVSExpressMailIntl Request / FromMiddleInitial | Optional | Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example:<br><FromMiddleInitial>L</FromMiddleInitial> | String | maxLength=1 |
| eVSExpressMailIntl Request / FromLastName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example:<br><FromLastName>Doe</FromLastName> | String | maxLength=30<br>minLength=0 |
| eVSExpressMailIntl Request / FromFirm | Required | FromFirm is Required if FromFirstName and FromLastName are left blank.<br>For example: <FromFirm></FromFirm> | String | maxLength=32 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / FromAddress1 | Optional | Use this tag for a suite or apartment number only. Either Address1 or Address2 is Required.<br>For example: <FromAddress1/> | String | maxLength=32 |
| eVSExpressMailIntl Request / FromAddress2 | Required | Use this tag for the primary address line.<br>For example: <FromAddress2>10 Elm Street </FromAddress2> | String | maxLength=32 |
| eVSExpressMailIntl Request / FromUrbanization | Optional | Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated.<br>For example: <FromUrbanization>URB Caparra Ter</FromUrbanization> | String | maxLength=32 |
| eVSExpressMailIntl Request / FromCity | Required | For example:<br><FromCity>Anytown</FromCity> | String | maxLength=16<br>minLength=1 |
| eVSExpressMailIntl Request / FromState | Required | Use 2-letter USPS state abbreviation.<br>For example: <FromState>ST</FromState> | String | length=2 |
| eVSExpressMailIntl Request / FromZip5 | Required | Input tag exactly as presented, not all caps. 5 digits Required.<br>For example:<br><FromZip5>01234</FromZip5> | String | whiteSpace=collapse<br>length=5<br>pattern=\d{5} |
| eVSExpressMailIntl Request / FromZip4 | Optional | Input tag exactly as presented, not all caps. If value is entered, 4 digits Required. This is the ZIP+4 extension.<br>For example: <FromZip4>5678</FromZip4> | String | whiteSpace=collapse<br>length=4<br>pattern=\d{4} |
| eVSExpressMailIntl Request / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234<br>For example:<br><FromPhone>5555555555</FromPhone> | String | whiteSpace=collapse<br>length=10<br>pattern=\d{10} |
| eVSExpressMailIntl Request / FromCustomsReference | Optional | Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use.<br>For example:<br><FromCustomsReference></FromCustoms Reference> | String | maxLength=30 |
| eVSExpressMailIntl Request / ToName | Optional | Deprecated. See “ToFirstName” and “ToLastName” tags. | String | maxLength=36 |
| eVSExpressMailIntl Request / ToFirstName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank.<br>For example:<br><ToFirstName>John</ToFirstName> | String | maxLength=30 |
| eVSExpressMailIntl Request / ToLastName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank.<br>For example:<br><ToLastName>Doe</ToLastName> | String | maxLength=30 |
| eVSExpressMailIntl Request / ToFirm | Required | ToFirm is Required if ToFirstName and ToLastName are left blank.<br>For example: <ToFirm></ToFirm> | String | maxLength=36 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / ToAddress1 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address.<br>For example: <ToAddress1> Apartado 3068</ToAddress1> | String | maxLength=36<br>minLength=1 |
| eVSExpressMailIntl Request / ToAddress2 | Required | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address.<br>For example: <ToAddress2></ToAddress2> | String | maxLength=36 |
| eVSExpressMailIntl Request / ToAddress3 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address.<br>For example: <ToAddress3></ToAddress3> | String | maxLength=36 |
| eVSExpressMailIntl Request / ToCity | Required | Recipient's city.<br>For example: <ToCity>PUERTO VALLARTA</ToCity> | String | maxLength=18<br>minLength=1 |
| eVSExpressMailIntl Request / ToProvince | Optional | Enter the province for the recipient.<br>For example:<br><ToProvince>JALISCO</ToProvince> | String | maxLength=9 |
| eVSExpressMailIntl Request / ToCountry | Required | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. See the Index of Countries and Localities. Using a country name not on the list will result in a request failure.<br>For example:<br><ToCountry>MEXICO</ToCountry> | String | minLength=1 |
| eVSExpressMailIntl Request / ToPostalCode | Required | Enter the postal code for the recipient.<br>For example:<br><ToPostalCode>46807</ToPostalCode> | String | maxLength=9 |
| eVSExpressMailIntl Request / ToPOBoxFlag | Required | Indicates whether or not the To Address is a Post Office Box.<br>For example:<br><ToPOBoxFlag>N</ToPOBoxFlag> | String | Enumeration=<br>• Y<br>• N |
| eVSExpressMailIntl Request / ToPhone | Optional | No format checking is done on international phone numbers. Required when <ToPOBoxFlag>Y</ToPOBoxFlag><br>For example: <ToPhone>011 52 (322) 222-0069</ToPhone> | String | maxLength=30 |
| eVSExpressMailIntl Request / ToFax | Optional | No format checking is done on international fax numbers.<br>For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 |
| eVSExpressMailIntl Request / ToEmail | Optional | Complete valid e-mail address is Required if tag is used.<br>For example:<br><ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30<br>whiteSpace=collapse<br>pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4} |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / ImportersReference Number | Optional | Enter a value for the "Importer's Customs Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use.<br><br>**Note**: Requires <ImportersReferenceType> to be specified if used.<br><br>For example: <ImportersReferenceNumber>Order 23432</ImportersReferenceNumber> | String | maxLength=28 Restriction enforced via truncation |
| eVSExpressMailIntl Request / NonDeliveryOption | Optional | In case package is undeliverable, enter one of the following: "RETURN" for package to be returned to <FromAddress> above. "REDIRECT" to return package to address specified below in <AltReturn> tags. "ABANDON" to dispose of undeliverable package.<br>For example: <NonDeliveryOption>RETURN</NonDeliveryOption> | String | enumeration=<br>• RETURN<br>• REDIRECT<br>• ABANDON |
| eVSExpressMailIntl Request / RedirectName | Optional | Enter a value for the recipient's name. | String | minOccurs=0 |
| eVSExpressMailIntl Request / RedirectEmail | Optional | Complete valid e-mail address is Required if tag is used. | String | minOccurs=0 |
| eVSExpressMailIntl Request / RedirectSMS | Optional | This value must be a syntactically-valid SMS number. | String | minOccurs=0 |
| eVSExpressMailIntl Request / RedirectAddress | Optional | Enter the redirect address. This is a free form field. | String | minOccurs=0 maxLength=48 |
| eVSExpressMailIntl Request / RedirectCity | Optional | Redirect city.<br>For example: < RedirectCity >ANYTOWN</ RedirectCity > | String | minLength=0 maxLength=21 |
| eVSExpressMailIntl Request / RedirectState | Optional | Redirect state.<br>For example: < RedirectState >MN</ RedirectState > | String | minLength=0 pattern=\w{2} |
| eVSExpressMailIntl Request / RedirectZipCode | Optional | Redirect ZIP code.<br>For example: < RedirectZipCode >12345</RedirectZipCode> | String | minLength=0 pattern=\d{5} |
| eVSExpressMailIntl Request / RedirectZip4 | Optional | Redirect ZIP+4 extension.<br>For example: <RedirectZip4>01234</RedirectZip4> | String | minLength=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / Container | Optional | Container type. | String | default=VARIABLE<br>Enumerations=<br>• VARIABLE<br>• FLATRATEENV<br>• LEGALFLATRATE ENV<br>• PADDEDFLATRA TEENV |
| eVSExpressMailIntl Request / ShippingContents | Condition ally Required | Required only if a customs form is required based on Customs Content Type and Weight. | (Group) | |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail | Required repeating up to 30 times or optional | Required repeating up to 30 times if generating an Integrated Customs Form, otherwise not required | (Group) | |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / Description | Required | Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods<br>**Note:** Vague item descriptions will return an error: none, not applicable, n/a, null, gift, merchandise, sample, other<br>For example: <Description>Policy guidelines document</Description> | String | maxLength=30<br>minLength=2<br>whiteSpace=collapse |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / Quantity | Required | Quantity of the item. Integer value Required.<br>For example: <Quantity>1</Quantity> | integer | minInclusive value="1"<br>maxInclusive value="999" |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / Value | Required | The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is $10.00, "20.00" (2 boxes x $10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered.<br>For example: <Value>55.00</Value> | decimal | whiteSpace=collapse<br>minExclusive=0 |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / NetPounds | Required | Provide the pounds component of the weight of the individual item listed with <Description>.<br>For example: <NetPounds>1</NetPounds> | integer | whiteSpace=collapse<br>default=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / NetOunces | Required | Provide the ounces component of the weight of the individual item listed with <Description>.<br>For example: <NetOunces>5</NetOunces> | decimal | default="0.0" |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / HSTariffNumber | Required | For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.<br><br>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.<br><br>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>=“true”) the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.<br><br>For example: <HSTariffNumber>4901.10.0000</HSTariffNumber> | String | whiteSpace=collapse maxLength=17 pattern=\d{0,12} |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / CountryOfOrigin | Required | For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". http://pe.usps.gov/text/Imm/immctry.htm – click on the link for “International Country Listings”. Using a country name not on the list will result in a request failure.<br>For example: <CountryOfOrigin>United States</CountryOfOrigin> | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / ItemCategory | Optional | Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods. | String | minLength=0 maxLength=100 |
| eVSExpressMailIntl Request / ShippingContents / ItemDetail / ItemSubCategory | Optional | Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods. | String | minLength=0 maxLength=100 |
| eVSExpressMailIntl Request / InsuredNumber | Optional | For backward-compatibility; not validated. | String | |
| eVSExpressMailIntl Request / InsuredAmount | Optional | Use this tag for entering an insurance amount, if known.<br>For example:<br><InsuredAmount>100.00</InsuredAmount> | String | length=0 |
| eVSExpressMailIntl Request / Postage | Optional | Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated.<br>For example: <Postage></Postage> or <Postage>10.50</Postage> | String | length=0 |
| eVSExpressMailIntl Request / GrossPounds | Required | Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <GrossOunces> tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country.<br>For example:<br><GrossPounds>4</GrossPounds> | integer | whiteSpace=collapse |
| eVSExpressMailIntl Request / GrossOunces | Required | Enter the ounces component of the total package weight with this tag.<br>For example:<br><GrossOunces>0</GrossOunces> | integer | maxLength=3 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / ContentType | Required | Specifies the content of the package or envelope.<br>For example: <ContentType>DOCUMENTS</ContentType><br>Note: Enumerations are case sensitive "NonnegotiableDocument" and "Documents" both signify mailable non-negotiable documents and are insured automatically for up to $100, though Insurance will not be returned as an extra service. Additional Insurance cannot be purchased.<br>Any non-document ContentType values are insured automatically for up to $200. Additional Insurance can be purchased for values $200 and greater. | String | Enumerations=<br>• MERCHANDISE<br>• SAMPLE<br>• GIFT<br>• DOCUMENTS<br>• RETURN<br>• HUMANITARIAN<br>• CrematedRemains<br>• NonnegotiableDocument<br>• PHARMACEUTICALS<br>• MEDICALSUPPLIES<br>• OTHER |
| eVSExpressMailIntl Request / ContentTypeOther | Optional | Required when <ContentType>OTHER<ContentType>. | String | maxLength=15<br>whiteSpace=collapse |
| eVSExpressMailIntl Request / Agreement | Required | Requires a value of Y to print <FromFirstName/> and <FromLastName/> in Signature Box along with Current Date (Central Time USA). Any other value returns an error. | String | Enumeration=<br>• Y<br>• N |
| eVSExpressMailIntl Request / Comments | Optional | Enter any comments. For example: <Comments></Comments> | String | maxLength=76 |
| eVSExpressMailIntl Request / LicenseNumber | Optional | Enter license number, if known or if included in package.<br>For example: <LicenseNumber>LIC-24356879</LicenseNumber> | String | maxLength=24 |
| eVSExpressMailIntl Request / CertificateNumber | Optional | Enter certificate number, if known or if included in package.<br>For example: <CertificateNumber>CERT-97865342</CertificateNumber> | String | maxLength=24 |
| eVSExpressMailIntl Request / InvoiceNumber | Optional | Enter invoice number, if known or if included in package.<br>For example: <InvoiceNumber>INV-040903</InvoiceNumber> | String | maxLength=24 |
| eVSExpressMailIntl Request / ImageType | Required | For example: <ImageType>PDF</ImageType> | String | enumeration=<br>• PDF<br>• TIF<br>• NONE |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / ImageLayout | Optional | Controls how the multipage form is returned in the response tags. "ONEPERFILE" returns one page per response tag while “ALLINONEFILE” returns all pages in a single response tag.<br>The “TRIM” options conserve page space if possible by combining two form parts on a single page.<br>For example: <ImageLayout>ONEPERFILE<ImageLayout> | String | default=ONEPERFILE<br>enumerations=<br>• ONEPERFILE<br>• ALLINONEFILE<br>• TRIMONEPERFILE<br>• TRIMALLINONEFILE |
| eVSExpressMailIntl Request / CustomerRefNo | Optional | Written to Postal Manifest Detail record.<br>For example: <CustomerRefNo>Ref 369246</CustomerRefNo> | String | maxLength=30 |
| eVSExpressMailIntl Request / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record.<br>For example: <CustomerRefNo2>ACT369246</CustomerRefNo2> | String | maxLength=30 |
| eVSExpressMailIntl Request / POZipCode | Optional | ZIP of Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code.<br>For example: <POZipCode>00962</POZipCode> | String | whiteSpace=collapse<br>length=5<br>pattern=\d{5} |
| eVSExpressMailIntl Request / LabelDate | Optional | Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request.<br>For example: <LabelDate>09/28/2010</LabelDate> | String | whiteSpace=collapse<br>maxLength=10<br>pattern=\d{1,2}/\d{1,2}/\d\d(\d\d)? |
| eVSExpressMailIntl Request / EMCAAccount | Optional | For future use.  USPS Corporate Account | | minOccurs=0 |
| eVSExpressMailIntl Request / HoldForManifest | Optional | Restricted use. Holds manifest record for possible inclusion in SCAN request. | String | enumeration=<br>• Y<br>• N |
| eVSExpressMailIntl Request / EELPFC | Optional repeating up to 1 times | Exemption and Exclusion Legend or PFC Code.<br>Please refer to the International Mail Manual for further information: http://pe.usps.gov/text/imm/immc5_007.htm.<br>For example: <EELPFC>30.37a</EELPFC> | String | minOccurs=0<br>maxOccurs=1 |
| eVSExpressMailIntl Request / PriceOptions | Optional | Indicates if commercial-base price should be returned. For commercial-base price eligibility, please reference the Domestic Mail Manual at http://pe.usps.com/. | String | default=COMMERCIAL BASE<br>enumeration=<br>• COMMERCIAL PLUS<br>• COMMERCIAL BASE |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / Length | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0<br>totalDigits=10 |
| eVSExpressMailIntl Request / Width | Optional | Value must be numeric. Units are inches.<br>If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.<br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0<br>totalDigits=10 |
| eVSExpressMailIntl Request / Height | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0<br>totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / Girth | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0<br>totalDigits=10 |
| eVSExpressMailIntl Request / LabelTime | Optional | Available if <Revision>= 2.<br>LabelTime is used in conjunction with LabelDate to determine the Guarantee | String | Format hh:mm |
| eVSExpressMailIntl Request / MeterPaymentFlag | Optional | Meter payment indicator | String | Default=N<br>Enumerations:<br>• N<br>• Y |
| eVSExpressMailIntl Request / ActionCode | Optional | Used to specify the action code.Value is passed to Shipping Partner Event file via the shipment manifest.<br>M0 – Mailer Owner<br>S0 – Service Provider<br>For example:<br><ActionCode>M0</ActionCode> | String | Default = M0<br>enumeration=<br>• M0<br>• S0<br>• “space“ |
| eVSExpressMailIntl Request / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. “false” WILL create a SPE file. | Boolean | Default = true<br>enumeration=<br>• true<br>• false |
| eVSExpressMailIntl Request / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 |
| eVSExpressMailIntl Request / ImportersReference Type | Conditionally Required | Tax code / VAT no. / Importer Code<br><br>**Note**: Required when <ImportersReferenceNumber> is used. | String | minOccurs=0<br>enumeration=<br>• TAXCODE<br>• VAT<br>• IMPORTERCODE |
| eVSExpressMailIntl Request / ImportersTelephone Number | Optional | For Importer: 10 digits (including area code), with no punctuation. Use format: 2125551234.<br>For example:<br><FromPhone>2125551234</FromPhone> | String | whiteSpace=collapse<br>length=10<br>pattern=\d{10} |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntlRequest / ImportersFaxNumber | Optional | For Importer: No format checking is done on international fax numbers.<br>For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 |
| eVSExpressMailIntlRequest / ImportersEmail | Optional | For Importer: Complete valid e-mail address is Required if tag is used.<br>For example:<br><ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30<br>whiteSpace=collapse<br>pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4} |
| eVSExpressMailIntlRequest / Machinable | Optional | Indicates whether or not the item is machinable.<br>For example:<br><Machinable>false</Machinable> | Boolean | default=true<br>whiteSpace=collapse |
| eVSExpressMailIntlRequest / DestinationRateIndicator | Required | Required for destination entry packagesenter either “I” or “N”.<br>I= International Service Center (ISC)<br>N = None | String | enumerations=<br>• I<br>• N |
| eVSExpressMailIntlRequest / MID | Optional | Mailer ID (MID), Represents Mail Owner MID.<br>Located in position #13 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <MID>847654321</ MID> | String | Length=6 or 9 positions, if populated |
| eVSExpressMailIntlRequest / LogisticsManagerMID | Optional | The MID of the company that manages the mailing.<br>Located in position #12 in the Detail 1 record of the Shipping Services File v2.0.<br>Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated.<br>For example:<br><LogisticsManagerMID>489001< / LogisticsManagerMID> | String | Length=6 or 9 positions, if populated |
| eVSExpressMailIntlRequest / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID.<br>Located in position #20 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <CRID>544762</ CRID> | String | minLength=0<br>maxLength=15 |
| eVSExpressMailIntlRequest / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system.<br>Located in position #15 in the Detail 1 record of the Shipping Services File v2.0.<br>For example:<br><VendorCode>1234<VendorCode> | String | minLength=0<br>maxLength=4<br>default=8300 |
| eVSExpressMailIntlRequest / VendorProductVersionNumber | Optional | Shipping software’s product version number.<br>Located in position #16 in the Detail 1 record of the Shipping Services File v2.0.<br>For example:<br><VendorProductVersionNumber>5.02.1B</ VendorProductVersionNumber> | String | minLength=0<br>maxLength=8 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntlRequest / ePostageMailerReporting | Optional | Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1<br>1 - (ePostage sender information in SSF )<br>2 - (ePostage sender information through DES)<br>3 - (ePostage sender information using child MID) | String | enumerations=<br>• 1<br>• 2<br>• 3 |
| eVSExpressMailIntlRequest / SenderFirstName | Optional | First Name of Sender.<br>For example: <SenderFirstName>Adam</SenderFirstName><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=49 |
| eVSExpressMailIntlRequest / SenderLastName | Optional | Last Name of Sender.<br>For example: <SenderLastName>Smith</SenderLastName><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=75 |
| eVSExpressMailIntlRequest / SenderBusinessName | Optional | Values for Sender Business Name must be sent.<br>For example: <SenderBusinessName>USPS</SenderBusinessName> | String | minLength=0<br>maxLength=100 |
| eVSExpressMailIntlRequest / SenderAddress1 | Optional | Sender address line. Use this tag for full address (Address1 and Address2)<br>Must match Address1 and Address2 or will produce an error.<br>For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=148 |
| eVSExpressMailIntlRequest / SenderCity | Optional | Sender city.<br>For example: <SenderCity>BETHESDA</SenderCity>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=50 |
| eVSExpressMailIntlRequest / SenderState | Optional | Sender state.<br>For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=2 |
| eVSExpressMailIntlRequest / SenderZip5 | Optional | Sender ZIP code.<br>For example: <SenderZip5>20212</SenderZip5><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=d(5) |
| eVSExpressMailIntlRequest / SenderPhone | Optional | Sender Phone #. 10 digits Required (including area code), with no punctuation.<br>For example: <SenderPhone>2125551234</SenderPhone><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=d(10) |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntl Request / SenderEmail | Optional | E-mail Address of Sender. Valid e-mail addresses must be used.<br>For example:<br><SenderEMail>cpapple@email.com</SenderEMail><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4} |
| eVSExpressMailIntRequest | Required | | (Alias) | |

### 2.2.1 Sample Request

**Request: eVSExpressMailIntl**

```
<eVSExpressMailIntlRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option></Option>
<Revision>2</Revision>
<ImageParameters></ImageParameters>
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm></FromFirm>
<FromAddress1></FromAddress1>
<FromAddress2>7 North Wilke-Barre Blvd</FromAddress2>
<FromUrbanization></FromUrbanization>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5555555555</FromPhone>
<FromCustomsReference></FromCustomsReference>
<ToName></ToName>
<ToFirstName>Ms. C. P.</ToFirstName>
<ToLastName>Apple</ToLastName>
<ToFirm></ToFirm>
<ToAddress1> Apartado 3068</ToAddress1>
<ToAddress2></ToAddress2>
<ToAddress3></ToAddress3>
<ToCity>Golden Rock</ToCity>
<ToProvince></ToProvince>
<ToCountry>Australia</ToCountry>
<ToPostalCode>2046</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>011 52 (322) 222-0069</ToPhone>
<ToFax>011 52 (322) 222-0074</ToFax>
<ToEmail>cpapple@email.com</ToEmail>
<ImportersReferenceNumber></ImportersReferenceNumber>
<NonDeliveryOption>RETURN</NonDeliveryOption>
<RedirectName></RedirectName>
<RedirectEmail></RedirectEmail>
<RedirectSMS></RedirectSMS>
<RedirectAddress></RedirectAddress>
<RedirectCity></RedirectCity>
<RedirectState></RedirectState>
<RedirectZIPCode>MEXICO</RedirectZIPCode>
<Container>VARIABLE</Container>
```

```
<ShippingContents>
<ItemDetail>
<Description>Policy guidelines document</Description>
<Quantity>1</Quantity>
<Value>55.00</Value>
<NetPounds>1</NetPounds>
<NetOunces>5</NetOunces>
<HSTariffNumber>490110</HSTariffNumber>
<CountryOfOrigin>United States</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<InsuredNumber>V-12324589765</InsuredNumber>
<InsuredAmount>100.00</InsuredAmount>
<GrossPounds>4</GrossPounds>
<GrossOunces>0</GrossOunces>
<ContentType>DOCUMENTS</ContentType>
<ContentTypeOther></ContentTypeOther>
<Agreement>Y</Agreement>
<Comments></Comments>
<LicenseNumber>LIC-24356879</LicenseNumber>
<CertificateNumber>CERT-97865342</CertificateNumber>
<InvoiceNumber>INV-040903</InvoiceNumber>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<CustomerRefNo>Ref 369246</CustomerRefNo>
<CustomerRefNo2>ACT 369246</CustomerRefNo2>
<POZipCode>00962</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<PriceOptions></PriceOptions>
<Length>20.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth>6.25</Girth>
<LabelTime>14:24:13</LabelTime>
<MeterPaymentFlag>N</MeterPaymentFlag>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSExpressMailIntlRequest>
```

**eVS Express Mail International w/ HS Tarriff Number & Tags**

```
<eVSExpressMailIntlCertifyRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
  <Option></Option>
  <Revision>2</Revision>
  <ImageParameters>
    <ImageParameter>4BY6LABEL</ImageParameter>
  </ImageParameters>
  <FromFirstName>John</FromFirstName>
  <FromMiddleInitial>L</FromMiddleInitial>
  <FromLastName>Doe</FromLastName>
  <FromFirm></FromFirm>
  <FromAddress1></FromAddress1>
  <FromAddress2>430 blackman st.</FromAddress2>
  <FromUrbanization></FromUrbanization>
  <FromCity>Wilkes-Barre</FromCity>
  <FromState>PA</FromState>
```

```
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5555555555</FromPhone>
<FromCustomsReference></FromCustomsReference>
<ToName></ToName>
<ToFirstName>Ms. C. P.</ToFirstName>
<ToLastName>Apple</ToLastName>
<ToFirm></ToFirm>
<ToAddress1> Apartado 3068</ToAddress1>
<ToAddress2></ToAddress2>
<ToAddress3></ToAddress3>
<ToCity>Golden Rock</ToCity>
<ToProvince></ToProvince>
<ToCountry>Ireland</ToCountry>
<ToPostalCode>2046</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>011 52 (322) 222-0069</ToPhone>
<ToFax>011 52 (322) 222-0074</ToFax>
<ToEmail>cpapple@email.com</ToEmail>
<ImportersReferenceNumber></ImportersReferenceNumber>
<NonDeliveryOption>RETURN</NonDeliveryOption>
<RedirectName>BOB Meier</RedirectName>
<RedirectEmail>bob@mailinator.com</RedirectEmail>
<RedirectSMS>5708251341</RedirectSMS>
<RedirectAddress>7 wilkes Barre</RedirectAddress>
<RedirectCity>Wilkes Barre</RedirectCity>
<RedirectState>PA</RedirectState>
<RedirectZIPCode>18702</RedirectZIPCode>
<RedirectZIP4>5150</RedirectZIP4>
<Container>VARIABLE</Container>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>
<InsuredNumber>V-12324589765</InsuredNumber>
<InsuredAmount>100.00</InsuredAmount>
<GrossPounds>4</GrossPounds>
<GrossOunces>0</GrossOunces>
<ContentType>DOCUMENTS</ContentType>
<ContentTypeOther></ContentTypeOther>
<Agreement>Y</Agreement>
<Comments></Comments>
<LicenseNumber>LIC-24356879</LicenseNumber>
<CertificateNumber>CERT-97865342</CertificateNumber>
<InvoiceNumber>INV-040903</InvoiceNumber>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
```

```
  <CustomerRefNo>Ref #369246</CustomerRefNo>
  <POZipCode>00962</POZipCode>
  <LabelDate></LabelDate>
  <HoldForManifest>N</HoldForManifest>
  <PriceOptions></PriceOptions>
  <Size>LARGE</Size>
  <Length>20.5</Length>
  <Width>5.5</Width>
  <Height>5.5</Height>
  <Girth>6.25</Girth>
  <LabelTime>14:24:13</LabelTime>
  <MeterPaymentFlag>N</MeterPaymentFlag>
  <DestinationRateIndicator>N</DestinationRateIndicator>
</eVSExpressMailIntlCertifyRequest>
```

## 2.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntlResponse | Required | | (Alias) | |
| eVSExpressMailIntlResponse/ Postage | Required | Postage amount | Decimal | |
| eVSExpressMailIntlResponse/ TotalValue | Required | Value of all items being shipped | Decimal | |
| eVSExpressMailIntlResponse/ SDRValue | Required | Special Drawing Right calculated on Insured Amount | Decimal | |
| eVSExpressMailIntlResponse/ BarcodeNumber | Required | Mail service related barcode. | String | |
| eVSExpressMailIntlResponse/ LabelImage | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSExpressMailIntlResponse/ Page2Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSExpressMailIntlResponse/ Page3Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSExpressMailIntlResponse/ Page4Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSExpressMailIntlResponse/ Page5Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSExpressMailIntlResponse/ Page6Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSExpressMailIntlResponse/ Prohibitions | Required | List of items prohibited from mailing based on country of destination | String | |
| eVSExpressMailIntlResponse/ Restrictions | Required | Restrictions on items being shipped based on country of destination | String | |
| eVSExpressMailIntlResponse/ Observations | Required | Additional mailing information based on country of destination | String | |
| eVSExpressMailIntlResponse/ Regulations | Required | Additional regulations for shipping to destination country | String | |
| eVSExpressMailIntlResponse/ AdditionalRestrictions | Required | Additional restrictions on items being shipped to destination country | String | |
| eVSExpressMailIntlResponse/ InsuranceFee | Optional | Insurance Fee | Decimal | minExclusive=0.0 maxInclusive=5000 |
| eVSExpressMailIntlResponse/ DestinationBarcodeNumber | Optional | Appears if mail class is available. | String | minoccurs=0 |
| eVSExpressMailIntlResponse/ GuaranteeAvailability | Optional | Appears if ToPostalCode and LabelTime are available. The value will be the GuaranteeDate or a message. | String | If an estimated scheduled delivery date is available, the format will be<br>MM/DD/YYYY<br>e.g, 03/15/2015<br>If an estimated scheduled delivery date is not available, the format will be a String, e.g., 3 - 5 business days to many major markets |
| eVSExpressMailIntlResponse/ RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSExpressMailIntlResponse/ Warning | Optional | | String | |
| eVSExpressMailIntlResponse | Required | | (Alias) | |

### 2.3.1 Sample Response

**Response:eVSExpressMailIntl**

```
<eVSExpressMailIntlResponse>
<Postage>66.21</Postage>
<TotalValue>55.00</TotalValue>
<SDRValue>65.80</SDRValue>
```

<BarcodeNumber>EC502016320US</BarcodeNumber>
<LabelImage>.....removed.....</LabelImage>
<Page2Image>.....removed.....</Page2Image>
<Page3Image>.....removed.....</Page3Image>
<Page4Image>.....removed.....</Page4Image>
<Page5Image>.....removed.....</Page5Image>
<Page6Image></Page6Image>
<Prohibitions>
Coins; bank notes; currency notes (paper money); securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver (except for jewelry items meeting the requirement in "Restrictions" below); precious stones (except when contained in jewelry items meeting the requirement in "Restrictions" below); and other valuable articles are prohibited.
Fruit cartons (used or new).
Goods bearing the name "Anzac."
Goods produced wholly or partly in prisons or by convict labor.
Most food, plant, and animal products, including the use of products such as straw and other plant material as packing materials.
Perishable infectious biological substances.
Radioactive materials.
Registered philatelic articles with fictitious addresses.
Seditious literature.
Silencers for firearms.
Used bedding.
</Prohibitions>
<Restrictions>
Jewelry is permitted only when sent as an insured parcel using Priority Mail International service. In addition, Australian Customs regulations prohibit importation of jewelry that is made with ivory or from endangered species, such as snake, elephant, or crocodile, that does not have an accompanying Import/Export Permit in relation to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES).
Meat and other animal products; powdered or concentrated milk; and other dairy products requires permission to import from the Australian quarantine authorities.
Permission of the Australian Director-General of Health is Required to import medicines.
</Restrictions>
<Observations>Duty may be levied on catalogs, price lists, circulars, and all advertising introduced into Australia through the mail, regardless of the class of mail used.</Observations>
<Regulations>
Country Code:
AU
Reciprocal Service Name:
Express Post
Required Customs Form/Endorsement
1. Business and commercial papers.
No form Required. Endorse item clearly next to mailing label as BUSINESS PAPERS.
2. Merchandise samples without commercial value microfilm, microfiche, and computer data.
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91.
3. Merchandise and all articles subject to customs duty.
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91.
Note:
1. Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Australia.
2. Priority Mail Express International With Guarantee service - which offers a date-certain, postage-refund guarantee - is available to Australia.
Areas Served:

```
All except Lord Howe Island and the Australian Antarctic territories.
</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<InsuranceFee>0</InsuranceFee>
<GuaranteeAvailability>03/11/2015</GuaranteeAvailability>
<RemainingBarcodes>29< RemainingBarcodes>
</eVSExpressMailIntlResponse>
```

# 3.0 eVS Priority Mail International Label API

## 3.1 Overview

The eVS Priority Mail Express International Label API lets customers generate eVS Priority Mail Express International labels given the weight and dimensions of the item.

### 3.1.1 API Signature

| Scheme | Host | Path | API | XML |
|---|---|---|---|---|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSPriorityMailIntl | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSPriorityMailIntl Certify | &XML=(see Tag Descriptions below) |

The “eVSPriorityMailIntlCertify” API signature is for testing purposes and will not generate usable labels and barcodes.

**Note**: GET HTTP requests have length restrictions, whereas POST HTTP requests do not. Please take this under consideration when determining the request-response method that you choose.

## 3.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailInt Request | Required | Produces a Priority Mail International label with customs declaration | (Alias) | |
| eVSPriorityMailIntl Request / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID.<br>For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSPriorityMailIntl Request / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password.<br>For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSPriorityMailIntl Request / Option | Optional | For future use. | Empty | |
| eVSPriorityMailIntl Request / Revision | Required | Use of value **2** Required as of January 2011.<br>For example: <Revision>2</Revision> | String | |
| eVSPriorityMailIntl Request / ImageParameters | Optional | Groups alternate image options. | (Group) | minoccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / ImageParameters / ImageParameter | Optional, repeating up to 3 times | Returns alternate label image. Only alternate 4''x6'' size label image may be requested at this time.<br>• 4X6LABEL (4X6 on a full page 8.5/11" background)<br>• 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page)<br>• 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page)<br>• 4X6ZPL203DPI (ZPL - Zebra Programming Language) format<br>• 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi.<br>For example: <ImageParameter>4X6LABEL</ImageParameter> | String | Enumerations=<br>• 4X6LABEL<br>• 4X6LABELL<br>• 4X6LABELP<br>• 4X6ZPL203DPI<br>• 4X6ZPL300DPI |
| eVSPriorityMailIntl Request / FromFirstName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example: <FromFirstName>John</FromFirstName> | String | maxLength=30<br>minLength=1 |
| eVSPriorityMailIntl Request / FromMiddleInitial | Optional | Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example: <FromMiddleInitial>L</FromMiddleInitial> | String | maxLength=1 |
| eVSPriorityMailIntl Request / FromLastName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example: <FromLastName>Doe</FromLastName> | String | maxLength=30<br>minLength=1 |
| eVSPriorityMailIntl Request / FromFirm | Required | FromFirm is Required if FromFirstName and FromLastName are left blank.<br>For example: <FromFirm>XYZ</FromFirm> | String | maxLength=32 |
| eVSPriorityMailIntl Request / FromAddress1 | Optional | Use this tag for a suite or apartment number only. Either Address1 or Address2 is Required.<br>For example: <FromAddress1>Suite 100</FromAddress1> | String | maxLength=32 |
| eVSPriorityMailIntl Request / FromAddress2 | Required | Use this tag for the primary address line.<br>For example: <FromAddress2>10 Elm Street</FromAddress2> | String | maxLength=32<br>minLength=1<br>whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / FromUrbanization | Optional | Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <FromUrbanization>URB Caparra Ter</FromUrbanization> | String | maxLength=32 |
| eVSPriorityMailIntl Request / FromCity | Required | For example: <FromCity>Anytown</FromCity> | String | maxLength=16 minLength=1 |
| eVSPriorityMailIntl Request / FromState | Required | Use 2-letter USPS abbreviation. For example: <FromState>ST</FromState> | String | length=2 |
| eVSPriorityMailIntl Request / FromZip5 | Required | Input tag exactly as presented, not all caps. 5 digits Required. For example: <FromZip5>01234</FromZip5> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSPriorityMailIntl Request / FromZip4 | Optional | Input tag exactly as presented, not all caps. If value is entered, 4 digits Required. This is the ZIP+4 extension. For example: <FromZip4>5678</FromZip4> | String | whiteSpace=collapse length=4 pattern=\d{4} |
| eVSPriorityMailIntl Request / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone> | String | whiteSpace=collapse length=10 pattern=\d{10} |
| eVSPriorityMailIntl Request / FromCustomsReference | Optional | Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustomsReference> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToName | Optional | Deprecated. See “ToFirstName” and “ToLastName” tags. | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToFirstName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToLastName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToFirm | Required | ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm>YYZ</ToFirm> | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToAddress1 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress1> Apartado 3068</ToAddress1> | String | maxLength=36 minLength=1 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / ToAddress2 | Required | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address.<br>For example: <ToAddress2></ToAddress2> | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToAddress3 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address.<br>For example: <ToAddress3></ToAddress3> | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToCity | Required | Recipient's city.<br>For example: <ToCity>PUERTO VALLARTA</ToCity> | String | maxLength=18<br>minLength=1 |
| eVSPriorityMailIntl Request / ToProvince | Optional | Enter the province for the recipient.<br>For example:<br><ToProvince>JALISCO</ToProvince> | String | maxLength=9 |
| eVSPriorityMailIntl Request / ToCountry | Required | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure.<br>For example:<br><ToCountry>MEXICO</ToCountry> | String | minLength=1 |
| eVSPriorityMailIntl Request / ToPostalCode | Required | Enter the postal code for the recipient.<br>For example:<br><ToPostalCode>46807</ToPostalCode> | String | maxLength=9 |
| eVSPriorityMailIntl Request / ToPOBoxFlag | Required | Indicates whether or not the To Address is a Post Office Box.<br>For example:<br><ToPOBoxFlag>N</ToPOBoxFlag> | String | enumeration=<br>• Y<br>• N |
| eVSPriorityMailIntl Request / ToPhone | Optional | No format checking is done on international phone numbers. Required when <ToPOBoxFlag>Y</ToPOBoxFlag><br>For example: <ToPhone>011 52 (322) 222-0069</ToPhone> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToFax | Optional | No format checking is done on international fax numbers.<br>For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToEmail | Optional | Complete valid e-mail address is Required if tag is used.<br>For example:<br><ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30<br>whiteSpace=collapse<br>pattern=([\w\-\.]+)@(([\w-]+\.))+[a-zA-Z]{2,4} |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / ImportersReferenceNumber | Optional | Enter a value for the "Recipient's Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use.<br><br>**Note**: Requires <ImportersReferenceType> to be specified if used.<br><br>For example: <ImportersReferenceNumber>Order 23432</ImportersReferenceNumber> | String | maxLength=28 Restriction enforced via truncation |
| eVSPriorityMailIntl Request / NonDeliveryOption | Optional | In case package is undeliverable, enter one of the following:<br>• "RETURN" for package to be returned to <FromAddress> above.<br>• "REDIRECT" to return package to address specified below in <AltReturn…> tags.<br>• "ABANDON" to dispose of undeliverable package.<br>For example: <NonDeliveryOption>RETURN</NonDeliveryOption> | String | default=ABANDON enumeration=<br>• RETURN<br>• REDIRECT<br>• ABANDON |
| eVSPriorityMailIntl Request / RedirectName | Optional | | String | Minoccurs=0 |
| eVSPriorityMailIntl Request / RedirectName | Optional | Enter a value for the recipient's name. | String | minOccurs=0 |
| eVSPriorityMailIntl Request / RedirectEmail | Optional | Complete valid e-mail address is Required if tag is used. | String | minOccurs=0 |
| eVSPriorityMailIntl Request / RedirectSMS | Optional | This value must be a syntactically-valid SMS number. | String | minOccurs=0 |
| eVSPriorityMailIntl Request / RedirectAddress | Optional | Enter the redirect address. This is a free form field. | String | minOccurs=0 maxLength=48 |
| eVSPriorityMailIntl Request / RedirectCity | Optional | Redirect city.<br>For example: <T RedirectCity >ANYTOWN</ RedirectCity > | String | minLength=0 maxLength=21 |
| eVSPriorityMailIntl Request / RedirectState | Optional | Redirect state.<br>For example: < RedirectState >MN</ RedirectState> | String | minLength=0 pattern=\w{2} |
| eVSPriorityMailIntl Request / RedirectZipCode | Optional | Redirect ZIP code.<br>For example: < RedirectZipCode >12345</ RedirectZipCode> | String | minLength=0 pattern=\d{5} |
| eVSPriorityMailIntl Request / RedirectZip4 | Optional | Redirect ZIP+4 extension.<br>For example: <ToZip5>01234</ToZip5> | String | minLength=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / Container | Optional | For example: <Container>MDFLATRATEBOX</Container> Otherwise, use to specify special containers or container attributes that may affect postage. | String | default=VARIABLE enumerations= • VARIABLE • LGFLATRATEBOX • SMFLATRATEBOX • MDFLATRATEBOX • FLATRATEENV • LEGALFLATRATEENV • PADDEDFLATRATEENV • SMFLATRATEENV • WINDOWFLATRATEENV • GIFTCARDFLATRATEENV • LGVIDEOBOX • RECTANGULAR • NONRECTANGULAR |
| eVSPriorityMailIntl Request / ShippingContents | Required | | (Group) | |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail | Required repeating up to 30 times | Groups individual item details | (Group) | |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / Description | Required | Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods **Note:** Vague item descriptions will return an error: none, not applicable, n/a, null, gift, merchandise, sample, other For example: <Description>Policy guidelines document</Description> | String | maxLength=30 minLength=2 whiteSpace=collapse |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / Quantity | Required | Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity> | Integer | whiteSpace=collapse minExclusive=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / Value | Required | The data entered with this tag provides the value of the set of items.<br>For example: If the item is 2 boxes of 50 pens and the value of each box is $10.00, "20.00" (2 boxes x $10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered.<br>For example: <Value>55.00</Value> | Decimal | whiteSpace=collapse<br>minExclusive=0 |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / NetPounds | Required | Provide the pounds component of the weight of the individual item listed with <Description>.<br>For example: <NetPounds>1</NetPounds> | Integer | default=0<br>whiteSpace=collapse |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / NetOunces | Required | Provide the ounces component of the weight of the individual item listed with <Description>.<br>For example: <NetOunces>5</NetOunces> | Decimal | default=0.0<br>whiteSpace=collapse |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / HSTariffNumber | Required | For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.<br><br>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.<br><br>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>=“true”) the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.<br><br>For example:<br><HSTariffNumber>4901.10.0000</HSTariffNumber> | String | whiteSpace=collapse<br>maxLength=17<br>pattern=\d{0,12} |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / CountryOfOrigin | Required | For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled.<br>It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items.<br>The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States".<br>(http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure.<br>For example: <CountryOfOrigin>United States</CountryOfOrigin> | String | |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / ItemCategory | Optional | Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods. | String | |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail / ItemSubCategory | Optional | Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods. | String | |
| eVSPriorityMailIntl Request / Insured | Optional | Restricted use: authorized users may indicate with a value of Y that the item is insured for purposes of obtaining a barcode number from the insured range. All other users must specify N or omit. | String | default=N<br>enumeration=<br>• Y<br>• N |
| eVSPriorityMailIntl Request / InsuredNumber | Optional | For backward-compatibility; not validated. | String | |
| eVSPriorityMailIntl Request / InsuredAmount | Optional | Use this tag for entering an insurance amount, if known.<br>For example: <InsuredAmount>100.00</InsuredAmount> | Decimal | length=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / Postage | Optional | Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated.<br>For example: <Postage></Postage> | Decimal | length=0 |
| eVSPriorityMailIntl Request / GrossPounds | Required | Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <GrossOunces> tag. WebTools will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country.<br>For example:<br><GrossPounds>4</GrossPounds> | Integer | whiteSpace=collapse |
| eVSPriorityMailIntl Request / GrossOunces | Required | Enter the ounces component of the total package weight with this tag.<br>For example:<br><GrossOunces>0</GrossOunces> | Integer | whiteSpace=collapse |
| eVSPriorityMailIntl Request / ContentType | Required | Specifies the content of the package or envelope.<br>For example:<br><ContentType>DOCUMENTS</ContentType><br>Note: Enumerations are case sensitive "NonnegotiableDocument" and "Documents" both signify mailable non-negotiable documents and are insured automatically for up to $100. Additional Insurance cannot be purchased.<br>Any non-document ContentType values are insured automatically for up to $200. Additional Insurance can be purchased for values $200 and greater. | String | enumerations=<br>• MERCHANDISE<br>• SAMPLE<br>• GIFT<br>• DOCUMENTS<br>• RETURN<br>• HUMANITARIAN<br>• NonnegotiableDocument<br>• PHARMACEUTICALS<br>• MEDICALSUPPLIES<br>• OTHER |
| eVSPriorityMailIntl Request / ContentTypeOther | Optional | Required when <ContentType>OTHER<ContentType>. Maximum length enforced via truncation | String | maxLength=15<br>whiteSpace=collapse |
| eVSPriorityMailIntl Request / Agreement | Required | Requires a value of Y to print <FromFirstName/> and <FromLastName/> in Signature Box along with Current Date (Central Time USA). Any other value returns an error. | String | enumeration=<br>• Y<br>• N |
| eVSPriorityMailIntl Request / Comments | Optional | Enter any comments.<br>For example: <Comments></Comments> | String | maxLength=76 |
| eVSPriorityMailIntl Request / LicenseNumber | Optional | Enter license number, if known or if included in package.<br>For example: <LicenseNumber>LIC-24356879</LicenseNumber> | String | maxLength=24 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / CertificateNumber | Optional | Enter certificate number, if known or if included in package.<br>For example: <CertificateNumber>CERT-97865342</CertificateNumber> | String | maxLength=24 |
| eVSPriorityMailIntl Request / InvoiceNumber | Optional | Enter invoice number, if known or if included in package.<br>For example: <InvoiceNumber>INV-040903</InvoiceNumber> | String | maxLength=24 |
| eVSPriorityMailIntl Request / ImageType | Required | For example:<br><ImageType>PDF</ImageType> | String | enumeration=<br>• PDF<br>• TIF<br>• NONE |
| eVSPriorityMailIntl Request / ImageLayout | Optional | Controls how the multipage form is returned in the response tags. "ONEPERFILE" returns one page per response tag while “ALLINONEFILE” returns all pages in a single response tag.<br>The “TRIM” options conserve page space if possible by combining two form parts on a single page.<br>For example:<br><ImageLayout>ONEPERFILE<ImageLayout> | String | default=ONEPERFILE<br>enumerations=<br>• ONEPERFILE<br>• ALLINONEFILE<br>• TRIMONEPERFILE<br>• TRIMALLINONEFILE |
| eVSPriorityMailIntl Request / CustomerRefNo | Optional | Written to Postal Manifest Detail record.<br>For example: <CustomerRefNo>Ref 369246</CustomerRefNo> | String | maxLength=30 |
| eVSPriorityMailIntl Request / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record.<br>For example:<br><CustomerRefNo2>ACT369246</CustomerRefNo2> | String | maxLength=30 |
| eVSPriorityMailIntl Request / POZipCode | Optional | ZIP of Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code.<br>For example:<br><POZipCode>00962</POZipCode> | String | whiteSpace=collapse<br>length=5<br>pattern=\d{5} |
| eVSPriorityMailIntl Request / LabelDate | Optional | Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request.<br>For example:<br><LabelDate>09/28/2010</LabelDate> | String | whiteSpace=collapse<br>maxLength=10<br>pattern=\d{1,2}/\d{1,2}/\d\d(\d\d)? |
| eVSPriorityMailIntl Request / HoldForManifest | Optional | Restricted use. Holds manifest record for possible inclusion in SCAN request. | String | enumeration=<br>• Y<br>• N |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / EELPFC | Optional | Exemption and Exclusion Legend or PFC Code. Use in conjunction with Revision tag with value of 1 to indicate and trigger new functionality.<br>Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5_007.htm.<br>To activate check boxes use ”30.37a” or “30.37h”.<br>For example: <EELPFC>30.37a</EELPFC> | String | whiteSpace=collapse<br>minLength=0<br>maxLength=35 |
| eVSPriorityMailIntl Request / PriceOptions | Optional | Price option for package. | String | default=commercial base<br>enumeration=<br>• RETAIL<br>• COMMERCIAL BASE<br>• COMMERCIAL PLUS |
| eVSPriorityMailIntl Request / Length | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | Decimal | minExclusive=0.0<br>totalDigits=10 |
| eVSPriorityMailIntl Request / Width | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.<br>**Example:**<br><Width>5</Width><br><Length></Length><br><Height>8</Height><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | Decimal | minExclusive=0.0<br>totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntl Request / Height | Optional | Value must be numeric. Units are inches.<br>If partial dimensions are provided, an error response will return.<br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing | Decimal | minExclusive=0.0<br>totalDigits=10 |
| eVSPriorityMailIntl Request / Girth | Optional | Value must be numeric. Units are inches.<br>If partial dimensions are provided, an error response will return.<br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing | Decimal | minExclusive=0.0<br>totalDigits=10 |
| eVSPriorityMailIntl Request / ExtraServices | Optional | Groups extra services elements | (Group) | |
| eVSPriorityMailIntl Request / ExtraServices / ExtraService | Optional | Parameters used to specify desired ExtraService. | String | whiteSpace=collapse |
| eVSPriorityMailIntl Request / ActionCode | Optional | Used to specify the action code. Value is included in the Shipping Partner Event file for customers who have chose to have a Shipping Partner Event file submitted to USPS on their behalf.<br>M0 – Mailer Owner<br>S0 – Service Provider<br>For example:<br><ActionCode>M0</ActionCode> | String | Default = M0<br>enumeration=<br>• M0<br>• S0 |
| eVSPriorityMailIntl Request / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. “false” WILL create a SPE file. | Boolean | Default = true<br>enumeration=<br>• true<br>• false |
| eVSPriorityMailInt Request / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailInt Request / AccountZipCode | Optional | ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code.<br>For example: < AccountZipCode >00962</ AccountZipCode > | String | whiteSpace=collapse<br>length=5<br>pattern=\d{5} |
| eVSPriorityMailInt Request / ImportersReferenceType | Conditionally Required | Tax code / VAT no. / Importer Code<br><br>**Note**: Required when <ImportersReferenceNumber> is used. | String | minOccurs=0<br>Enumerations=<br>• TAXCODE<br>• VAT<br>• IMPORTERCODE |
| eVSPriorityMailInt Request / ImportersTelephoneNumber | Optional | For Importer: 10 digits (including area code), with no punctuation. Use format: 2125551234.<br>For example: <FromPhone>2125551234</FromPhone> | String | whiteSpace=collapse<br>length=10<br>pattern=\d{10} |
| eVSPriorityMailInt Request / ImportersFaxNumber | Optional | For Importer: No format checking is done on international fax numbers.<br>For example: <ImportersFaxNumber>011 52 (322) 222-0074</ImportersFaxNumber> | String | maxLength=30 |
| eVSPriorityMailInt Request / ImportersEmail | Optional | For Importer: Complete valid e-mail address is Required if tag is used.<br>For example: <ImportersEmail>cpapple@email.com</ImportersEmail l> | String | maxLength=30<br>whiteSpace=collapse<br>pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4} |
| eVSPriorityMailInt Request / Machinable | Optional | Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics. See International Mail Manual (IMM) Section 241 for more information.<br>For example: <Machinable>false</Machinable> | Boolean | default=true<br>whiteSpace=collapse |
| eVSPriorityMailInt Request / DestinationRateIndicator | Required | Required for destination entry packages.<br>I = International Service Center (ISC)<br>N = None | String | enumerations=<br>• I<br>• N |
| eVSPriorityMailInt Request / MID | Optional | Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <MID>847654321</ MID> | String | minOccurs=0 |
| eVSPriorityMailInt Request / LogisticsManagerMID | Optional | The MID of the company that manages the mailing.<br>Located in position #12 in the Detail 1 record of the Shipping Services File v2.0.<br>Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated.<br>For example: <LogisticsManagerMID>489001< / LogisticsManagerMID> | String | minOccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailInt Request / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID.<br>Located in position #20 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <CRID>544762</ CRID> | String | minOccurs=0 |
| eVSPriorityMailInt Request / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system.<br>Located in position #15 in the Detail 1 record of the Shipping Services File v2.0.<br>For example:<br><VendorCode>1234<VendorCode> | String | minOccurs=0<br>Default=8300 |
| eVSPriorityMailInt Request / VendorProductVersionNumber | Optional | Shipping software's product version number.<br>Located in position #16 in the Detail 1 record of the Shipping Services File v2.0.<br>For example:<br><VendorProductVersionNumber>5.02.1B</ VendorProductVersionNumber> | String | minOccurs=0 |
| eVSPriorityMailInt Request / ePostageMailerReporting | Optional | Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1<br>1 - (ePostage sender information in SSF )<br>2 - (ePostage sender information through DES)<br>3 - (ePostage sender information using child MID) | String | enumerations=<br>• 1<br>• 2<br>• 3 |
| eVSPriorityMailInt Request / SenderFirstName | Optional | First Name of Sender.<br>For example:<br><SenderFirstName>Adam</SenderFirstName><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=49 |
| eVSPriorityMailInt Request / SenderLastName | Optional | Last Name of Sender.<br>For example:<br><SenderLastName>Smith</SenderLastName><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=75 |
| eVSPriorityMailInt Request / SenderBusinessName | Optional | Values for Sender Business Name must be sent.<br>For example:<br><SenderBusinessName>USPS</SenderBusinessName> | String | minLength=0<br>maxLength=100 |
| eVSPriorityMailInt Request / SenderAddress1 | Optional | Sender address line. Use this tag for full address (Address1 and Address2)<br>Must match Address1 and Address2 or will produce an error.<br>For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=148 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailInt Request / SenderCity | Optional | Sender city.<br>For example: <SenderCity>BETHESDA</SenderCity>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=50 |
| eVSPriorityMailInt Request / SenderState | Optional | Sender state.<br>For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=2 |
| eVSPriorityMailInt Request / SenderZip5 | Optional | Sender ZIP code.<br>For example: <SenderZip5>20212</SenderZip5><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=d(5) |
| eVSPriorityMailInt Request / SenderPhone | Optional | Sender Phone #. 10 digits Required (including area code), with no punctuation.<br>For example: <SenderPhone>2125551234</SenderPhone><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=d(10) |
| eVSPriorityMailInt Request / SenderEmail | Optional | E-mail Address of Sender. Valid e-mail addresses must be used.<br>For example: <SenderEMail>cpapple@email.com</SenderEMail><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4} |
| eVSPriorityMailInt Request / ChargebackCode | Optional | Code used with the federal Agency Number or code for the customer's internal use. | String | 123456 (alphanumeric) |
| eVSPriorityMailIntl Request | Optional | | (Alias) | |

### 3.2.1 Sample Request

**Request:eVSPriorityMailInt**

```
<eVSPriorityMailIntlCertifyRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option />
<Revision>2</Revision>
<ImageParameters />
<FromFirstName>Garrison</FromFirstName>
<FromMiddleInitial>A</FromMiddleInitial>
<FromLastName>Johns</FromLastName>
<FromFirm />
<FromAddress1>radlab</FromAddress1>
<FromAddress2>6406 Ivy Lane</FromAddress2>
<FromCity>Greenbelt</FromCity>
<FromState>MD</FromState>
<FromZip5>20770</FromZip5>
<FromZip4>1234</FromZip4>
<FromPhone>3019187658</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
```

```
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Switzerland</ToCountry>
<ToPostalCode>20770</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<NonDeliveryOption>Return</NonDeliveryOption>
<Container>SMFLATRATEBOX</Container>
<ShippingContents>
<ItemDetail>
<Description>Description 1</Description>
<Quantity>1</Quantity>
<Value>1.11</Value>
<NetPounds>1</NetPounds>
<NetOunces>1</NetOunces>
<HSTariffNumber>123456</HSTariffNumber>
<CountryOfOrigin>Brazil</CountryOfOrigin>
</ItemDetail>
<ItemDetail>
<Description>Description 2</Description>
<Quantity>2</Quantity>
<Value>2.22</Value>
<NetPounds>2</NetPounds>
<NetOunces>2</NetOunces>
<HSTariffNumber>234567</HSTariffNumber>
<CountryOfOrigin>Switzerland</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<Insured>N</Insured>
<InsuredNumber></InsuredNumber>
<InsuredAmount></InsuredAmount>
<GrossPounds>3</GrossPounds>
<GrossOunces>5</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>PriorityMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<POZipCode>20770</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<ExtraServices>
<ExtraService></ExtraService>
</ExtraServices>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSPriorityMailIntlCertifyRequest>
```

**eVS Priority Mail International w/ HS Tarriff Number & Tags**

```
<eVSPriorityMailIntlCertifyRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
  <Option />
  <Revision>2</Revision>
```

```
<ImageParameters>
  <ImageParameter>4BY6LABEL</ImageParameter>
</ImageParameters>
<FromFirstName>Garrison</FromFirstName>
<FromMiddleInitial>A</FromMiddleInitial>
<FromLastName>Johns</FromLastName>
<FromFirm />
<FromAddress1>radlab</FromAddress1>
<FromAddress2>6406 Ivy Lane</FromAddress2>
<FromCity>Greenbelt</FromCity>
<FromState>MD</FromState>
<FromZip5>20770</FromZip5>
<FromZip4>1234</FromZip4>
<FromPhone>3019187658</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Switzerland</ToCountry>
<ToPostalCode>20770</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<NonDeliveryOption>Return</NonDeliveryOption>
<Container>MDFLATRATEBOX</Container>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>
<Insured>N</Insured>
<InsuredNumber></InsuredNumber>
<InsuredAmount></InsuredAmount>
<GrossPounds>3</GrossPounds>
<GrossOunces>5</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>PriorityMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<POZipCode>20770</POZipCode>
<LabelDate></LabelDate>
```

```
  <HoldForManifest>N</HoldForManifest>
  <ExtraServices>
    <ExtraService></ExtraService>
  </ExtraServices>
  <DestinationRateIndicator>N</DestinationRateIndicator>
</eVSPriorityMailIntlCertifyRequest>
```

## 3.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntlResponse | Required | | (Alias) | |
| eVSPriorityMailIntlResponse / Postage | Required | Postage amount | Decimal | |
| eVSPriorityMailIntlResponse / TotalValue | Required | Value of all items being shipped | Decimal | |
| eVSPriorityMailIntlResponse / SDRValue | Required | Special Drawing Right calculated on Insured Amount | Decimal | |
| eVSPriorityMailIntlResponse / BarcodeNumber | Required | Mail service related barcode. | String | |
| eVSPriorityMailIntlResponse / LabelImage | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page2Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page3Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page4Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page5Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page6Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Prohibitions | Required | List of items prohibited from mailing based on country of destination | String | |
| eVSPriorityMailIntlResponse / Restrictions | Required | Restrictions on items being shipped based on country of destination | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntlResponse / Observations | Required | Additional mailing information based on country of destination | String | |
| eVSPriorityMailIntlResponse / Regulations | Required | Additional regulations for shipping to destination country | String | |
| eVSPriorityMailIntlResponse / AdditionalRestrictions | Optional | Additional restrictions on items being shipped to destination country.<br>This tag is available when the request Revision tag >= 2.<br>If Revsion tag < 2, the additional restrictions are appended to the Restrictions tag. | String | minOccurs=0 |
| eVSPriorityMailIntlResponse / DestinationBarcodeNumber | Optional | | String | minOccurs=0 |
| eVSPriorityMailIntlResponse / ParcelIndemnityCoverage | Required | Indemnity value | Decimal | |
| eVSPriorityMailIntlResponse / InsuranceFee | Optional | Fee for insurance | Decimal | minExclusive=0.0 |
| eVSPriorityMailIntlResponse / ExtraServices | Optional | Grouping of extra services | (Group) | minOccurs=0 |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService | Optional, repeating up to unbounded times | Groups extra service information | (Group) | |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService / ServiceID | Required | Extra Service ID echoed from request | String | |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService / ServiceName | Required | Extra Service name | String | |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService / Price | Required | Extra Service fee | Decimal | |
| eVSPriorityMailIntlResponse / RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSPriorityMailIntlResponse / Warning | Optional | | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSPriorityMailIntlResponse | Required | | (Alias) | |

### 3.3.1 Sample Response

<eVSPriorityMailIntlResponse>
<Postage>23.50</Postage>
<TotalValue>3.33</TotalValue>
<SDRValue></SDRValue>
<BarcodeNumber>LZ333007781US</BarcodeNumber>
<LabelImage>.....suppressed.....</LabelImage>
<Page2Image></Page2Image>
<Page3Image></Page3Image>
<Page4Image></Page4Image>
<Page5Image></Page5Image>
<Page6Image></Page6Image>
<Prohibitions>
Arms and weapons.
Firing caps and loaded metal cartridges for portable firearms, nonexplosive parts of artillery fuses, flammable films, or articles made of celluloid.
Human remains.
Live plants and animals.
Lottery tickets and advertisements for lotteries.
Mini-spies (miniature wireless transmitters).
Radar detectors.
</Prohibitions>
<Restrictions>No list furnished.</Restrictions>
<Observations>
1. A parcel may be addressed to a street address or to a post office box. A local telephone number for the addressee should be provided when the item is addressed to a street address and must be provided when the item is addressed to a post office box.
2. For parcels, an invoice, in duplicate, is Required for all commercial shipments regardless of value and all personal shipments valued at $300 or more. The invoices must be affixed to the outside of the parcel or may be enclosed in PS Form 2976-E with the customs declaration.
3. A letter or card fully prepaid and bearing the same address as that of a Priority Mail International parcel may be tied to or otherwise securely attached to the outside of the parcel in such manner as to prevent its separation therefrom and not to interfere with the address of the parcel. Stamps to cover postage on the parcel must be affixed to the wrapper of the parcel. Stamps to pay postage on the letter must be affixed to the envelope thereof, or in the case of a postcard, to the address side of the card, preferably the upper-right portion. Priority Mail International parcels to which such letters or cards are attached are treated as parcel post.
</Observations>
<Regulations>
Country Code: CH
Reciprocal Service Name: There is no reciprocal service.
Required Customs Form/Endorsement
1. Business correspondence and commercial papers/documents.
No form Required. Endorse item clearly next to mailing label as BUSINESS PAPERS.
2. Merchandise samples without commercial value.
PS Form 2976, Customs - CN 22 and Sender's Declaration.
3. Merchandise and all articles subject to customs duty.
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91. An invoice, in duplicate, is Required for all commercial shipments regardless of value and all personal shipments valued at $300 or more. The invoices must be either affixed to the outside of the parcel or enclosed in PS Form 2976-E with the customs declaration.

Notes:
1. An invoice, in duplicate, is Required for all commercial shipments regardless of value and for all personal shipments valued at $300 or more. The invoices must be either affixed to the outside of the parcel or enclosed in PS Form 2976-E with the customs declaration.
2. Arms, weapons, and human remains are prohibited.
3. Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Switzerland.
4. An Priority Mail Express International shipment may be addressed to a street address or to a post office box. A local telephone number for the addressee should be provided when the item is addressed to a street address and must be provided when the item is addressed to a post office box.
Areas Served:
All points in Switzerland and Liechtenstein.
</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<ParcelIndemnityCoverage>0.00</ParcelIndemnityCoverage>
<ExtraServices>
<ExtraService>
<ServiceID>9</ServiceID>
<ServiceName>Electronic USPS Delivery Confirmation International</ServiceName>
<Price>0.00</Price>
</ExtraService>
</ExtraServices>
<RemainingBarcodes>29< RemainingBarcodes>
</eVSPriorityMailIntlResponse>

# 4.0 eVS First Class Mail International Label API

## 4.1 Overview

The First Class Mail International Label API lets customers generate First Class International labels given the weight and dimensions of the item.

### 4.1.1 API Signature

| Scheme | Host | Path | API | XML |
|---|---|---|---|---|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSFirstClassMailIntl | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSFirstClassMailIntlCertify | &XML=(see Tag Descriptions below) |

The “eVSFirstClassMailIntlCertify” API signature is for testing purposes and will not generate usable labels and barcodes.

**Note**: GET HTTP requests have length restrictions, whereas POST HTTP requests do not. Please take this under consideration when determining the request-response method that you choose.

## 4.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntlRequest | Required | | (Alias) | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSFirstClassMailIntl Request / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSFirstClassMailIntl Request / Option | Optional | For future use. | Empty | |
| eVSFirstClassMailIntl Request / Revision | Required | Use of value **2** Required as of January 2011. For example: <Revision>2</Revision> | String | |
| eVSFirstClassMailIntl Request / ImageParameters | Optional | Groups alternate image options. | (Group) | minoccurs=0 |
| eVSFirstClassMailIntl Request / ImageParameters / ImageParameter | Optional, repeating up to 3 times | Returns alternate label image. Only alternate 4''x6'' size label image may be requested at this time.<br>• 4X6LABEL (4X6 on a full page 8.5/11" background)<br>• 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page)<br>• 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page)<br>• 4X6ZPL203DPI (ZPL - Zebra Programming Language) format<br>• 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi.<br>•<br>For example: <ImageParameter>4X6LABEL</ImageParameter> | String | Enumerations=<br>• 4X6LABEL<br>• 4X6LABELL<br>• 4X6LABELP<br>• 4X6ZPL203DPI<br>• 4X6ZPL300DPI |
| eVSFirstClassMailIntl Request / FromFirstName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName> | String | maxLength=30 minLength=1 whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / FromMiddleInitial | Optional | Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example:<br><FromMiddleInitial>L</FromMiddleInitial> | String | maxLength=1<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromLastName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name.<br>For example:<br><FromLastName>Doe</FromLastName> | String | maxLength=30<br>minLength=1<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromFirm | Required | FromFirm is Required if FromFirstName and FromLastName are left blank.<br>For example:<br><FromFirm>XYZ</FromFirm> | String | maxLength=32<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromAddress1 | Optional | Use this tag for a suite or apartment number only.<br>For example: <FromAddress1>Suite 100</FromAddress1> | String | maxLength=32<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromAddress2 | Required | Use this tag for the primary address line.<br>For example: <FromAddress2>10 Elm Street</FromAddress2> | String | maxLength=32<br>minLength=1<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromUrbanization | Optional | Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated.<br>For example:<FromUrbanization>URB Caparra Ter</FromUrbanization> | String | maxLength=32<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromCity | Required | Use this tag to specify originating city.<br>For example:<br><FromCity>Anytown</FromCity> | String | maxLength=16<br>minLength=1<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromState | Required | Use 2-letter USPS abbreviation.<br>For example:<br><FromState>AK</FromState> | String | length=2<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / FromZip5 | Required | Five-digit valid ZIP code Required.<br>For example:<br><FromZip5>01234</FromZip5> | String | whiteSpace=collapse<br>length=5<br>pattern=\d{5} |
| eVSFirstClassMailIntl Request / FromZip4 | Optional | If value is entered, four digits are Required. Must be a valid ZIP+4 extension.<br>For example:<br><FromZip4>5678</FromZip4> | String | whiteSpace=collapse<br>length=4<br>pattern=\d{4} |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234<br>For example: <FromPhone>5555555555</FromPhone> | String | whiteSpace=collapse<br>length=10<br>pattern=\d{10} |
| eVSFirstClassMailIntl Request / ToName | Optional | Deprecated. See “ToFirstName” and “ToLastName” tags. | String | maxLength=36 |
| eVSFirstClassMailIntl Request / ToFirstName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank.<br>For example: <ToFirstName>John</ToFirstName> | String | maxLength=30 |
| eVSFirstClassMailIntl Request / ToLastName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank.<br>For example: <ToLastName>Doe</ToLastName> | String | maxLength=30 |
| eVSFirstClassMailIntl Request / ToFirm | Required | ToFirm is Required if ToFirstName and ToLastName are left blank.<br>For example: <ToFirm></ToFirm> | String | maxLength=36 |
| eVSFirstClassMailIntl Request / ToAddress1 | Optional | Three address lines are provided, but only one is Required. Use as many as needed for complete address.<br>For example: <ToAddress1>Apartado 3068</ToAddress1> | String | maxLength=36<br>minLength=1<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ToAddress2 | Required | Three address lines are provided, but only one is Required. Use as many as needed for complete address.<br>For example: <ToAddress2></ToAddress2> | String | maxLength=36<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ToAddress3 | Optional | Three address lines are provided, but only one is Required. Use as many as needed for complete address.<br>For example: <ToAddress3/> | String | maxLength=36<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ToCity | Required | Recipient's city.<br>For example: <ToCity>PUERTO VALLARTA</ToCity> | String | maxLength=18<br>minLength=1<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ToProvince | Optional | Enter the province for the recipient.<br>For example: <ToProvince>JALISCO</ToProvince> | String | maxLength=9<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ToCountry | Required | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure.<br>For example: <ToCountry>MEXICO</ToCountry> | String | minLength=1<br>whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntlRequest / ToPostalCode | Required | Enter the postal code for the recipient.<br>For example:<br><ToPostalCode>46807</ToPostalCode> | String | maxLength=9<br>whiteSpace=collapse |
| eVSFirstClassMailIntlRequest / ToPOBoxFlag | Required | Indicates whether or not the To Address is a Post Office Box.<br>For example:<br><ToPOBoxFlag>N</ToPOBoxFlag> | String | whiteSpace=collapse<br>enumeration=<br>• Y<br>• N |
| eVSFirstClassMailIntlRequest / ToPhone | Optional | No format checking is done on international phone numbers. Required when FirstClassMailIntlRequest[ToPOBoxFlag='Y'].<br>For example: <ToPhone>011 52 (322) 222-0069</ToPhone> | String | maxLength=30<br>whiteSpace=collapse |
| eVSFirstClassMailIntlRequest / ToFax | Optional | No format checking is done on international fax numbers.<br>For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30<br>whiteSpace=collapse |
| eVSFirstClassMailIntlRequest / ToEmail | Optional | One single, complete, and valid e-mail address is Required if tag is used.<br>For example:<br><ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30<br>whiteSpace=collapse<br>pattern=([\w\-\.]+)@(([\w-]+\.))+[a-zA-Z]{2,4} |
| eVSFirstClassMailIntlRequest / FirstClassMailType | Optional | Used to determine the postage rate. See also FirstClassMailIntlRequest/Machinable.<br>For example:<br><FirstClassMailType>PACKAGE SERVICE</FirstClassMailType> | String | default= PACKAGE SERVICE<br>whiteSpace=collapse<br>enumeration=<br>• PACKAGE SERVICE |
| eVSFirstClassMailIntlRequest / ShippingContents | Required | | (Group) | |
| eVSFirstClassMailIntlRequest / ShippingContents / ItemDetail | Required repeating up to 5 times | | (Group) | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / Description | Required | Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods<br>**Note:** Vague item descriptions will return an error: none, not applicable, n/a, null, gift, merchandise, sample, other<br>For example: <Description>Policy guidelines document</Description> | String | maxLength=30<br>minLength=2<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / Quantity | Required | Quantity of the item. Integer value Required.<br>For example: <Quantity>1</Quantity> | Integer | whiteSpace=collapse<br>minExclusive=0<br>maxExclusive=1000 |
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / Value | Required | The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is $10.00, "20.00" (2 boxes x $10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered.<br>For example: <Value>55.00</Value> | Decimal | whiteSpace=collapse<br>minExclusive=0<br>maxExclusive=100000 |
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / NetPounds | Required | Provide the pounds component of the weight of the individual item listed within this ItemDetail.<br>For example:<br><NetPounds>1</NetPounds> | Integer | default=0<br>whiteSpace=collapse<br>minInclusive=0 |
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / NetOunces | Required | Provide the ounces component of the weight of the individual item listed within this ItemDetail.<br>For example:<br><NetOunces>5</NetOunces> | Decimal | default=0.0<br>whiteSpace=collapse<br>minInclusive=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / HSTariffNumber | Required | For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.<br><br>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.<br><br>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>=“true”) the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.<br><br>For example: <HSTariffNumber>4901.10.0000</HSTariffNumber> | String | whiteSpace=collapse<br>maxLength=17<br>minLength=0<br>pattern=\d{12}<br>pattern=\d{0} |
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / CountryOfOrigin | Required | For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items.<br>The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure.<br>For example: <CountryOfOrigin>United States</CountryOfOrigin> | String | whiteSpace=collapse<br>minLength=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / ItemCategory | Optional | Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods. | String | minLength=0<br>maxLength=100 |
| eVSFirstClassMailIntl Request / ShippingContents / ItemDetail / ItemSubCategory | Optional | Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods. | String | minLength=0<br>maxLength=100 |
| eVSFirstClassMailIntl Request / Postage | Optional | Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated.<br>For example: <Postage></Postage> | String<br>Decimal | length=0<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / GrossPounds | Required | Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the "GrossOunces" tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country.<br>For example:<br><GrossPounds>4</GrossPounds> | Integer | whiteSpace=collapse<br>minInclusive=0 |
| eVSFirstClassMailIntl Request / GrossOunces | Required | Enter the ounces component of the total package weight with this tag.<br>For example:<br><GrossOunces>0</GrossOunces> | Integer | whiteSpace=collapse<br>minInclusive=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / Machinable | Optional | Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics.<br>See International Mail Manual (IMM) Section 241 for more information.<br>For example:<br><Machinable>false</Machinable> | Boolean | default=true<br>whiteSpace=collapse<br>enumeration=<br>• false<br>• true |
| eVSFirstClassMailIntl Request / ContentType | Required | Specifies the content of the package or envelope.<br>For example:<br><ContentType>DOCUMENTS</ContentType> | String | whiteSpace=collapse<br>enumeration=<br>• MERCHANDISE<br>• SAMPLE<br>• GIFT<br>• DOCUMENTS<br>• HUMANITARIAN<br>• OTHER |
| eVSFirstClassMailIntl Request / ContentTypeOther | Optional | Required when FirstClassMailIntlRequest[ContentType='OTHER']. | String | maxLength=15<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / Agreement | Required | Indicates the requestor's agreement to terms and conditions of mailing. Requires a value of Y to print and in Signature Box along with Current Date (Central Time USA). Any other value returns an error. | String | whiteSpace=collapse<br>enumeration=<br>• Y |
| eVSFirstClassMailIntl Request / Comments | Optional | For future use. | String | maxLength=76<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / LicenseNumber | Optional | For future use. | String | maxLength=24<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / CertificateNumber | Optional | For future use. | String | maxLength=24<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / InvoiceNumber | Optional | For future use. | String | maxLength=24<br>whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ImageType | Required | For example:<br><ImageType>PDF</ImageType> | String | whiteSpace=collapse<br>enumeration=<br>• PDF<br>• TIF<br>• NONE |
| eVSFirstClassMailIntl Request / ImageLayout | Optional | Specified whether the pages are to be returned one per file or all in one file. The current FCMI label is one page so this tag has no effect.<br>For example:<br><ImageLayout>ONEPERFILE</ImageLayout> | String | default=ONEPERFILE<br>whiteSpace=collapse<br>enumeration=<br>• ONEPERFILE<br>• ALLINONEFILE |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / CustomerRefNo | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref 369246</CustomerRefNo> | String | maxLength=30 |
| eVSFirstClassMailIntl Request / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record For example: <CustomerRefNo2>ACT 369246</ CustomerRefNo2> | String | maxLength=30 |
| eVSFirstClassMailIntl Request / LabelDate | Optional | Date the mail will enter the mail stream. No more than three days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate> | String | whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d\d(\d\d)? |
| eVSFirstClassMailIntl Request / HoldForManifest | Optional | Restricted use. Holds manifest record for possible inclusion in SCAN request. | String | enumeration=<br>• Y<br>• N |
| eVSFirstClassMailIntl Request / EELPFC | Optional | Exemption and Exclusion Legend or PFC Code. Currently Optional, in the future it may be Required for use. Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5_007.htm. To activate check boxes use ”30.37a” or “30.37h”. For example: <EELPFC>30.37a</EELPFC> | String | whiteSpace=collapse minLength=0 maxLength=35 |
| eVSFirstClassMailIntl Request / Container | Optional | This tag has been deprecated | String | |
| eVSFirstClassMailIntl Request / Length | Optional | Value must be numeric. Units are inches.<br><br>If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | Decimal | minExclusive=0.0 totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / Width | Optional | Value must be numeric. Units are inches.<br>If partial dimensions are provided, an error response will return.<br>**Example:**<br><Width>5</Width><br><Length></Length><br><Height>8</Height><br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | Decimal | minExclusive=0.0<br>totalDigits=10 |
| eVSFirstClassMailIntl Request / Height | Optional | Value must be numeric. Units are inches.<br><br>If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing | Decimal | minExclusive=0.0<br>totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntl Request / Girth | Optional | Value must be numeric. Units are inches.<br><br>If partial dimensions are provided, an error response will return.<br><br>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.<br><br>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing | Decimal | minExclusive=0.0<br>totalDigits=10 |
| eVSFirstClassMailIntl Request / ExtraServices | Optional | Groups extra services elements | (Group) | |
| eVSFirstClassMailIntl Request / ExtraServices / ExtraService | Optional, repeating up to 3 times | Use to specify extra services. Currently, available extra service is electronic USPS Delivery Confirmation International.<br>**Extra Service Name** / **Service ID**<br>e-USPS Delivery Confirmation International / 109<br>For example: <ExtraService>109</ExtraService> | String | enumeration=<br>• 109 |
| eVSFirstClassMailIntl Request / PriceOptions | Optional | Indicates if retail, commercial base or commercial plus pricing should be returned.<br>For example: <PriceOptions>COMMERCIAL BASE</PriceOptions> | String | default=RETAIL<br>enumeration=<br>• COMMERCIAL BASE<br>• COMMERCIAL PLUS |
| eVSFirstClassMailIntl Request / ActionCode | Optional | Passed to SPE file via the shipment manifest. | String | Default = M0<br>enumeration=<br>• M0<br>• S0 |
| eVSFirstClassMailIntl Request / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. “false” WILL create a SPE file. | Boolean | Default = true<br>enumeration=<br>• true<br>• false |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailInt Request / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 |
| eVSFirstClassMailInt Request / AccountZipCode | Optional | ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code.<br>For example:<br><POZipCode>00962</POZipCode> | String | whiteSpace=collapse<br>length=5<br>pattern=\d{5} |
| eVSFirstClassMailInt Request / DestinationRateIndicator | Required | Required for destination entry packages<br>I = International Service Center (ISC)<br>N = None | String | enumerations=<br>• I<br>• N |
| eVSFirstClassMailInt Request / MID | Optional | Mailer ID (MID), Represents Mail Owner MID.<br>Located in position #13 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <MID>847654321</ MID> | String | minOccurs=0 |
| eVSFirstClassMailInt Request / LogisticsManagerMID | Optional | The MID of the company that manages the mailing.<br>Located in position #12 in the Detail 1 record of the Shipping Services File v2.0.<br>Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated.<br>For example:<br><LogisticsManagerMID>489001< / LogisticsManagerMID> | String | minOccurs=0 |
| eVSFirstClassMailInt Request / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID.<br>Located in position #20 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <CRID>544762</ CRID> | String | minOccurs=0 |
| eVSFirstClassMailInt Request / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system.<br>Located in position #15 in the Detail 1 record of the Shipping Services File v2.0.<br>For example:<br><VendorCode>1234<VendorCode> | String | minOccurs=0<br>default=8300 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntRequest / VendorProductVersionNumber | Optional | Shipping software's product version number.<br>Located in position #16 in the Detail 1 record of the Shipping Services File v2.0.<br>For example: <VendorProductVersionNumber>5.02.1B</ VendorProductVersionNumber> | String | minOccurs=0 |
| eVSFirstClassMailIntRequest / ePostageMailerReporting | Optional | Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1<br>1 - (ePostage sender information in SSF )<br>2 - (ePostage sender information through DES)<br>3 - (ePostage sender information using child MID) | String | enumerations=<br>• 1<br>• 2<br>• 3 |
| eVSFirstClassMailIntRequest / SenderFirstName | Optional | First Name of Sender.<br>For example: <SenderFirstName>Adam</ SenderFirstName><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=49 |
| eVSFirstClassMailIntRequest / SenderLastName | Optional | Last Name of Sender.<br>For example: <SenderLastName>Smith</ SenderLastName><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=75 |
| eVSFirstClassMailIntRequest / SenderBusinessName | Optional | Values for Sender Business Name must be sent.<br>For example: <SenderBusinessName>USPS</ SenderBusinessName> | String | minLength=0<br>maxLength=100 |
| eVSFirstClassMailIntRequest / SenderAddress1 | Optional | Sender address line. Use this tag for full address (Address1 and Address2)<br>Must match Address1 and Address2 or will produce an error.<br>For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=148 |
| eVSFirstClassMailIntRequest / SenderCity | Optional | Sender city<br>For example: <SenderCity>BETHESDA</ SenderCity> Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=50 |
| eVSFirstClassMailIntRequest / SenderState | Optional | Sender state.<br>For example: <SenderState>MD</ SenderState> Required when <ePostageMailerReporting>=1 | String | minLength=0<br>maxLength=2 |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailInt Request / SenderZip5 | Optional | Sender ZIP code.<br>For example:<br><SenderZip5>20212</SenderZip5><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=d(5) |
| eVSFirstClassMailInt Request / SenderPhone | Optional | Sender Phone #. 10 digits Required (including area code), with no punctuation.<br>For example:<br><SenderPhone>2125551234</ SenderPhone><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=d(10) |
| eVSFirstClassMailInt Request / SenderEmail | Optional | E-mail Address of Sender. Valid e-mail addresses must be used.<br>For example:<br><SenderEMail>cpapple@email.com</ SenderEMail><br>Required when <ePostageMailerReporting>=1 | String | minLength=0<br>pattern=([\w\-\.]+)@(([\w-]+\.)+)[a-zA-Z]{2,4} |
| eVSFirstClassMailInt Request / RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSFirstClassMailInt Request / ChargebackCode | Optional | Code used with the federal Agency Number or code for the customer's internal use. | String | 123456 (alphanumeric) |
| eVSFirstClassMailIntl Request / ImportersReferenceNumber | Optional | Enter a value for Importers Reference to pass IOSS data in the SSF for export compliance and to print when <PrintImportersReference> is true. The text entered is any reference number that the recipient wishes to use.<br><br>**Note**: Requires <ImportersReferenceType> to be specified if used.<br><br>For example:<br><ImportersReferenceNumber>Order 23432</ImportersReferenceNumber> | String | maxLength=40 |
| eVSFirstClassMailIntl Request / ImportersReferenceType | Conditionally Required | Tax code / VAT no. / Importer Code Enter a value for Importers Reference Type to pass IOSS data in the SSF for export compliance.<br><br>**Note**: Required when <ImportersReferenceNumber> is used. | String | minOccurs=0<br>enumeration=<br>• TAXCODE<br>• VAT<br>• IMPORTERCODE |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntlRequest / FromCustomsReference | Optional | Enter a value for Sender Customs Reference Number to pass IOSS data in the SSF for export compliance. The text entered is any reference number that the sender wishes to use.<br>For example:<br><FromCustomsReference></FromCustomsReference> | String | maxLength=14 |
| eVSFirstClassMailIntlRequest / PrintImportersReference | Optional | A value of “true” will print the <ImportersReferenceNumber> value on the P.S. Form 2976 in the upper left corner of the TO block section. | Boolean | Default=false<br>enumeration=<br>• true<br>• false |
| eVSFirstClassMailIntlRequest | Required | | (Alias) | |

### 4.2.1 Sample Request

**Request: eVSFirstClassMailIntl**

```
<eVSFirstClassMailIntlRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option />
<Revision>2</Revision>
<ImageParameters />
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm />
<FromAddress1>test</FromAddress1>
<FromAddress2>7 N Wilkes-Barre Blvd.</FromAddress2>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5708203158</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Brazil</ToCountry>
<ToPostalCode></ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<FirstClassMailType></FirstClassMailType>
<ShippingContents>
<ItemDetail>
<Description>Description 1</Description>
<Quantity>1</Quantity>
<Value>1.11</Value>
```

```
<NetPounds>1</NetPounds>
<NetOunces>1</NetOunces>
<HSTariffNumber>123456</HSTariffNumber>
<CountryOfOrigin>Switzerland</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<GrossPounds>3</GrossPounds>
<GrossOunces>2</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>FirstClassMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<Container></Container>
<Length>15.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth></Girth>
<ExtraServices>
<ExtraService>109</ExtraService>
</ExtraServices>
<PriceOptions>COMMERCIAL BASE</PriceOptions>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSFirstClassMailIntlRequest>
```

**eVS FirstClass Mail Intl Request with HS Tarriff Number and Tags**

```
<eVSFirstClassMailIntlCertifyRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
  <Option />
  <Revision>2</Revision>
  <ImageParameters />
  <FromFirstName>John</FromFirstName>
  <FromMiddleInitial>L</FromMiddleInitial>
  <FromLastName>Doe</FromLastName>
  <FromFirm />
  <FromAddress1>test</FromAddress1>
  <FromAddress2>7 N Wilkes-Barre Blvd.</FromAddress2>
  <FromCity>Wilkes-Barre</FromCity>
  <FromState>PA</FromState>
  <FromZip5>18702</FromZip5>
  <FromZip4></FromZip4>
  <FromPhone>5708203158</FromPhone>
  <ToName></ToName>
  <ToFirstName>Reza</ToFirstName>
  <ToLastName>Dianat</ToLastName>
  <ToFirm>HP</ToFirm>
  <ToAddress1>HP</ToAddress1>
  <ToAddress2>5th floor</ToAddress2>
  <ToAddress3>6406 Ivy Lane</ToAddress3>
  <ToCity>Greenbelt</ToCity>
  <ToProvince>Md</ToProvince>
  <ToCountry>Brazil</ToCountry>
  <ToPostalCode></ToPostalCode>
  <ToPOBoxFlag>N</ToPOBoxFlag>
  <ToPhone>5555555555</ToPhone>
  <ToFax>3012929999</ToFax>
```

```
  <ToEmail>b@aol.com</ToEmail>
  <FirstClassMailType></FirstClassMailType>
  <ShippingContents>
    <ItemDetail>
      <Description>Policy guidelines document</Description>
      <Quantity>1</Quantity>
      <Value>55.00</Value>
      <NetPounds>1</NetPounds>
      <NetOunces>5</NetOunces>
      <HSTariffNumber>4901.10.0000</HSTariffNumber>
      <CountryOfOrigin>United States</CountryOfOrigin>
      <ItemCategory>turbo</ItemCategory>
      <ItemSubCategory>charger</ItemSubCategory>
    </ItemDetail>
  </ShippingContents>
  <GrossPounds>3</GrossPounds>
  <GrossOunces>2</GrossOunces>
  <ContentType>Documents</ContentType>
  <Agreement>Y</Agreement>
  <Comments>FirstClassMailIntl Comments</Comments>
  <ImageType>TIF</ImageType>
  <LabelDate></LabelDate>
  <HoldForManifest>N</HoldForManifest>
  <Size>LARGE</Size>
  <Length>15.5</Length>
  <Width>5.5</Width>
  <Height>5.5</Height>
  <Girth></Girth>
  <ExtraServices>
    <ExtraService/>
  </ExtraServices>
  <PriceOptions>COMMERCIAL BASE</PriceOptions>
  <DestinationRateIndicator>N</DestinationRateIndicator>
  <ImportersReferenceNumber>123.456.789-00</ImportersReferenceNumber>
  <ImportersReferenceType>VAT</ImportersReferenceType>
  <FromCustomsReference>12345678901234</FromCustomsReference>
  <PrintImportersReference>true</PrintImportersReference>
</eVSFirstClassMailIntlCertifyRequest>
```

## 4.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntlResponse | Required | | (Alias) | |
| eVSFirstClassMailIntlResponse / Postage | Required | Postage amount | Decimal | |
| eVSFirstClassMailIntlResponse / TotalValue | Required | Value of all items being shipped | Decimal | |
| eVSFirstClassMailIntlResponse / BarcodeNumber | Required | Mail service related barcode. | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassMailIntlResponse / LabelImage | Required | Encoded images of label. (may be empty depending upon layout selection or items shipped) | base64Binary | |
| eVSFirstClassMailIntlResponse / Page2Image | Required | Encoded images of label. (may be empty depending upon layout selection or items shipped) | base64Binary | |
| eVSFirstClassMailIntlResponse / Page3Image | Required | Encoded images of label. (may be empty depending upon layout selection or items shipped) | base64Binary | |
| eVSFirstClassMailIntlResponse / Prohibitions | Required | List of items prohibited from mailing based on country of destination | String | |
| eVSFirstClassMailIntlResponse / Restrictions | Required | Restrictions on items being shipped based on country of destination | String | |
| eVSFirstClassMailIntlResponse / Observations | Required | Additional mailing information based on country of destination | String | |
| eVSFirstClassMailIntlResponse / Regulations | Required | Additional regulations for shipping to destination country | String | |
| eVSFirstClassIntlResponse / AdditionalRestrictions | Required | Additional restrictions on items being shipped to destination country | String | |
| eVSFirstClassIntlResponse / DestinationBarcodeNumber | Optional | | String | minOccurs=0 |
| eVSFirstClassIntlResponse / ExtraServices | Optional | Appears if ExtraServices was populated in the request | (Group) | |
| eVSFirstClassIntlResponse / ExtraServices / ExtraService | Optional, repeating up to unbounded times | Groups extra service information | (Group) | |
| eVSFirstClassIntlResponse / ExtraServices / ExtraService / ServiceID | Required | Extra Service ID echoed from request | String | |
| eVSFirstClassIntlResponse / ExtraServices / ExtraService / ServiceName | Required | Extra Service name | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSFirstClassIntlResponse / ExtraServices / ExtraService/ Price | Required | Extra Service fee | Decimal | |
| eVSFirstClassMailIntlResponse / Warning | Optional | | String | |
| eVSFirstClassMailIntlCertifyResponse | Required | | (Alias) | |

### 4.3.1 Sample Response

```
<eVSFirstClassMailIntlResponse>
<Postage>30.42</Postage>
<TotalValue>1.11</TotalValue>
<BarcodeNumber>LZ333007778US</BarcodeNumber>
<LabelImage>.....removed.....</LabelImage>
<Page2Image></Page2Image>
<Page3Image></Page3Image>
<Prohibitions>
Banknotes; currency notes; paper money; securities payable to bearer; and traveler's checks.
Coins; manufactured and unmanufactured platinum, gold, and silver; precious stones; jewels; expensive jewelry; and other valuable articles.
Commercial samples that promote tobacco products or smoking-related merchandise.
Commercial shipments that contain cigarettes, cigarillos, cigars, loose and packaged tobacco, pipes, and other smoking devices.
Items that are fragile, either by nature or due to inadequate packing, that could cause harm to individuals or equipment.
Medicines whose formulas are not listed in the official pharmacopeias or not licensed by the Brazilian Department of Public Health.
Perishable infectious biological substances.
Perishable noninfectious biological substances.
Playing cards.
Poniards, stilettos, poniard blades; canes, umbrellas, or any other articles containing swords, daggers, or guns; handcuffs, and blackjacks.
Primary educational books not written in Portuguese.
Radioactive materials.
Regulation arms and munitions of Brazil and parts. Air guns. Reducing tubes and silencers for firearms.
Salted or smoked meat, and other foodstuffs of animal origin.
Seeds and seedlings of coffee, shrubs.
Used consumer goods (See Observation #5 for exception).
</Prohibitions>
<Restrictions>
Medicines must be accompanied by a prescription from the attendant Brazilian doctor. This prescription should be on a chemist's form, bearing the name, private address or office of the doctor, his registration number with the Brazil National Medical Council and a Portuguese translation of the instructions, as necessary. Postal packages containing medicaments and not satisfying the above-mentioned conditions will be returned to the senders or, if abandoned, treated as undeliverable items.
Postage stamps are admitted only in registered shipments.
Saccharine and other artificial sweeteners for artificial beverages require permission from the Brazilian Department of Public Health for importation.
</Restrictions>
<Observations>
```

1. Brazil reserves the right to collect a "presentation-to-Customs charge" from customers for any item submitted to customs control, even if no customs charges are levied.
2. Import licenses are Required for many kinds of goods and senders should ascertain from the addressee before mailing that the necessary documents are held.
3. Imports are allowed by mail, including mail order catalog shipments, up to a value of U.S. $500 (U.S. $1000 for computer software) without the requirement of an import license provided the item is not for resale. Shipments valued at no more than U.S. $50 are duty free and are delivered to the addressee; shipments above U.S. $50 can be picked up at the post office upon payment of import duties. Imports that are prohibited or subject to special regulations must comply with applicable Brazilian government provisions. Identical shipments from the same source to the same person or address in Brazil within a 90 day period are considered part of the same shipment and may be subject to confiscation. Other merchandise that usually enters duty free includes items such as newspapers, maps, books, and magazines.
4. Shipments for which an import permit has not been issued are considered contraband and confiscated.
5. Shipments that do not indicate the applicable postage and fees on PS Form 2976-A will hinder the customs clearance process, causing delays to clear the items.
6. Used consumer goods may only be sent to charitable organizations that are recognized by the Brazilian government as being entities which serve the public interest.
</Observations>
<Regulations>
Country Code:
BR

Reciprocal Service Name;
Serca
Required Customs Form/Endorsement
1. Correspondence and business papers.
PS Form 2976, Customs - CN 22 and Sender's Declaration. Endorse item clearly next to mailing label as BUSINESS PAPERS.
2. Merchandise, merchandise samples without commercial value, documents, computer data, and all articles subject to customs duty.
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91. Include an invoice with all commercial shipments.
Note:
Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Brazil.
Areas Served: All
</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<ExtraServices>
<ExtraService>
<ServiceID>10</ServiceID>
<ServiceName>Electronic USPS Delivery Confirmation International (Service temporarily suspended)</ServiceName>
<Price>0.00</Price>
</ExtraService>
</ExtraServices>
<RemainingBarcodes>5< RemainingBarcodes>
</eVSFirstClassMailIntlResponse>

# 5.0 eVS International Cancel API

## 5.1 Overview

The eVS International Cancel request allows an eVS label to be removed from processing if the request is made prior to 11:59 PM Central Time on the day of label creation.

### 5.1.1 API Signature

| Scheme | Host | Path | API | XML |
|---|---|---|---|---|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSICancel | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSICancelCertify | &XML=(see Tag Descriptions below) |

**Note**: GET HTTP requests have length restrictions, whereas POST HTTP requests do not. Please take this under consideration when determining the request-response method that you choose.

## 5.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSICancelRequest | Required | | (Group) | |
| eVSICancelRequest / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID.<br>For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSICancelRequest / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password.<br>For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSICancelRequest / BarcodeNumber | Required | BarcodeNumber of original label.<br>Length of 22, 30 or 34 numbers.<br>**Note:** The eVSICancel API can contain only one package barcode in a single request. | | |
| eVSICancelRequest | Required | | | |

### 5.2.1 Sample Request

```
<eVSICancelRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<BarcodeNumber>1234567890</BarcodeNumber>
</eVSICancelRequest>
```

## 5.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSICancelResponse | Required | | (Alias) | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|---|---|
| eVSICancelResponse / BarcodeNumber | Required | Returned in the eVS Label Request<br>Length of 22, 30 or 34 numbers. | | |
| eVSICancelResponse / Status | Required | Success or Failure Indicator | String | “Cancelled”<br>“Not Cancelled” |
| eVSICancelResponse / Reason | Required | | String | “Order Cancelled Successfully”<br>“Order Already Cancelled”<br>“Order Not Found” |
| eVSICancelResponse | Required | | (Alias) | |

### 5.3.1 Sample Response

**Responses: eVSICancel**

```
<eVSICancelResponse>
  <BarcodeNumber>1234567890</BarcodeNumber>
  <Status>Not Cancelled</Status>
  <Reason>Order Not Found</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
  <BarcodeNumber>EC502016316US</BarcodeNumber>
  <Status>Cancelled</Status>
  <Reason>Order Cancelled Successfully</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
  <BarcodeNumber>EC502016316US</BarcodeNumber>
  <Status>Not Cancelled</Status>
  <Reason>Order Already Cancelled</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
  <BarcodeNumber>EC900000362US</BarcodeNumber>
  <Status>Not Cancelled</Status>
  <Reason>Order Already Manifested</Reason>
</eVSICancelResponse>
```

# 6.0 Appendices

## 6.1 Appendix A

### 6.1.1 eVS International Label Example – Express Mail International (P.S. Form 2976-B)



FROM
555-555-5555
MID: 901065076
JOHN L DOE
7 NORTH WILKE-BARRE BLVD
WILKES-BARRE PA 18702
US

CP72-CUSTOMS DECLARATION
Origin Post: US POSTAL SERVICE
Date of Mailing: 10/27/2017
Importer's reference:
Importer's contact:

EMS
PRIORITY MAIL EXPRESS INT'L
U.S. POSTAGE PAID
Not Valid Test Label
eVS

| Detailed description of contents | Qty | Net Weight (lbs/oz) | | Value (US$) | HS Tariff Number | Origin | Insured Value: $ |
|---|---|---|---|---|---|---|---|
| Policy guidelines document | 1 | 1 | 5 | 55.00 | 490110 | US | Up to 100.00 |
| | | | | | | | SDR Value: $ 71.59 |
| | | | | | | | Insured Fee: $ |
| | | | | | | | Postal charges/ Fees: $ 79.71 |
| Category of items: DOCUMENTS | TOTAL | 4 | 0 | 55.00 | Corporate Account #: | | |

Exporter's reference:
Exporter's contact: 555-555-5555
Total Dimensions: L: 20.5 W: 5.5 H: 5.5
AES/ITN/Exemption
Invoice/License/Certificate No(s): INV-040903/CERT-7865342/LIC-24356879

I certify the particulars given in this customs declaration are correct. The form does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations.

Delivery Information
Scheduled Delivery Date: 11/02/2017
Delivery Date:
Delivery Time: AM/PM
Addressee's Signature

Sender's Signature and Date: John L Doe 10/27/2017
Return to Sender Instructions in case of nondelivery: Return to Sender

4.0 lb

TO
01 52 (322) 222-0069
MS. C. P. APPLE
APARTADO 3068
2046 GOLDEN ROCK
**AUSTRALIA**

EC 000 091 125 US

PS Form 2976-B (March 2015) Web Tools — Do not duplicate this form without USPS approval. — This item may be opened officially.

SAMPLE-DO NOT MAIL

## 6.1.2 eVS International Label Example – Priority Mail International (P.S. Form 2976-A)



FROM
301-918-7658
MID: 444444444
GARRISON A JOHNS
RADLAB
6406 IVY LN
GREENBELT MD 20770-1435
US

CP72-CUSTOMS DECLARATION
Origin Post: US POSTAL SERVICE
Date of Mailing: 04/18/2023
Importer's reference:
Importer's contact:

P
PRIORITY MAIL INT'L
U.S. POSTAGE PAID
Not Valid Test Label
eVS

| Detailed description of contents | Qty | Net Weight (lbs/oz) | | Value (US$) | HS Tariff Number | Origin Country |
|---|---|---|---|---|---|---|
| Description 1 | 1 | 1 | 1 | 1.11 | [illegible] | BR |
| Description 2 | 2 | 2 | 2 | 2.22 | [illegible] | CH |
| TOTAL | 3 | | | [illegible] | | |

Insured Value: $ Up to 100.00
SDR Value: $
Insured Fee: $
Postal charges/ Fees: $ 42.13

Category of items: DOCUMENTS
Exporter's reference:
Exporter's contact: 301-918-7658
Total Dimensions: L: 0.0 W: 0.0 H: 0.0
AES/ITN/Exemption
Invoice/License/Certificate No(s)

I certify the particulars given in this customs declaration are correct. This form does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations.

Sender's Signature and Date
Garrison A Johns 04/18/2023

3.3 lb.

Return to Sender Instructions in case of nondelivery:
Return to Sender

SAMPLE - DO NOT MAIL

TO
5555555555
REZA DIANAT
HP
HP
5TH FLOOR
6406 IVY LANE
20770 GREENBELT MD
SWITZERLAND

CB 000 090 598 US

PS Form 2976-A (March 2015) Web Tools Do not duplicate this form without USPS approval. This item may be opened officially.

### 6.1.3 eVS International Label Example – First Class Mail International (P.S. Form 2976)



**CN22 - CUSTOMS DECLARATION**

**Origin Post:** US Postal Service
**Date of Mailing:** 01/23/2026
**Catagory of Item:** DOCUMENTS
**AES/ITN/Exemptions:**
**Detailed description of contents**
Policy guidelines document

| Qty | Wgt (lb/oz) | | Value (US$) | HS Tariff Number: Country of Origin |
|---|---|---|---|---|
| 1 | 1 | 5 | 55.00 | 4901.10.0000 US |
| | 1 | | 55.00 | TOTAL |

I certify the particulars given in this customs declaration are correct. This form does not contain any undeclared dangerous articles, or articles prohibited by Legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and requlations

**Sender's Signature and Date**
John L Doe 01/23/2026

**PS Form 2976 (March 2015)** Web Tools

**FROM**
570-820-3158
MID: 444444444
JOHN L DOE
TEST
7 N WILKES BARRE BLVD
WILKES BARRE PA 18702-5249
US

**F**
FIRST-CLASS PKG
INT'L SERVICE
U.S. POSTAGE
PAID
Not Valid Test Label
eVS

**TO**
123.456.789-00
5555555555
REZA DIANAT
HP
HP
5TH FLOOR
6406 IVY LANE
GREENBELT MD
BRAZIL

3.1 lb.

LB 000 095 799 US

SAMPLE - DO NOT MAIL

Do not duplicate this form without USPS approval. This item may be opened officially.

## 6.2 Appendix B - Country Codes

| Country | Code |
|---|---|
| Abu Dhabi | AE |
| Admiralty Islands (Papua New guinea) | PG |
| Afghanistan | AF |
| Aitutaki, Cook Islands (New Zealand) | NZ |
| Ajman (United Arab Emirates) | AE |
| Aland Island (Finland) | FI |
| Albania | AL |
| Alberta (Canada) | CA |
| Alderney (Channel Islands) (Great Britain and Northern Ireland) | GB |
| Algeria | DZ |
| Alhucemas (Spain) | ES |
| Alofi Island (New Caledonia) | NC |
| American Samoa, United States | AS |
| Andaman Islands (India) | IN |
| Andorra | AD |
| Angola | AO |
| Anguilla | AI |
| Anjouan (Comoros) | KM |
| Annobon Island (Equatorial Guinea) | GQ |
| Antigua (Antigua and Barbuda) | AG |
| Argentina | AR |
| Armenia | AM |
| Aruba | AO |
| Ascension | SH |
| Astypalaia (Greece) | GR |
| Atafu (Samoa) | WS |
| Atiu, Cook Islands (New Zealand) | CK |
| Australia | AU |
| Austria | AT |
| Avarua (New Zealand) | NZ |

| Country | Code |
|---|---|
| Azerbaijan | AZ |
| Azores (Portugal) | PT |
| Bahamas | BS |
| Bahrain | BH |
| Balearic Islands (Spain) | ES |
| Balochistan (Pakistan) | PK |
| Bangladesh | BD |
| Banks Island (Vanuatu) | VU |
| Barbados | BB |
| Barduda (Antigua and Barbuda) | AG |
| Barthelemy (Guadeloupe) | BL |
| Belarus | BY |
| Belgium | BE |
| Belize | BZ |
| Benin | BJ |
| Bermuda | BM |
| Bhutan | BT |
| Bismark Archipelago (Papua New Guinea) | PG |
| Bolivia | BO |
| Bonaire, Sint Eustatius and Saba | BQ |
| Bora Bora (French Polynesia) | PF |
| Borneo (Indonesia) | ID |
| Botswana | BW |
| Bougainville (Papua New Guinea) | PG |
| Bourbon (Reunion) | RE |
| Brazil | BR |
| British Columbia (Canada) | CA |
| British Guiana (Guyana) | GY |
| British Virgin Islands | VG |
| Brunei Darussalam | BN |
| Buka (Papua New Guinea) | PG |
| Bulgaria | BG |

| Country | Code |
|---|---|
| Burkina Faso | BF |
| Burundi | BI |
| Caicos  Islands(Turks and Caicos Islands) | TC |
| Cambodia | KH |
| Cameroon | CM |
| Canada | CA |
| Canary Islands (Spain) | ES |
| Canton Island (Kiribati) | KI |
| Cape Verde | CV |
| Cayman Islands | KY |
| Central African Republic | CF |
| Ceuta (Spain) | ES |
| Ceylon (Sri Lanka) | LK |
| Chad | TD |
| Chaferinas Islands (Spain) | ES |
| Chalki (Greece) | GR |
| Channel Islands (Jersey, Guemsey, Alderney and Sark) (Great Britain and Norther Ireland) | JE |
| Chile | CL |
| China | CN |
| Christmas Island (Australia) | AU |
| Christmas Island (Kiribati) | KI |
| Cocos (Keeling) Islands | CC |
| Colombia | CO |
| Comoros | KM |
| Congo, the Democratic Republic of the | CD |
| Congo | CG |
| Cook Islands | CK |
| Corisco Island (Equatorial Guinea) | GQ |
| Corsica (France) | FR |
| Costa Rica | CR |
| Cote dIvoire | CI |

| Country | Code |
|---|---|
| Crete (Greece) | GR |
| Croatia | HR |
| Cuba | CU |
| Cumino Island (Malta) | MT |
| Curacao | CW |
| Cyjrenaica (Libya) | LY |
| Cyprus | CY |
| Czech Republic | CZ |
| Dahomey (Benin) | BN |
| Damao (India) | IN |
| Danger Islands (New Zealand) | NZ |
| Denmark | DK |
| Desirade Island (Guadeloupe) | GP |
| Diu (India) | IN |
| Djibouti | DJ |
| Dodecanese Islands (Greece) | GR |
| Doha (Qatar) | QA |
| Dominica | DM |
| Dominican Republic | DO |
| Dubai (United Arab Emirates) | AE |
| East Timor (Timor-Leste) | TL |
| Ecuador | EC |
| Egypt | EG |
| Eire (Ireland) | IE |
| El Salvador | SV |
| Ellice Islands (Tuvalu) | TV |
| Elobey Islands (Equatorial Guinea) | GQ |
| Enderbury Island (Kirbati) | KI |
| England (Great Britain and Northern Ireland) | GB |
| Equatorial Guinea | GQ |
| Eritrea | ER |
| Ethiopia | ET |

| Country | Code |
|---|---|
| Estonia | EE |
| Fakaofo (Samoa) | WS |
| Falkland Islands (Malvinas) | FK |
| Fanning Island (Kiribati) | KI |
| Faroe Islands | FO |
| Femando Po (Equatorial Guinea) | GQ |
| Fiji | FJ |
| Fezzan (Libya) | LY |
| Finland | FI |
| Fomosa (Taiwan) | TW |
| France | FR |
| French Guiana | GF |
| French Oceania (French Polynesia) | PF |
| French Polynesia | PF |
| French West Indies (Guadeloupe) | GP |
| French West Indies (Martinique) | MQ |
| Friendly Islands (Tonga) | TO |
| Fujairah (United Arab Emirates) | AE |
| Futuna (Wallis and Futuna Islands) | WF |
| Gabon | GA |
| Gambia | GM |
| Gambier (French Polynesia) | PF |
| Georgia | GE |
| Germany | DE |
| Ghana | GH |
| Gibaltar | GI |
| Gilbert Islands (Kiribati) | KI |
| Goa (India) | IN |
| Gozo Island (Malta) | MT |
| Grand Comoro (Comoros) | KM |
| Great Britain and Northern Ireland | GB |
| Greece | GR |

| Country | Code |
|---|---|
| Greenland | GL |
| Grenada | GD |
| Grenadines (Saint Vincent and the Grenadines) | VC |
| Guadeloupe | GP |
| Guatemala | GT |
| Guernsey (Channel Islands) (Great Britain and Northern Ireland) | GG |
| Guinea | GN |
| Guinea–Bissau | GW |
| Guyana | GY |
| Hainan Island (China) | CN |
| Haiti | HT |
| Hashemite Kingdom (Jordan) | JO |
| Hervey, Cook Islands (New Zealand) | NZ |
| Hivaoa (French Polynesia) | PF |
| Holland (Netherlands) | NL |
| Honduras | HN |
| Hong Kong | HK |
| Huahine (French Polynesia) | HM |
| Huan Island (New Caledonia) | HN |
| Hungary | HU |
| Iceland | IS |
| India | IN |
| Indonesia | ID |
| Iran | IR |
| Irian Barat (Indonesia) | ID |
| Isle of Man | IM |
| Isle of Pines (New Caledonia) | NC |
| Isle of Pines, West Indies (Cuba) | CU |
| Israel | IL |
| Issas (Djibouti) | DJ |
| Italy | IT |

| Country | Code |
|---|---|
| Ivory Coast (Cote d'Ivoire) | CI |
| Iraq | IQ |
| Jersey | JE |
| Jamaica | JM |
| Jordan | JO |
| Johore (Malaysia) | MY |
| Japan | JP |
| Kalymnos (Greece) | GR |
| Kampuchea (Cambodia) | CO |
| Karpathos (Greece) | GR |
| Kassos (Greece) | GR |
| Kazakhstan | KZ |
| Kedah (Malaysia) | MY |
| Keeling Islands (Australia) | AU |
| Kelantan (Malaysia) | MY |
| Kenya | KE |
| Kiribati | KI |
| Korea, Democratic People's Republic of | KP |
| Korea, Republic of | KR |
| Kos (Greece) | GR |
| Kosovo, Republic of | RS |
| Kowloon (Hong Kong) | HK |
| Kuwait | KW |
| Kyrgyzstan | KG |
| Labrador (Canada) | CA |
| Laos People's democratic Republic | LA |
| Latvia | LV |
| Labuan (Malaysia) | MY |
| Lebanon | LB |
| Leipsos (Greece) | GR |
| Leros (Greece) | GR |
| Les Saints Island (Guadeloupe) | GP |

| Country | Code |
|---|---|
| Liberia | LR |
| Lesotho | LS |
| Libya | LY |
| Liechtenstein | LI |
| Lithuania | LT |
| Lord Howe Island (Austrailia) | AU |
| Loyalty Islands (New Caledonia) | NC |
| Luxembourg | LU |
| Macao | MO |
| Macau (Macao) | MO |
| Macedonia, the former Yugoslav Republic of | MK |
| Madagascar | MG |
| Madeira Islands (Portugal) | PT |
| Malacca (Malaysia) | MY |
| Malawi | MW |
| Malaysia | MY |
| Maldives | MV |
| Mali | ML |
| Malta | MT |
| Manahiki (New Zealand) | NZ |
| Manchuria (China) | CN |
| Manitoba (Canada) | CA |
| Marie Galante (Guadeloupe) | GP |
| Marquesas Islands (French Polynesia) | PF |
| Martinique | MQ |
| Mauritania | MR |
| Mauritius | MU |
| Mayotte (France) | FR |
| Melilla (Spain) | ES |
| Mexico | MX |
| Miquelon (Saint Pierre and Miquelon) | PM |
| Moheli (Comoros) | KM |

| Country | Code |
|---|---|
| Moldova, Republic of | MD |
| Monaco | MC |
| Mongolia | MN |
| Montenegro | ME |
| Montserrat | MS |
| Moorea (French Polynesia) | PF |
| Morocco | MA |
| Mozambique | MZ |
| Muscat (Oman) | OM |
| Myanmar (Burma) | MM |
| Namibia | NA |
| Nansil Islands (Japan) | JP |
| Nauru | NR |
| Negri Sembilan (Malaysia) | MY |
| Nepal | NP |
| Netherlands | NL |
| Nevis (Saint Kitts and Nevis) | KN |
| New Britain (Papua New guinea) | PG |
| New Brunswick (Canada) | CA |
| New Caledonia | NC |
| New Hanover (Paoua New Guinea) | PG |
| New Hebrides (Vanuatu) | VU |
| New Ireland (Papua New Guinea) | PG |
| New South Wales (Australia) | AU |
| New Zealand | NZ |
| Newfoundland (Canada) | CA |
| Nicaragua | NI |
| Niger | NE |
| Nigeria | NG |
| Nissiros (Greece) | GR |
| Niue | NU |
| Norfolk Island | NF |

| Country | Code |
|---|---|
| North Borneo (Malaysia) | MY |
| North Korea | KP |
| Northern Ireland<br>(Great Britain and Northern Ireland) | GB |
| Northwest Territory (Canada) | CA |
| Norway | NO |
| Nova Scotia (Canada) | CA |
| Nukahiva (French Polynesia) | PF |
| Nukunonu (Samoa) | WS |
| Ocean Island (Kirbati) | KI |
| Okinawa (Japan) | JP |
| Ontario (Canada) | CA |
| Oman | OM |
| Pakistan | PK |
| Palmerston, Avarua (New Zealand) | NZ |
| Panama | PA |
| Papua New Guinea | PG |
| Paraguay | PY |
| Parry, Cook Islands (New Zealand) | NZ |
| Patmos (Greece) | GR |
| Pemba (Tanzania) | TZ |
| Penang (Malaysia) | MY |
| Penghu Islands (Taiwan) | TW |
| Penon de Velez de la Gomera (Spain) | ES |
| Penrhyn, Tongareva (New Zealand) | NZ |
| Perak (Malaysia) | MY |
| Perlis (Malaysia) | MY |
| Persia (Iran) | IR |
| Peru | PE |
| Pescadores Islands (Taiwan) | TW |
| Petite Terre (Guadeloupe) | GP |
| Philippines | PH |

| Country | Code |
|---|---|
| Poland | PL |
| Pitcaim | PN |
| Puerto Rico | PR |
| Prince Edward Island (Canada) | CA |
| Portugal | PT |
| Pukapuka (New Zeland) | NZ |
| Qatar | QA |
| Qubec (Canada) | CA |
| Queensland (Australia) | AU |
| Quemoy (Taiwan) | TW |
| Raiatea (French Polynesia) | PF |
| Rakaanga (New Zealand) | NZ |
| Rarotonga, Cook Islands (New Zealand) | NZ |
| Ras al Kaimah (United Arab Emirates) | AE |
| Redonda (Antigua and Barbuda) | AG |
| Reunion | RE |
| Rio Muni (Equatorial Guinea) | GN |
| Rodos (Greece) | GR |
| Rodrigues (Mauritius) | MU |
| Romania | RO |
| Rwanda | RW |
| Russian Federation | RU |
| Rwanda | RW |
| Saba (Bonaire, Sint Eustatius, and Saba) | SA |
| Sabah (Malaysia) | MY |
| Saint Barthelemy (Guadeloupe) | BL |
| Saint Bartholomew (Guadeloupe) | BL |
| Saint Helena | SH |
| Saint Kitts and Nevis | KN |
| Saint Lucia | LC |
| Saint Martin (French) (Guadeloupe) | MF |
| Saint Pierre and Miquelon | PM |

| Country | Code |
|---|---|
| Saint Vincent and the Grenadines | VC |
| Sainte Marie de Madagascar (Madagascar) | MG |
| Salvador (El Salvador) | SV |
| Samoa | WS |
| San Marino | SM |
| Santa Cruz Islands (Solomon Islands) | SB |
| Sao Tome and Principe | ST |
| Sarawak (Malaysia) | MY |
| Sark (Channel Islands) (Great Britain and Northern Ireland) | GB |
| Saskatchewan (Canada) | CA |
| Saudi Arabia | SA |
| Savage Island, Niue (New Zealand) | NZ |
| Savaii Island (Samoa) | WS |
| Scotland (Great Britain and Northern Ireland) | GB |
| Seberang Perai (Malaysia) | MY |
| Selangor (Malaysia) | MY |
| Senegal | SN |
| Serbia, Republic of | RS |
| Seychelles | SC |
| Sharja (United Arab Emirates) | AE |
| Shikoku (Japan) | JP |
| Sierra Leone | SL |
| Sikkim (India) | IN |
| Singapore | SG |
| Sint Eustatius (Bonaire, Sint Eustatius, and Saba) | SE |
| Solomon Islands | SB |
| Seychelles | SC |
| Sudan | SD |
| Sweden | SE |
| Singapore | SG |
| Saint Helena, Ascension and Tristan da Cunha | SH |

| Country | Code |
|---|---|
| Sint Maarten | SX |
| Slovakia | SK |
| Slovenia | SI |
| Society Islands (French Polynesia) | PF |
| Solomon Islands | SB |
| Somali Democratic Republic (Somalia) | SN |
| Somalia | SO |
| Somaliland (Somalia) | SO |
| South Africa | ZA |
| South Australia (Australia) | AU |
| South Georgia (Falkland Islands) | FK |
| South Korea (Korea, Republic of) | KR |
| Spain | ES |
| Spitzbergen (Norway) | NO |
| Sri Lanka | LK |
| Sudan | SD |
| Suriname | SR |
| Suwarrow Islands (New Zealand) | NZ |
| Swan Islands (Honduras) | HN |
| Swaziland | SZ |
| Sweden | SE |
| Symi (Greece) | GR |
| Syrian Arab Republic (Syria) | SY |
| Swaziland | SZ |
| Symi (Greece) | GR |
| Syrian Arab Republic (Syria) | SY |
| Tahaa (French Polynesia) | PF |
| Tahiti (French Polynesia) | PF |
| Taiwan, Province of China | TW |
| Tajikistan | TJ |
| Tanzania | TZ |
| Tasmania (Australia) | AU |

| Country | Code |
|---|---|
| Tchad (Chad) | TD |
| Thailand | TH |
| Thursday Island (Australia) | AU |
| Tibet (China) | CN |
| Tilos (Greece) | CR |
| Timor (Indonesia) | ID |
| Timor-Leste, Democratic Republic of | TL |
| Trinidad and Tobago | TT |
| Togo | TG |
| Tokelau | TK |
| Tonga | TO |
| Tongareva (New Zealand) | NZ |
| Tori Shima (Japan) | JP |
| Torres Island (Vanuatu) | VU |
| Trans-Jordan, Hashemite Kingdom (Jordan) | JO |
| Transkei (South Africa) | ZA |
| Trengganu (Malaysia) | MY |
| Tripolitania (Libya) | LY |
| Tristan da Cunha | TA |
| Trucial States (United Arab Emirates) | AE |
| Tuamotou (French Polynesia) | PF |
| Tubuai (French Polynesia) | PF |
| Tunisia | TN |
| Turkmenistan | TM |
| Turks and Caicos Islands | TC |
| Türkiye | TR |
| Tuvalu | TV |
| Ukraine | UA |
| Uganda | UG |
| Umm al Quaiwain (United Arab Emirates) | AE |
| Umm Said (Qatar) | QA |
| United Arab Emirates | AE |

| Country | Code |
|---|---|
| United Kingdom (Great Britain and Northern Ireland) | GB |
| Upolu Island (Samoa) | WS |
| United States of America | US |
| Uruguay | UY |
| Uzbekistan | UZ |
| Vatican City | VA |
| Venezuela, Bolivarian Republic of | VE |
| Victoria (Australia) | AU |
| Viet Nam | VN |
| Virgin Islands (British) | VG |
| Wales (Great Britain and Northern Ireland) | GB |
| Vanuatu | VU |
| Wallis and Futuna | WF |
| Wellesley, Province (Malaysia) | MY |
| West New Guinea (Indonesia) | PG |
| Western Australia (Australia) | AU |
| Yemen | YE |
| Yukon Territory (Canada) | CA |
| Zafarani Islands (Spain) | SB |
| Zambia | ZM |
| Zanzibar (Tanzania) | TZ |
| Zimbabwe | ZW |

## 6.3 Appendix C - Categories for International Shipping Regulatory Mandates

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Appliances, Parts & Accessories | • Air Compressors<br>• Bathroom Appliances<br>• Clothing Iron<br>• Coffee Makers, Toasters & Other Heat-generating Kitchen Appliances<br>• Cutting Blades<br>• Fans<br>• Food Grinders<br>• Heaters, Radiators & Air Conditioning Units<br>• Mechanical Kitchen Appliances<br>• Microwave Ovens<br>• Other Household Appliances<br>• Other Kitchen Appliances<br>• Oven, Cooktops & Ventilating Hoods<br>• Refrigerators & Freezers<br>• Sewing Machines<br>• Sinks, Toilets & Bathtubs<br>• Vacuum Cleaners<br>• Washing Machines & Dryers<br>• Weighing Scales |
| Arts & Collectibles | • Antique Hand-Painted & Hand-Drawn Art<br>• Antiques Over 100 Years Old<br>• Archaeological, Zoological & Historical Collector's Pieces<br>• Art Paint & Brushes<br>• Art Prints<br>• Blank Art Canvas<br>• Coin<br>• Hand-Painted & Hand-Drawn Art<br>• Non-Original Wooden Art<br>• Original Prints & Engravings<br>• Original Sculptures & Carvings<br>• Sewing Materials<br>• Stamp Collections<br>• Statuettes and Ornaments |
| Automotive & Vehicles | • Aircraft & Parts<br>• Bicycles & Accessories<br>• Car, Truck & Tractor Parts<br>• Cranes<br>• Diesel-powered Cars & Trucks<br>• Electric Cars & Trucks<br>• Gas-powered Cars & Trucks<br>• Motorcycle & Bicycle Parts<br>• Motorcycles<br>• Railway & Tramway Vehicles & Parts<br>• Scooters & Chairs for the Disabled & Parts<br>• Ship & Boat Parts<br>• Ships & Boats<br>• Spacecraft & Parts<br>• Special Vehicles (e.g., Fire Trucks, Cement Mixers, etc.)<br>• Tractors & Work Trucks<br>• Trailers |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Beauty & Health | • Air Fresheners & Incense<br>• Bath & Hand Soap<br>• Bath salts<br>• Contact Lenses<br>• Contraceptives<br>• Dental Fittings & Hygiene<br>• Feminine Hygiene<br>• Hair Cutting Tools<br>• Hair Dryers, Straighteners & Curlers<br>• Make-up<br>• Manicure & Pedicure Sets<br>• Massage Tools<br>• Medicine, Ointments, First Aid & Bandages<br>• Other Hygiene<br>• Pedometer<br>• Perfume & Deodorant<br>• Personal Medical Equipment<br>• Shampoo & Hair Products<br>• Shaving & Waxing<br>• Vaccines, Blood, & Cell Cultures |
| Books, Movies & Music | • Books & Brochures<br>• Catalogs<br>• Coloring Books<br>• DVDs, CDs, Tapes & Other Recorded Media<br>• Maps & Globes<br>• Music Boxes<br>• Musical Instruments & Parts<br>• Newspapers, Journals & Magazines<br>• Printed Decals<br>• Sheet Music |
| Clothing & Accessories | • Baby Clothes<br>• Belts & Buckles<br>• Fabric Material<br>• Glasses & Sunglasses<br>• Gloves and Mittens<br>• Hats & Headgear<br>• Hoodies, Sweaters & Cardigans<br>• Luggage, Backpacks, Bags & Wallets<br>• Men's & Boys' Jackets, Shirts & Suits<br>• Men's & Boys' Pants & Swimwear<br>• Men's & Boys' Underwear & Pajamas<br>• Other Clothing Accessories<br>• Shoes & Accessories<br>• Socks, Pantyhose & Tights<br>• Ties & Scarves<br>• Used Clothing<br>• Wigs & False Hair<br>• Women's & Girls' Jackets, Shirts & Dresses<br>• Women's & Girls' Pants, Skirts & Swimwear<br>• Women's & Girls' Underwear & Pajamas |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Electronics, Computers & Cameras | • Audio-playing Devices<br>• Batteries & Power Banks<br>• Cables & Connectors<br>• Cameras, Video Cameras & Parts<br>• Chargers<br>• Computer Parts & Accessories<br>• Device Cases & Bags<br>• DVD & Blu-ray Players<br>• Gift, Credit & Smart Cards<br>• GPS Devices & Radios<br>• Laptops & Desktops<br>• Electrical Parts<br>• Smoke Detectors & Alarms<br>• Speakers, Headphones & Microphones<br>• Streaming Service Devices<br>• Telephones & Smartphones<br>• Televisions & Projectors<br>• Traffic & Safety Signal Equipment<br>• Video Game Consoles & Games |
| Food & Groceries | • Alcoholic Beverages<br>• Baby Formula<br>• Chocolate & Cocoa Products<br>• Coffee, Tea & Mate<br>• Dairy & Eggs<br>• Extracts & Concentrates<br>• Fats & Oils<br>• Fruit<br>• Fruit & Nut Mix<br>• Grains & Flour<br>• Jams & Jellies<br>• Live Fish & Seafood<br>• Meat & Fish<br>• Nuts<br>• Other Food Items<br>• Sauces<br>• Soda & Other Drinks<br>• Soups & Broths<br>• Spices & Sugar<br>• Syrup & Molasses<br>• Tobacco Products & E-cigarettes<br>• Treats<br>• Vegetables & Other Plants |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Home & Garden | • Adhesives & Tape<br>• Animal Hides & Parts<br>• Artificial Plants & Flowers<br>• Bedding & Towels<br>• Candles<br>• Clocks & Parts<br>• Clothing Hangers<br>• Containers & Baskets<br>• Curtains<br>• Electric Kitchen Appliances<br>• Furniture<br>• Household Cleaners & Trash Bags<br>• Lamps & Lighting<br>• Live Plants & Fresh Flowers<br>• Mirrors<br>• Other Household Items<br>• Other Outdoor & Garden Items<br>• Rugs & Mats<br>• Sacks & Bags<br>• Safes & Strong-boxes<br>• Statuettes & Other Decor<br>• Tableware & Kitchenware<br>• Toilet Paper, Napkins & Tablecloths |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Industrial, Scientific & Machinery | • Agricultural & Food Machinery<br>• Batteries & Accumulators<br>• Buttons & Mannequins<br>• Dies & Tanning Extracts<br>• Electric Parts, Electronic Waste & Scrap<br>• Energy-generating Equipment<br>• Explosives & Combustibles<br>• Industrial Animal Products<br>• Industrial Furnaces & Ovens<br>• Industrial Glass Items<br>• Industrial Metal Items<br>• Industrial Plastic Items<br>• Industrial Rubber Items<br>• Industrial Stone & Cement Items<br>• Industrial Textile Items<br>• Industrial Vacuum Cleaners<br>• Industrial Washers & Dryers<br>• Industrial Wood Items<br>• Laboratory Equipment<br>• Magnets<br>• Measuring Equipment<br>• Medical Equipment<br>• Metal-working Machinery<br>• Motors & Generators<br>• Moulds<br>• Navigation & Surveying Equipment<br>• Ores, Mineral Fuels & Oils<br>• Organic Compounds<br>• Other Chemical Products<br>• Other Electrical Machinery & Parts<br>• Other Industrial Machinery<br>• Other Industrial Machinery Parts<br>• Other Minerals & Stone<br>• Packing Materials & Containers<br>• Precious Metal Compounds & Inorganic Chemicals<br>• Printing & Paper Machinery<br>• Railway Materials<br>• Semiconductor-producing Machinery<br>• Textile Machinery<br>• Transformers<br>• Vegetative Materials<br>• Vending Machines<br>• Welding Equipment |
| Jewelry & Watches | • Imitation Jewelry & Parts<br>• Jewelry Boxes & Cases<br>• Jewelry of Pearls or Precious Metal & Parts<br>• Pearls & Precious Stones<br>• Precious Metals<br>• Watches & Parts |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Office Products | • Account Books, Receipt Books & Binders<br>• Adhesive & Tape<br>• Calculators<br>• Calendars<br>• Chalkboards & Dry Erase Boards<br>• Documents & Business Cards<br>• Erasers<br>• Filing Cabinets & Trays<br>• Letter Openers<br>• Other Mathematical Tools<br>• Other Plastic School Supplies<br>• Paper & Paperboard<br>• Pencil Sharpeners, Staplers & Other Office Machines<br>• Pens & Pencils<br>• Printers & Ink<br>• Safety Pins, Paper Clips & Staples<br>• Scissors<br>• Stamps |
| Pet Supplies | • Cages & Accessories<br>• Fish Tanks, Terrariums & Accessories<br>• Food Bowls<br>• Leashes, Harnesses & Saddles<br>• Litter Box<br>• Pet Beds<br>• Pet Food<br>• Pet Toys |
| Sports & Outdoors | • Air Mattresses & Sleeping Bags<br>• Air Pumps<br>• Binoculars & Telescopes<br>• Camping Backpacks & Sports Bags<br>• Compasses<br>• Firearms & Weapons<br>• Firewood & Charcoal<br>• Fireworks & Flares<br>• Fishing Gear<br>• Grills & Stoves<br>• Hammocks<br>• Lamps & Flashlights<br>• Matches & Lighters<br>• Pans & Dutch Ovens<br>• Sports Equipment & Balls<br>• Tents, Tarps & Rope<br>• Umbrellas<br>• Walking Sticks & Whips<br>• Water Sports<br>• Winter Sports |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---|---|
| Tools & Construction materials | • Carpel, Flooring and Tile<br>• Doors & Windows<br>• Hand Tools<br>• Lawn Equipment<br>• Lumber & Furniture Wood<br>• Metal Mountings<br>• Moulding Patterns & Engineering Drawings<br>• Nails, Screws & Bolts<br>• Other Equipment<br>• Other Metal Equipment<br>• Paint, Varnish & Paint Thinner<br>• Pipes & Hoses<br>• Power Tools & Parts<br>• Pulleys, Winches & Generators<br>• Pumps, Compressors & Generators<br>• Roofing<br>• Safety Gear & Scaffolding<br>• Stone, Gravel & Brick<br>• Tape, Construction Adhesive & Putty<br>• Wire & Rods |
| Toys & Games | • Amusement Park Equipment<br>• Arcade Games<br>• Games & Puzzles<br>• Other Toys<br>• Wheeled Toys |