

eVS International Label API

USPS Web Tools™
Application Programming Interface
User Guide
Version 3.6 (3/27/2024)



Table of Contents

| | |
|--|-----------|
| 1.0 Introduction to Web Tools | 3 |
| 1.1 Before you get started: | 3 |
| 2.0 eVS Priority Mail Express International Label API | 4 |
| 2.1 Overview | 4 |
| 2.1.1 API Signature | 4 |
| 2.2 Request Descriptions | 4 |
| 2.2.1 Sample Request | 18 |
| 2.3 Response Descriptions | 21 |
| 2.3.1 Sample Response | 22 |
| 3.0 eVS Priority Mail International Label API | 24 |
| 3.1 Overview | 24 |
| 3.1.1 API Signature | 24 |
| 3.2 Request Descriptions | 24 |
| 3.2.1 Sample Request | 39 |
| 3.3 Response Descriptions | 42 |
| 3.3.1 Sample Response | 43 |
| 4.0 eVS First Class Mail International Label API | 45 |
| 4.1 Overview | 45 |
| 4.1.1 API Signature | 45 |
| 4.2 Request Descriptions | 45 |
| 4.2.1 Sample Request | 59 |
| 4.3 Response Descriptions | 61 |
| 4.3.1 Sample Response | 63 |
| 5.0 eVS GXG Get Label API | 64 |
| 5.1 Overview | 64 |
| 5.1.1 API Signature | 64 |
| 5.2 Request Descriptions | 64 |
| 5.2.1 Sample Request | 77 |
| 5.3 Response Descriptions | 78 |
| 5.3.1 Sample Response | 80 |
| 6.0 eVS International Cancel API | 80 |
| 6.1 Overview | 80 |
| 6.1.1 API Signature | 80 |
| 6.2 Request Descriptions | 80 |
| 6.2.1 Sample Request | 81 |
| 6.3 Response Descriptions | 81 |
| 6.3.1 Sample Response | 81 |
| 7.0 Appendices | 83 |
| 7.1 Appendix A | 83 |
| 7.1.1 eVS International Label Example – Express Mail International | 83 |
| 7.1.2 eVS International Label Example – Priority Mail International | 84 |
| 7.1.3 eVS International Label Example – First Class Mail International | 85 |
| 7.1.4 eVS International Label Example – GXG Get Label | 86 |
| 7.2 Appendix B - Country Codes | 87 |
| 7.3 Appendix C - Categories for International Shipping Regulatory Mandates | 98 |

1.0 Introduction to Web Tools

This document contains a Reference Guide to the eVS international label APIs: Priority Mail Express International, Priority Mail International, Global Express Guaranteed (see section IV for limitations) and First Class Mail International (First Class Package International Service). See the [Developers Guide](#) to learn the administrative process for gaining access to the Web Tools APIs as well as the basic mechanism for calling the APIs and processing the results. The Developer's Guide also contains information on testing and troubleshooting. **Note:** The Request Parameter sections present the XML input tags for generating live requests along with the restrictions on the values allowed. An error message will be returned if an incorrect value is entered. Also, be aware of the maximum character amounts allowed for some tags. If the user enters more than those amounts, an error will not be generated. The Web Tool will simply pass in the characters up to the maximum amount allowed and disregard the rest. This is important since the resulting value could prevent a correct response.

When building the XML request, pay particular attention to the order and case for tags. An error message will be returned if an incorrect value is entered. Remember that all data and attribute values in this document are for illustration purposes and are to be replaced by your actual values. For instance, a line of sample code may be:

```
<Pounds>2</Pounds>
```

In this instance, you will replace "2" with the weight in pounds for the package.

1.1 Before you get started:

The only option for creating labels through our APIs requires eVS setup/enrollment. In general, eVS:

- Requires 50 pieces or 50 pounds per mailing
- Requires a permit imprint
- Requires payment via ACH debit daily (no other forms of payment)
- Handles origin entered mail (no destination entry or presort)
- Requires enrollment and new Mailer IDs (MIDs) and permits
- Will do domestic/international/apo/fpo/dpo/US Territories

eVS, or Electronic Verification System, allows high-volume package mailers and package consolidators to document and pay postage, including special service fees, using electronic manifest files. The files are transmitted over the Internet to a Postal Service™ database. eVS is designed to make it easy for high-volume package mailers to take advantage of destination entry rates.

If you want to explore using eVS, please first contact the eVS@usps.gov.

For registration please visit: <https://www.usps.com/postalone/evs.htm>. If that will not work for you, then you can follow up with sales@usps.gov (or your local Postmaster or USPS Sales Manager) for additional solutions outside of the Web Tools API suite.

Note: The "Certify" API signatures are for testing purposes and will not generate usable labels and barcodes. Whether you are a new or existing mailer, USPS strongly suggests a conversation with you to discuss your business requirements so your account will be properly configured. To initiate this conversation please contact the National Customer Support Center (NCSC) at 877-264-9693 Option 4 and request a referral to an Operations Integration Specialist (OIS) and Technical Integration Specialist (TIS). USPS will align the appropriate team to assist with swift onboarding.

Depending on your needs, your account may be configured in many flexible ways; however, each account will be configured with credentials in a master/child relationship. Minimally, credentials will be established as follows:

- A master Mailer ID is created
 - Child Mailer IDs are created for each origin site and may be created as needed by the requirements of your business units and brands.
- A permit number is created
 - Additional permit numbers may be created as needed by the requirements of your business units and brands
- A CAPS Debit account is created for payment processing
 - Additional CAPS Debit accounts may be created as needed

Your Operations Integration Specialist and Technical Integration Specialist will be involved at the local and national levels to ensure successful launch and introduction to appropriate production support teams.

For information on registering and getting started with Web Tools, please refer to the Step-By-Step guide found on the Web Tools [Technical Documentation Page](#).

2.0 eVS Priority Mail Express International Label API

2.1 Overview

The eVS Priority Mail Express International Label API lets customers generate eVS Priority Mail Express International labels and integrated customs forms.

Note: Scan form is eligible for eVS if HoldForManifest is set to 'Y' (Yes).

Note: The "eVSEXPRESSMAILINTLCERTIFY" API signature is for testing purposes and will not generate usable labels and barcodes.

2.1.1 API Signature

| Scheme | Host | Path | API | XML |
|----------|-------------------------|-------------------|-----------------------------------|-----------------------------------|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSEXPRESSMAILINTL | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSEXPRESSMAILINTL Certify | &XML=(see Tag Descriptions below) |

2.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|--|
| eVSEXPRESSMAILINTL Request | Required | | (Alias) | |
| eVSEXPRESSMAILINTL Request / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXXX" | NMTOKEN | |
| eVSEXPRESSMAILINTL Request / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXXX" | NMTOKEN | |
| eVSEXPRESSMAILINTL Request / Option | Optional | For future use. | Empty | |
| eVSEXPRESSMAILINTL Request / Revision | Optional | Use of value 2 Required as of January 2011. For example: <Revision>2</Revision> | String | minLength=0 pattern=\d{1} pattern= |
| eVSEXPRESSMAILINTL Request / ImageParameters | Optional | Groups alternate image options. | (Group) | |

| Tag Name | Occurs | Description | Type | Validation |
|---|-----------------------------------|---|--------|--|
| eVSExpressMailIntl Request / ImageParameters / ImageParameter | Optional, repeating up to 3 times | Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. <ul style="list-style-type: none"> • 4X6LABEL (4X6 on a full page 8.5/11" background) • 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page) • 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page) • 4X6ZPL203DPI (ZPL - Zebra Programming Language) format • 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi. • For example: <ImageParameter>4X6LABEL</ImageParameter> | String | Enumerations= <ul style="list-style-type: none"> • 4X6LABEL • 4X6LABELL • 4X6LABELP • 4X6ZPL203DPI • 4X6ZPL300DPI |
| eVSExpressMailIntl Request / FromFirstName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName> | String | maxLength=30 minLength=0 |
| eVSExpressMailIntl Request / FromMiddleInitial | Optional | Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial> | String | maxLength=1 |
| eVSExpressMailIntl Request / FromLastName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName> | String | maxLength=30 minLength=0 |
| eVSExpressMailIntl Request / FromFirm | Required | FromFirm is Required if FromFirstName and FromLastName are left blank. For example: <FromFirm></FromFirm> | String | maxLength=32 |
| eVSExpressMailIntl Request / FromAddress1 | Optional | Use this tag for a suite or apartment number only. Either Address1 or Address2 is Required. For example: <FromAddress1/> | String | maxLength=32 |
| eVSExpressMailIntl Request / FromAddress2 | Required | Use this tag for the primary address line. For example: <FromAddress2>10 Elm Street </FromAddress2> | String | maxLength=32 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|--------|--|
| eVSEXPRESSMAILINTL Request / FromUrbanization | Optional | Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <FromUrbanization>URB Caparra Ter</FromUrbanization> | String | maxLength=32 |
| eVSEXPRESSMAILINTL Request / FromCity | Required | For example: <FromCity>Anytown</FromCity> | String | maxLength=16 minLength=1 |
| eVSEXPRESSMAILINTL Request / FromState | Required | Use 2-letter USPS state abbreviation. For example: <FromState>ST</FromState> | String | length=2 |
| eVSEXPRESSMAILINTL Request / FromZip5 | Required | Input tag exactly as presented, not all caps. 5 digits Required. For example: <FromZip5>01234</FromZip5> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSEXPRESSMAILINTL Request / FromZip4 | Optional | Input tag exactly as presented, not all caps. If value is entered, 4 digits Required. This is the ZIP+4 extension. For example: <FromZip4>5678</FromZip4> | String | whiteSpace=collapse length=4 pattern=\d{4} |
| eVSEXPRESSMAILINTL Request / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone> | String | whiteSpace=collapse length=10 pattern=\d{10} |
| eVSEXPRESSMAILINTL Request / FromCustomsRefer ence | Optional | Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustomsReference> | String | maxLength=30 |
| eVSEXPRESSMAILINTL Request / ToName | Optional | Deprecated. See "ToFirstName" and "ToLastName" tags. | String | maxLength=36 |
| eVSEXPRESSMAILINTL Request / ToFirstName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName> | String | maxLength=30 |
| eVSEXPRESSMAILINTL Request / ToLastName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName> | String | maxLength=30 |
| eVSEXPRESSMAILINTL Request / ToFirm | Required | ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm></ToFirm> | String | maxLength=36 |
| eVSEXPRESSMAILINTL Request / ToAddress1 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress1> Apartado 3068</ToAddress1> | String | maxLength=36 minLength=1 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|--------|---|
| eVSEXPRESSMAILINTL Request / ToAddress2 | Required | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress2></ToAddress2> | String | maxLength=36 |
| eVSEXPRESSMAILINTL Request / ToAddress3 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress3></ToAddress3> | String | maxLength=36 |
| eVSEXPRESSMAILINTL Request / ToCity | Required | Recipient's city. For example: <ToCity>PUERTO VALLARTA</ToCity> | String | maxLength=18 minLength=1 |
| eVSEXPRESSMAILINTL Request / ToProvince | Optional | Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince> | String | maxLength=9 |
| eVSEXPRESSMAILINTL Request / ToCountry | Required | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. See the Index of Countries and Localities . Using a country name not on the list will result in a request failure. For example: <ToCountry>MEXICO</ToCountry> | String | minLength=1 |
| eVSEXPRESSMAILINTL Request / ToPostalCode | Required | Enter the postal code for the recipient. For example: <ToPostalCode>46807</ToPostalCode> | String | maxLength=9 |
| eVSEXPRESSMAILINTL Request / ToPOBoxFlag | Required | Indicates whether or not the To Address is a Post Office Box. For example: <ToPOBoxFlag>N</ToPOBoxFlag> | String | Enumeration= • Y • N |
| eVSEXPRESSMAILINTL Request / ToPhone | Optional | No format checking is done on international phone numbers. Required when <ToPOBoxFlag>Y</ToPOBoxFlag> For example: <ToPhone>011 52 (322) 222-0069</ToPhone> | String | maxLength=30 |
| eVSEXPRESSMAILINTL Request / ToFax | Optional | No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 |
| eVSEXPRESSMAILINTL Request / ToEmail | Optional | Complete valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30 whiteSpace=collapse pattern=([w\-\.\.]+)@((([w-]+\.)+)[a-zA-Z]{2,4}) |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|--------|--|
| eVSExpressMailIntlRequest / ImportersReferenceNumber | Optional | Enter a value for the "Importer's Customs Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use. Note: Requires <ImportersReferenceType> to be specified if used. For example: <ToCustomsReference>Order23432</ToCustomsReference> | String | maxLength=28 |
| eVSExpressMailIntlRequest / NonDeliveryOption | Optional | In case package is undeliverable, enter one of the following: "RETURN" for package to be returned to <FromAddress> above. "REDIRECT" to return package to address specified below in <AltReturn> tags. "ABANDON" to dispose of undeliverable package. For example: <NonDeliveryOption>RETURN</NonDeliveryOption> | String | enumeration= <ul style="list-style-type: none"> • RETURN • REDIRECT • ABANDON |
| eVSExpressMailIntlRequest / RedirectName | Optional | Enter a value for the recipient's name. | String | minOccurs=0 |
| eVSExpressMailIntlRequest / RedirectEmail | Optional | Complete valid e-mail address is Required if tag is used. | String | minOccurs=0 |
| eVSExpressMailIntlRequest / RedirectSMS | Optional | This value must be a syntactically-valid SMS number. | String | minOccurs=0 |
| eVSExpressMailIntlRequest / RedirectAddress | Optional | Enter the redirect address. This is a free form field. | String | minOccurs=0 maxLength=48 |
| eVSExpressMailIntlRequest / RedirectCity | Optional | Redirect city. For example: < RedirectCity >ANYTOWN</ RedirectCity > | String | minLength=0 maxLength=21 |
| eVSExpressMailIntlRequest / RedirectState | Optional | Redirect state. For example: < RedirectState >MN</ RedirectState > | String | minLength=0 pattern=\w{2} |
| eVSExpressMailIntlRequest / RedirectZipCode | Optional | Redirect ZIP code. For example: < RedirectZipCode >12345</RedirectZipCode> | String | minLength=0 pattern=\d{5} |
| eVSExpressMailIntlRequest / RedirectZip4 | Optional | Redirect ZIP+4 extension. For example: <RedirectZip4>01234</RedirectZip4> | String | minLength=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|---|--|---------|---|
| eVSEXPRESSMAILINTL Request / Container | Optional | Container type. | String | default=VARIABLE Enumerations= <ul style="list-style-type: none"> • VARIABLE • FLATRATEENV • LEGALFLATRATE ENV • PADDEDFLATRA TEENV |
| eVSEXPRESSMAILINTL Request / ShippingContents | Condition ally Required | Required only if a customs form is required based on Customs Content Type and Weight. | (Group) | |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail | Required repeating up to 30 times or optional | Required repeating up to 30 times if generating an Integrated Customs Form, otherwise not required | (Group) | |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / Description | Required | Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>="true") the API enforces a blacklist of descriptions not permitted: none, not applicable, n/a, null, gift, merchandise Other non-descriptive wording always results in an error: gift, sample, other For example: <Description>Policy guidelines document</Description> | String | maxLength=30 minLength=2 whiteSpace=collapse |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / Quantity | Required | Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity> | integer | minInclusive value="1" maxInclusive value="999" |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / Value | Required | The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <Value>55.00</Value> | decimal | whiteSpace=collapse minExclusive=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|---|
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / NetPounds | Required | Provide the pounds component of the weight of the individual item listed with <Description>. For example: <NetPounds>1</NetPounds> | integer | whiteSpace=collapse default=0 |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / NetOunces | Required | Provide the ounces component of the weight of the individual item listed with <Description>. For example: <NetOunces>5</NetOunces> | decimal | default="0.0" |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / HSTariffNumber | Required | <p>For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.</p> <p>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.</p> <p>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>="true") the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.</p> <p>For example: <HSTariffNumber>4901.10.0000</HSTariffNumber></p> | String | whiteSpace=collapse maxLength=17 pattern=\d{0,12} |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|--------|------------------------------|
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / CountryOfOrigin | Required | For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". http://pe.usps.gov/text/Imm/immctry.htm – click on the link for “International Country Listings”. Using a country name not on the list will result in a request failure. For example: <CountryOfOrigin>United States</CountryOfOrigin> | String | |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / ItemCategory | Optional | Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU’s guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods . | String | minLength=0 maxLength=100 |
| eVSEXPRESSMAILINTL Request / ShippingContents / ItemDetail / ItemSubCategory | Optional | Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU’s guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods . | String | minLength=0 maxLength=100 |
| eVSEXPRESSMAILINTL Request / InsuredNumber | Optional | For backward-compatibility; not validated. | String | |
| eVSEXPRESSMAILINTL Request / InsuredAmount | Optional | Use this tag for entering an insurance amount, if known. For example: <InsuredAmount>100.00</InsuredAmount> | String | length=0 |
| eVSEXPRESSMAILINTL Request / Postage | Optional | Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <Postage></Postage> or <Postage>10.50</Postage> | String | length=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|--|
| eVSEXPRESSMAILINTL Request / GrossPounds | Required | Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <GrossOunces> tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <GrossPounds>4</GrossPounds> | integer | whiteSpace=collapse |
| eVSEXPRESSMAILINTL Request / GrossOunces | Required | Enter the ounces component of the total package weight with this tag. For example: <GrossOunces>0</GrossOunces> | integer | maxLength=3 |
| eVSEXPRESSMAILINTL Request / ContentType | Required | Specifies the content of the package or envelope. For example: <ContentType>DOCUMENTS</ContentTyp e> Note: Enumerations are case sensitive "NonnegotiableDocument" and "Documents" both signify mailable non-negotiable documents and are insured automatically for up to \$100, though Insurance will not be returned as an extra service. Additional Insurance cannot be purchased. Any non-document ContentType values are insured automatically for up to \$200. Additional Insurance can be purchased for values \$200 and greater. | String | Enumerations= <ul style="list-style-type: none"> • MERCHANDISE • SAMPLE • GIFT • DOCUMENTS • RETURN • HUMANITARIAN • DANGEROUSGO ODS • CrematedRemains • NonnegotiableDoc ument • PHARMACEUTIC ALS • MEDICALSUPPLI ES • OTHER |
| eVSEXPRESSMAILINTL Request / ContentTypeOther | Optional | Required when <ContentType>OTHER<ContentType>. | String | maxLength=15 whiteSpace=collapse |
| eVSEXPRESSMAILINTL Request / Agreement | Required | Requires a value of Y to print <FromFirstName/> and <FromLastName/> in Signature Box along with Current Date (Central Time USA). Any other value returns an error. | String | Enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSEXPRESSMAILINTL Request / Comments | Optional | Enter any comments. For example: <Comments></Comments> | String | maxLength=76 |
| eVSEXPRESSMAILINTL Request / LicenseNumber | Optional | Enter license number, if known or if included in package. For example: <LicenseNumber>LIC-24356879</LicenseNumber> | String | maxLength=24 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|--------|---|
| eVSEExpressMailIntl Request / CertificateNumber | Optional | Enter certificate number, if known or if included in package. For example: <CertificateNumber>CERT-97865342</CertificateNumber> | String | maxLength=24 |
| eVSEExpressMailIntl Request / InvoiceNumber | Optional | Enter invoice number, if known or if included in package. For example: <InvoiceNumber>INV-040903</InvoiceNumber> | String | maxLength=24 |
| eVSEExpressMailIntl Request / ImageType | Required | For example: <ImageType>PDF</ImageType> | String | enumeration= <ul style="list-style-type: none"> • PDF • TIF • NONE |
| eVSEExpressMailIntl Request / ImageLayout | Optional | Controls how the multipage form is returned in the response tags. "ONEPERFILE" returns one page per response tag while "ALLINONEFILE" returns all pages in a single response tag. The "TRIM" options conserve page space if possible by combining two form parts on a single page. For example: <ImageLayout>ONEPERFILE<ImageLayout> | String | default=ONEPERFILE enumerations= <ul style="list-style-type: none"> • ONEPERFILE • ALLINONEFILE • TRIMONEPERFILE • TRIMALLINONEFILE |
| eVSEExpressMailIntl Request / CustomerRefNo | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref369246</CustomerRefNo> | String | maxLength=30 |
| eVSEExpressMailIntl Request / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo2>ACT369246</CustomerRefNo2> | String | maxLength=30 |
| eVSEExpressMailIntl Request / POZipCode | Optional | ZIP of Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSEExpressMailIntl Request / LabelDate | Optional | Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate> | String | whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d\d(\d\d)? |
| eVSEExpressMailIntl Request / EMCAAccount | Optional | For future use. USPS Corporate Account | | minOccurs=0 |
| eVSEExpressMailIntl Request / HoldForManifest | Optional | Restricted use. Holds manifest record for possible inclusion in SCAN request. | String | enumeration= <ul style="list-style-type: none"> • Y • N |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|---|--------|--|
| eVSEXPRESSMAILINTL Request / EELPFC | Optional repeating up to 1 times | Exemption and Exclusion Legend or PFC Code. Please refer to the International Mail Manual for further information: http://pe.usps.gov/text/imm/immc5_007.htm . For example: <EELPFC>30.37a</EELPFC> | String | minOccurs=0 maxOccurs=1 |
| eVSEXPRESSMAILINTL Request / PriceOptions | Optional | Indicates if commercial-base price should be returned. For commercial-base price eligibility, please reference the Domestic Mail Manual at http://pe.usps.com/ . | String | default=COMMERCIAL BASE enumeration= <ul style="list-style-type: none"> • COMMERCIAL PLUS • COMMERCIAL BASE |
| eVSEXPRESSMAILINTL Request / Length | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package. Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0 totalDigits=10 |
| eVSEXPRESSMAILINTL Request / Width | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages. Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0 totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|---|
| eVSEXPRESSMAILINTL Request / Height | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package. Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0 totalDigits=10 |
| eVSEXPRESSMAILINTL Request / Girth | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package. Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | String | minOccurs=0 totalDigits=10 |
| eVSEXPRESSMAILINTL Request / LabelTime | Optional | Available if <Revision>= 2. LabelTime is used in conjunction with LabelDate to determine the Guarantee | String | Format hh:mm |
| eVSEXPRESSMAILINTL Request / MeterPaymentFlag | Optional | Meter payment indicator | String | Default=N Enumerations: • N • Y |
| eVSEXPRESSMAILINTL Request / ActionCode | Optional | Used to specify the action code.Value is passed to Shipping Partner Event file via the shipment manifest. M0 – Mailer Owner S0 – Service Provider For example: <ActionCode>M0</ActionCode> | String | Default = M0 enumeration= • M0 • S0 • "space" |
| eVSEXPRESSMAILINTL Request / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file. | Boolean | Default = True enumeration= • true • false |
| eVSEXPRESSMAILINTL Request / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|------------------------|---|---------|--|
| eVSExpressMailIntl Request / ImportersReference Type | Conditionally Required | Tax code / VAT no. / Importer Code Note: Required when <ImportersReferenceNumber> is used. | String | minOccurs=0 enumeration= <ul style="list-style-type: none">TAXCODEVATIMPORTERCODE |
| eVSExpressMailIntl Request / ImportersTelephone Number | Optional | For Importer: 10 digits (including area code), with no punctuation. Use format: 2125551234. For example: <FromPhone>2125551234</FromPhone> | String | whiteSpace=collapse length=10 pattern=\d{10} |
| eVSExpressMailIntl Request / ImportersFaxNumber | Optional | For Importer: No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 |
| eVSExpressMailIntl Request / ImportersEmail | Optional | For Importer: Complete valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30 whiteSpace=collapse pattern=([w\-\.\,+]@([w-]+\.)+)[a-zA-Z]{2,4} |
| eVSExpressMailIntl Request / Machinable | Optional | Indicates whether or not the item is machinable. For example: <Machinable>>false</Machinable> | Boolean | default=true whiteSpace=collapse |
| eVSExpressMailIntl Request / DestinationRateIndicator | Required | Required for destination entry packagesenter either "I" or "N". I = International Service Center (ISC) N = None | String | enumerations= <ul style="list-style-type: none">IN |
| eVSExpressMailIntl Request / MID | Optional | Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID> | String | Length=6 or 9 positions, if populated |
| eVSExpressMailIntl Request / LogisticsManagerMID | Optional | The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID> | String | Length=6 or 9 positions, if populated |
| eVSExpressMailIntl Request / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID> | String | minLength=0 maxLength=15 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|--------|---|
| eVSExpressMailIntl Request / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode> | String | minLength=0 maxLength=4 default=8300 |
| eVSExpressMailIntl Request / VendorProductVersionNumber | Optional | Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1B</VendorProductVersionNumber> | String | minLength=0 maxLength=8 |
| eVSExpressMailIntl Request / ePostageMailerReporting | Optional | Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1 1 - (ePostage sender information in SSF) 2 - (ePostage sender information through DES) 3 - (ePostage sender information using child MID) | String | enumerations= <ul style="list-style-type: none"> • 1 • 2 • 3 |
| eVSExpressMailIntl Request / SenderFirstName | Optional | First Name of Sender. For example: <SenderFirstName>Adam </SenderFirstName> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=49 |
| eVSExpressMailIntl Request / SenderLastName | Optional | Last Name of Sender. For example: <SenderLastName>Smith </SenderLastName> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=75 |
| eVSExpressMailIntl Request / SenderBusinessName | Optional | Values for Sender Business Name must be sent. For example: <SenderBusinessName>USPS</SenderBusinessName> | String | minLength=0 maxLength=100 |
| eVSExpressMailIntl Request / SenderAddress1 | Optional | Sender address line. Use this tag for full address (Address1 and Address2) Must match Address1 and Address2 or will produce an error. For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=148 |
| eVSExpressMailIntl Request / SenderCity | Optional | Sender city. For example: <SenderCity>BETHESDA</SenderCity> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=50 |
| eVSExpressMailIntl Request / SenderState | Optional | Sender state. For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=2 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|---|
| eVSEXPRESSMAILINTLRequest / SenderZip5 | Optional | Sender ZIP code. For example: <SenderZip5>20212</SenderZip5> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=d(5) |
| eVSEXPRESSMAILINTLRequest / SenderPhone | Optional | Sender Phone #. 10 digits Required (including area code), with no punctuation. For example: <SenderPhone>2125551234</SenderPhone> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=d(10) |
| eVSEXPRESSMAILINTLRequest / SenderEmail | Optional | E-mail Address of Sender. Valid e-mail addresses must be used. For example: <SenderEMail>cpapple@email.com</SenderEMail> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=([w\-\.\,]+)@(([w-]+\.)+)[a-zA-Z]{2,4} |
| eVSEXPRESSMAILINTLRequest | Required | | (Alias) | |

2.2.1 Sample Request

Request: eVSEXPRESSMAILINTL

```
<eVSEXPRESSMAILINTLRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
<Option></Option>
<Revision>2</Revision>
<ImageParameters></ImageParameters>
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm></FromFirm>
<FromAddress1></FromAddress1>
<FromAddress2>7 North Wilke-Barre Blvd</FromAddress2>
<FromUrbanization></FromUrbanization>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5555555555</FromPhone>
<FromCustomsReference></FromCustomsReference>
<ToName></ToName>
<ToFirstName>Ms. C. P.</ToFirstName>
<ToLastName>Apple</ToLastName>
<ToFirm></ToFirm>
<ToAddress1> Apartado 3068</ToAddress1>
<ToAddress2></ToAddress2>
<ToAddress3></ToAddress3>
<ToCity>Golden Rock</ToCity>
<ToProvince></ToProvince>
<ToCountry>Australia</ToCountry>
<ToPostalCode>2046</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
```

```
<ToPhone>011 52 (322) 222-0069</ToPhone>
<ToFax>011 52 (322) 222-0074</ToFax>
<ToEmail>cpapple@email.com</ToEmail>
<ImportersReferenceNumber></ImportersReferenceNumber>
<NonDeliveryOption>RETURN</NonDeliveryOption>
<RedirectName></RedirectName>
<RedirectEmail></RedirectEmail>
<RedirectSMS></RedirectSMS>
<RedirectAddress></RedirectAddress>
<RedirectCity></RedirectCity>
<RedirectState></RedirectState>
<RedirectZIPCode>MEXICO</RedirectZIPCode>
<Container>VARIABLE</Container>
<ShippingContents>
<ItemDetail>
<Description>Policy guidelines document</Description>
<Quantity>1</Quantity>
<Value>55.00</Value>
<NetPounds>1</NetPounds>
<NetOunces>5</NetOunces>
<HSTariffNumber>490110</HSTariffNumber>
<CountryOfOrigin>United States</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<InsuredNumber>V-12324589765</InsuredNumber>
<InsuredAmount>100.00</InsuredAmount>
<GrossPounds>4</GrossPounds>
<GrossOunces>0</GrossOunces>
<ContentType>DOCUMENTS</ContentType>
<ContentTypeOther></ContentTypeOther>
<Agreement>Y</Agreement>
<Comments></Comments>
<LicenseNumber>LIC-24356879</LicenseNumber>
<CertificateNumber>CERT-97865342</CertificateNumber>
<InvoiceNumber>INV-040903</InvoiceNumber>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<CustomerRefNo>Ref 369246</CustomerRefNo>
<CustomerRefNo2>ACT 369246</CustomerRefNo2>
<POZipCode>00962</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<PriceOptions></PriceOptions>
<Length>20.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth>6.25</Girth>
<LabelTime>14:24:13</LabelTime>
<MeterPaymentFlag>N</MeterPaymentFlag>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSExpressMailIntlRequest>

eVS Express Mail International w/ HS Tarriff Number & Tags
<eVSExpressMailIntlCertifyRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
  <Option></Option>
```

```

<Revision>2</Revision>
<ImageParameters>
  <ImageParameter>4BY6LABEL</ImageParameter>
</ImageParameters>
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm></FromFirm>
<FromAddress1></FromAddress1>
<FromAddress2>430 blackman st.</FromAddress2>
<FromUrbanization></FromUrbanization>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5555555555</FromPhone>
<FromCustomsReference></FromCustomsReference>
<ToName></ToName>
<ToFirstName>Ms. C. P.</ToFirstName>
<ToLastName>Apple</ToLastName>
<ToFirm></ToFirm>
<ToAddress1> Apartado 3068</ToAddress1>
<ToAddress2></ToAddress2>
<ToAddress3></ToAddress3>
<ToCity>Golden Rock</ToCity>
<ToProvince></ToProvince>
<ToCountry>Ireland</ToCountry>
<ToPostalCode>2046</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>011 52 (322) 222-0069</ToPhone>
<ToFax>011 52 (322) 222-0074</ToFax>
<ToEmail>cpapple@email.com</ToEmail>
<ImportersReferenceNumber></ImportersReferenceNumber>
<NonDeliveryOption>RETURN</NonDeliveryOption>
<RedirectName>BOB Meier</RedirectName>
<RedirectEmail>bob@mailinator.com</RedirectEmail>
<RedirectSMS>5708251341</RedirectSMS>
<RedirectAddress>7 wilkes Barre</RedirectAddress>
<RedirectCity>Wilkes Barre</RedirectCity>
<RedirectState>PA</RedirectState>
<RedirectZIPCode>18702</RedirectZIPCode>
<RedirectZIP4>5150</RedirectZIP4>
<Container>VARIABLE</Container>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>

```

```

<InsuredNumber>V-12324589765</InsuredNumber>
<InsuredAmount>100.00</InsuredAmount>
<GrossPounds>4</GrossPounds>
<GrossOunces>0</GrossOunces>
<ContentType>DOCUMENTS</ContentType>
<ContentTypeOther></ContentTypeOther>
<Agreement>Y</Agreement>
<Comments></Comments>
<LicenseNumber>LIC-24356879</LicenseNumber>
<CertificateNumber>CERT-97865342</CertificateNumber>
<InvoiceNumber>INV-040903</InvoiceNumber>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<CustomerRefNo>Ref #369246</CustomerRefNo>
<POZipCode>00962</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<PriceOptions></PriceOptions>
<Size>LARGE</Size>
<Length>20.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth>6.25</Girth>
<LabelTime>14:24:13</LabelTime>
<MeterPaymentFlag>N</MeterPaymentFlag>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSEXPRESSMAILINTLCERTIFYREQUEST>
    
```

2.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|---------|------------|
| eVSEXPRESSMAILINTLRESPONSE | Required | | (Alias) | |
| eVSEXPRESSMAILINTLRESPONSE/Postage | Required | Postage amount | Decimal | |
| eVSEXPRESSMAILINTLRESPONSE/TotalValue | Required | Value of all items being shipped | Decimal | |
| eVSEXPRESSMAILINTLRESPONSE/SDRValue | Required | Special Drawing Right calculated on Insured Amount | Decimal | |
| eVSEXPRESSMAILINTLRESPONSE/BarcodeNumber | Required | Mail service related barcode. | String | |
| eVSEXPRESSMAILINTLRESPONSE/LabelImage | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSEXPRESSMAILINTLRESPONSE/Page2Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSEXPRESSMAILINTLRESPONSE/Page3Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSEXPRESSMAILINTLRESPONSE/Page4Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|---|
| eVSEXPRESSMAILINTLRESPONSE/Page5Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSEXPRESSMAILINTLRESPONSE/Page6Image | Required | Encoded images of label (may be empty depending upon layout option selected) | String | |
| eVSEXPRESSMAILINTLRESPONSE/Prohibitions | Required | List of items prohibited from mailing based on country of destination | String | |
| eVSEXPRESSMAILINTLRESPONSE/Restrictions | Required | Restrictions on items being shipped based on country of destination | String | |
| eVSEXPRESSMAILINTLRESPONSE/Observations | Required | Additional mailing information based on country of destination | String | |
| eVSEXPRESSMAILINTLRESPONSE/Regulations | Required | Additional regulations for shipping to destination country | String | |
| eVSEXPRESSMAILINTLRESPONSE/AdditionalRestrictions | Required | Additional restrictions on items being shipped to destination country | String | |
| eVSEXPRESSMAILINTLRESPONSE/InsuranceFee | Optional | Insurance Fee | Decimal | minExclusive=0.0 maxInclusive=5000 |
| eVSEXPRESSMAILINTLRESPONSE/DestinationBarcodeNumber | Optional | Appears if mail class is available. | String | minOccurs=0 |
| eVSEXPRESSMAILINTLRESPONSE/GuaranteeAvailability | Optional | Appears if ToPostalCode and LabelTime are available. The value will be the GuaranteeDate or a message. | String | If an estimated scheduled delivery date is available, the format will be MM/DD/YYYY e.g, 03/15/2015 If an estimated scheduled delivery date is not available, the format will be a String, e.g., 3 - 5 business days to many major markets |
| eVSEXPRESSMAILINTLRESPONSE/RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSEXPRESSMAILINTLRESPONSE/Warning | Optional | | String | |
| eVSEXPRESSMAILINTLRESPONSE | Required | | (Alias) | |

2.3.1 Sample Response

Response:eVSEXPRESSMAILINTLRESPONSE
 <eVSEXPRESSMAILINTLRESPONSE>
 <Postage>66.21</Postage>
 <TotalValue>55.00</TotalValue>
 <SDRValue>65.80</SDRValue>
 <BarcodeNumber>EC502016320US</BarcodeNumber>
 <LabelImage>.....removed.....</LabelImage>

<Page2Image>.....removed.....</Page2Image>

<Page3Image>.....removed.....</Page3Image>

<Page4Image>.....removed.....</Page4Image>

<Page5Image>.....removed.....</Page5Image>

<Page6Image></Page6Image>

<Prohibitions>

Coins; bank notes; currency notes (paper money); securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver (except for jewelry items meeting the requirement in "Restrictions" below); precious stones (except when contained in jewelry items meeting the requirement in "Restrictions" below); and other valuable articles are prohibited.

Fruit cartons (used or new).

Goods bearing the name "Anzac."

Goods produced wholly or partly in prisons or by convict labor.

Most food, plant, and animal products, including the use of products such as straw and other plant material as packing materials.

Perishable infectious biological substances.

Radioactive materials.

Registered philatelic articles with fictitious addresses.

Seditious literature.

Silencers for firearms.

Used bedding.

</Prohibitions>

<Restrictions>

Jewelry is permitted only when sent as an insured parcel using Priority Mail International service. In addition, Australian Customs regulations prohibit importation of jewelry that is made with ivory or from endangered species, such as snake, elephant, or crocodile, that does not have an accompanying Import/Export Permit in relation to the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES).

Meat and other animal products; powdered or concentrated milk; and other dairy products requires permission to import from the Australian quarantine authorities.

Permission of the Australian Director-General of Health is Required to import medicines.

</Restrictions>

<Observations>Duty may be levied on catalogs, price lists, circulars, and all advertising introduced into Australia through the mail, regardless of the class of mail used.</Observations>

<Regulations>

Country Code:

AU

Reciprocal Service Name:

Express Post

Required Customs Form/Endorsement

1. Business and commercial papers.

No form Required. Endorse item clearly next to mailing label as BUSINESS PAPERS.

2. Merchandise samples without commercial value microfilm, microfiche, and computer data.

PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91.

3. Merchandise and all articles subject to customs duty.

PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91.

Note:

1. Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Australia.

2. Priority Mail Express International With Guarantee service - which offers a date-certain, postage-refund guarantee - is available to Australia.

Areas Served:

All except Lord Howe Island and the Australian Antarctic territories.

</Regulations>

```
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<InsuranceFee>0</InsuranceFee>
<GuaranteeAvailability>03/11/2015</GuaranteeAvailability>
<RemainingBarcodes>29< RemainingBarcodes>
</eVSExpressMailIntlResponse>
```

3.0 eVS Priority Mail International Label API

3.1 Overview

The eVS Priority Mail Express International Label API lets customers generate eVS Priority Mail Express International labels given the weight and dimensions of the item.

Note: The “eVSPriorityMailIntlCertify” API signature is for testing purposes and will not generate usable labels and barcodes.

3.1.1 API Signature

| Scheme | Host | Path | API | XML |
|----------|-------------------------|-------------------|------------------------------------|-----------------------------------|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSPriorityMailIntl | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSPriorityMailIntl Certify | &XML=(see Tag Descriptions below) |

3.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|-------------|
| eVSPriorityMailIntl Request | Required | Produces a Priority Mail International label with customs declaration | (Alias) | |
| eVSPriorityMailIntl Request / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSPriorityMailIntl Request / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSPriorityMailIntl Request / Option | Optional | For future use. | Empty | |
| eVSPriorityMailIntl Request / Revision | Required | Use of value 2 Required as of January 2011. For example: <Revision>2</Revision> | String | |
| eVSPriorityMailIntl Request / ImageParameters | Optional | Groups alternate image options. | (Group) | minoccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|-----------------------------------|--|--------|--|
| eVSPriorityMailIntlRequest / ImageParameters / ImageParameter | Optional, repeating up to 3 times | Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. <ul style="list-style-type: none"> 4X6LABEL (4X6 on a full page 8.5/11" background) 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page) 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page) 4X6ZPL203DPI (ZPL - Zebra Programming Language) format 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi. For example: <ImageParameter>4X6LABEL</ImageParameter> | String | Enumerations= <ul style="list-style-type: none"> 4X6LABEL 4X6LABELL 4X6LABELP 4X6ZPL203DPI 4X6ZPL300DPI |
| eVSPriorityMailIntlRequest / FromFirstName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName> | String | maxLength=30 minLength=1 |
| eVSPriorityMailIntlRequest / FromMiddleInitial | Optional | Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial> | String | maxLength=1 |
| eVSPriorityMailIntlRequest / FromLastName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName> | String | maxLength=30 minLength=1 |
| eVSPriorityMailIntlRequest / FromFirm | Required | FromFirm is Required if FromFirstName and FromLastName are left blank. For example: <FromFirm>XYZ</FromFirm> | String | maxLength=32 |
| eVSPriorityMailIntlRequest / FromAddress1 | Optional | Use this tag for a suite or apartment number only. Either Address1 or Address2 is Required. For example: <FromAddress1>Suite 100</FromAddress1> | String | maxLength=32 |
| eVSPriorityMailIntlRequest / FromAddress2 | Required | Use this tag for the primary address line. For example: <FromAddress2>10 Elm Street</FromAddress2> | String | maxLength=32 minLength=1 whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|--------|--|
| eVSPriorityMailIntl Request / FromUrbanization | Optional | Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example: <FromUrbanization>URB Caparra Ter</FromUrbanization> | String | maxLength=32 |
| eVSPriorityMailIntl Request / FromCity | Required | For example: <FromCity>Anytown</FromCity> | String | maxLength=16 minLength=1 |
| eVSPriorityMailIntl Request / FromState | Required | Use 2-letter USPS abbreviation. For example: <FromState>ST</FromState> | String | length=2 |
| eVSPriorityMailIntl Request / FromZip5 | Required | Input tag exactly as presented, not all caps. 5 digits Required. For example: <FromZip5>01234</FromZip5> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSPriorityMailIntl Request / FromZip4 | Optional | Input tag exactly as presented, not all caps. If value is entered, 4 digits Required. This is the ZIP+4 extension. For example: <FromZip4>5678</FromZip4> | String | whiteSpace=collapse length=4 pattern=\d{4} |
| eVSPriorityMailIntl Request / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone> | String | whiteSpace=collapse length=10 pattern=\d{10} |
| eVSPriorityMailIntl Request / FromCustomsReference | Optional | Enter a value for the "Sender's Customs Reference" that will appear on the label. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustomsReference> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToName | Optional | Deprecated. See "ToFirstName" and "ToLastName" tags. | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToFirstName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToLastName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToFirm | Required | ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm>YYZ</ToFirm> | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToAddress1 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress1> Apartado 3068</ToAddress1> | String | maxLength=36 minLength=1 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|--------|---|
| eVSPriorityMailIntl Request / ToAddress2 | Required | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress2></ToAddress2> | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToAddress3 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress3></ToAddress3> | String | maxLength=36 |
| eVSPriorityMailIntl Request / ToCity | Required | Recipient's city. For example: <ToCity>PUERTO VALLARTA</ToCity> | String | maxLength=18 minLength=1 |
| eVSPriorityMailIntl Request / ToProvince | Optional | Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince> | String | maxLength=9 |
| eVSPriorityMailIntl Request / ToCountry | Required | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities. (http://pe.usps.gov/text/lmm/lmmctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <ToCountry>MEXICO</ToCountry> | String | minLength=1 |
| eVSPriorityMailIntl Request / ToPostalCode | Required | Enter the postal code for the recipient. For example: <ToPostalCode>46807</ToPostalCode> | String | maxLength=9 |
| eVSPriorityMailIntl Request / ToPOBoxFlag | Required | Indicates whether or not the To Address is a Post Office Box. For example: <ToPOBoxFlag>N</ToPOBoxFlag> | String | enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSPriorityMailIntl Request / ToPhone | Optional | No format checking is done on international phone numbers. Required when <ToPOBoxFlag>Y</ToPOBoxFlag> For example: <ToPhone>011 52 (322) 222-0069</ToPhone> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToFax | Optional | No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 |
| eVSPriorityMailIntl Request / ToEmail | Optional | Complete valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30 whiteSpace=collapse pattern=([w\-\.\.]+)@(([w-]+\.)+)[a-zA-Z]{2,4} |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|--------|---|
| eVSPriorityMailIntlRequest / ImportersReferenceNumber | Optional | Enter a value for the "Recipient's Reference" that will appear on the label. The text entered is any reference number that the recipient wishes to use. Note: Requires <ImportersReferenceType> to be specified if used. For example: <ImportersReferenceNumber>Order23432</ImportersReferenceNumber> | String | maxLength=28 |
| eVSPriorityMailIntlRequest / NonDeliveryOption | Optional | In case package is undeliverable, enter one of the following: <ul style="list-style-type: none"> "RETURN" for package to be returned to <FromAddress> above. "REDIRECT" to return package to address specified below in <AltReturn...> tags. "ABANDON" to dispose of undeliverable package. For example: <NonDeliveryOption>RETURN</NonDeliveryOption> | String | default=ABANDON enumeration= <ul style="list-style-type: none"> RETURN REDIRECT ABANDON |
| eVSPriorityMailIntlRequest / RedirectName | Optional | | String | Minoccurs=0 |
| eVSPriorityMailIntlRequest / RedirectName | Optional | Enter a value for the recipient's name. | String | minOccurs=0 |
| eVSPriorityMailIntlRequest / RedirectEmail | Optional | Complete valid e-mail address is Required if tag is used. | String | minOccurs=0 |
| eVSPriorityMailIntlRequest / RedirectSMS | Optional | This value must be a syntactically-valid SMS number. | String | minOccurs=0 |
| eVSPriorityMailIntlRequest / RedirectAddress | Optional | Enter the redirect address. This is a free form field. | String | minOccurs=0 maxLength=48 |
| eVSPriorityMailIntlRequest / RedirectCity | Optional | Redirect city. For example: <T RedirectCity >ANYTOWN</RedirectCity > | String | minLength=0 maxLength=21 |
| eVSPriorityMailIntlRequest / RedirectState | Optional | Redirect state. For example: < RedirectState >MN</RedirectState> | String | minLength=0 pattern=\w{2} |
| eVSPriorityMailIntlRequest / RedirectZipCode | Optional | Redirect ZIP code. For example: < RedirectZipCode >12345</RedirectZipCode> | String | minLength=0 pattern=\d{5} |
| eVSPriorityMailIntlRequest / RedirectZip4 | Optional | Redirect ZIP+4 extension. For example: <ToZip5>01234</ToZip5> | String | minLength=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|--|---|---------|---|
| eVSPriorityMailIntl Request / Container | Optional | For example: <Container>MDFLATRATEBOX</Container> Otherwise, use to specify special containers or container attributes that may affect postage. | String | default=VARIABLE enumerations= VARIABLE <ul style="list-style-type: none"> • LGFLATRATEBOX • SMFLATRATEBOX • MDFLATRATEBOX • FLATRATEENV • LEGALFLATRATEENV • PADDEDFLATRATEENV • SMFLATRATEENV • WINDOWFLATRATEENV • GIFTCARDFLATRATEENV • LGVIDEOBOX • RECTANGULAR • FLATRATEENV • NONRECTANGULAR |
| eVSPriorityMailIntl Request / ShippingContents | Required | | (Group) | |
| eVSPriorityMailIntl Request / ShippingContents / ItemDetail | Required repeating up to 30 times | Groups individual item details | (Group) | |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|---------|---|
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / Description | Required | <p>Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods</p> <p>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCCodeEnforced>="true") the API enforces a blacklist of descriptions not permitted: none, not applicable, n/a, null, gift, merchandise Other non-descriptive wording always results in an error: gift, sample, other</p> <p>For example: <Description>Policy guidelines document</Description></p> | String | <p>maxLength=30 minLength=2 whiteSpace=collapse</p> |
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / Quantity | Required | <p>Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity></p> | Integer | <p>whiteSpace=collapse minExclusive=0</p> |
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / Value | Required | <p>The data entered with this tag provides the value of the set of items. For example: If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <Value>55.00</Value></p> | Decimal | <p>whiteSpace=collapse minExclusive=0</p> |
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / NetPounds | Required | <p>Provide the pounds component of the weight of the individual item listed with <Description>. For example: <NetPounds>1</NetPounds></p> | Integer | <p>default=0 whiteSpace=collapse</p> |
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / NetOunces | Required | <p>Provide the ounces component of the weight of the individual item listed with <Description>. For example: <NetOunces>5</NetOunces></p> | Decimal | <p>default=0.0 whiteSpace=collapse</p> |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|--------|---|
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / HSTariffNumber | Required | <p>For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.</p> <p>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.</p> <p>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>="true") the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.</p> <p>For example: <HSTariffNumber>4901.10.0000</HSTariffNumber></p> | String | whiteSpace=collapse maxLength=17 pattern=\d{0,12} |
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / CountryOfOrigin | Required | <p>For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items.</p> <p>The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/lmm/lmmctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure.</p> <p>For example: <CountryOfOrigin>United States</CountryOfOrigin></p> | String | |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|---------|---|
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / ItemCategory | Optional | Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods . | String | |
| eVSPriorityMailIntlRequest / ShippingContents / ItemDetail / ItemSubCategory | Optional | Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods . | String | |
| eVSPriorityMailIntlRequest / Insured | Optional | Restricted use: authorized users may indicate with a value of Y that the item is insured for purposes of obtaining a barcode number from the insured range. All other users must specify N or omit. | String | default=N enumeration= • Y • N |
| eVSPriorityMailIntlRequest / InsuredNumber | Optional | For backward-compatibility; not validated. | String | |
| eVSPriorityMailIntlRequest / InsuredAmount | Optional | Use this tag for entering an insurance amount, if known. For example: <InsuredAmount>100.00</InsuredAmount> | Decimal | length=0 |
| eVSPriorityMailIntlRequest / Postage | Optional | Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <Postage></Postage> | Decimal | length=0 |
| eVSPriorityMailIntlRequest / GrossPounds | Required | Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the <GrossOunces> tag. WebTools will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <GrossPounds>4</GrossPounds> | Integer | whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|--|
| eVSPriorityMailIntl Request / GrossOunces | Required | Enter the ounces component of the total package weight with this tag. For example: <GrossOunces>0</GrossOunces> | Integer | whiteSpace=collapse |
| eVSPriorityMailIntl Request / ContentType | Required | Specifies the content of the package or envelope. For example: <ContentType>DOCUMENTS</ContentType> Note: Enumerations are case sensitive "NonnegotiableDocument" and "Documents" both signify mailable non-negotiable documents and are insured automatically for up to \$100. Additional Insurance cannot be purchased. Any non-document ContentType values are insured automatically for up to \$200. Additional Insurance can be purchased for values \$200 and greater. | String | enumerations= <ul style="list-style-type: none"> • MERCHANDISE • SAMPLE • GIFT • DOCUMENTS • RETURN • HUMANITARIAN • DANGEROUSGOODS • NonnegotiableDocument • PHARMACEUTICALS • MEDICALSUPPLIES • OTHER |
| eVSPriorityMailIntl Request / ContentTypeOther | Optional | Required when <ContentType>OTHER<ContentType>. Maximum length enforced via truncation | String | maxLength=15 whiteSpace=collapse |
| eVSPriorityMailIntl Request / Agreement | Required | Requires a value of Y to print <FromFirstName/> and <FromLastName/> in Signature Box along with Current Date (Central Time USA). Any other value returns an error. | String | enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSPriorityMailIntl Request / Comments | Optional | Enter any comments. For example: <Comments></Comments> | String | maxLength=76 |
| eVSPriorityMailIntl Request / LicenseNumber | Optional | Enter license number, if known or if included in package. For example: <LicenseNumber>LIC-24356879</LicenseNumber> | String | maxLength=24 |
| eVSPriorityMailIntl Request / CertificateNumber | Optional | Enter certificate number, if known or if included in package. For example: <CertificateNumber>CERT-97865342</CertificateNumber> | String | maxLength=24 |
| eVSPriorityMailIntl Request / InvoiceNumber | Optional | Enter invoice number, if known or if included in package. For example: <InvoiceNumber>INV-040903</InvoiceNumber> | String | maxLength=24 |
| eVSPriorityMailIntl Request / ImageType | Required | For example: <ImageType>PDF</ImageType> | String | enumeration= <ul style="list-style-type: none"> • PDF • TIF • NONE |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|--------|---|
| eVSPriorityMailIntlRequest / ImageLayout | Optional | Controls how the multipage form is returned in the response tags. "ONEPERFILE" returns one page per response tag while "ALLINONEFILE" returns all pages in a single response tag. The "TRIM" options conserve page space if possible by combining two form parts on a single page. For example: <ImageLayout>ONEPERFILE</ImageLayout> | String | default=ONEPERFILE enumerations= <ul style="list-style-type: none"> ONEPERFILE ALLINONEFILE TRIMONEPERFILE TRIMALLINONEFILE |
| eVSPriorityMailIntlRequest / CustomerRefNo | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref369246</CustomerRefNo> | String | maxLength=30 |
| eVSPriorityMailIntlRequest / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo2>ACT369246</CustomerRefNo2> | String | maxLength=30 |
| eVSPriorityMailIntlRequest / POZipCode | Optional | ZIP of Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSPriorityMailIntlRequest / LabelDate | Optional | Date the mail will enter the mail stream. No more than 3 days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate> | String | whiteSpace=collapse maxLength=10 pattern=\d{1,2}\d{1,2}\d\d(\d\d)? |
| eVSPriorityMailIntlRequest / HoldForManifest | Optional | Restricted use. Holds manifest record for possible inclusion in SCAN request. | String | enumeration= <ul style="list-style-type: none"> Y N |
| eVSPriorityMailIntlRequest / EELPFC | Optional | Exemption and Exclusion Legend or PFC Code. Use in conjunction with Revision tag with value of 1 to indicate and trigger new functionality. Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5_007.htm . To activate check boxes use "30.37a" or "30.37h". For example: <EELPFC>30.37a</EELPFC> | String | whiteSpace=collapse minLength=0 maxLength=35 |
| eVSPriorityMailIntlRequest / PriceOptions | Optional | Price option for package. | String | default=commercial base enumeration= <ul style="list-style-type: none"> RETAIL COMMERCIAL BASE COMMERCIAL PLUS |

| Tag Name | Occurs | Description | Type | Validation |
|--------------------------------------|----------|---|---------|------------------------------------|
| eVSPriorityMailIntl Request / Length | Optional | <p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | minExclusive=0.0 totalDigits=10 |
| eVSPriorityMailIntl Request / Width | Optional | <p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Example: <Width>5</Width> <Length></Length> <Height>8</Height></p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | minExclusive=0.0 totalDigits=10 |
| eVSPriorityMailIntl Request / Height | Optional | <p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | minExclusive=0.0 totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation | | | | |
|--|------------|--|--------------------|--|-----------------------|-----|--------|---|
| eVSPriorityMailIntl Request / Girth | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package. Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing | Decimal | minExclusive=0.0 totalDigits=10 | | | | |
| eVSPriorityMailIntl Request / ExtraServices | Optional | Groups extra services elements | (Group) | | | | | |
| eVSPriorityMailIntl Request / ExtraServices / ExtraService | Optional | Parameters used to specify desired ExtraService. Additional occurrences for future. Note: The <InsuredAmount> tag is used to indicate insurance. <table border="1" data-bbox="609 913 982 1081"> <thead> <tr> <th>Extra Service Name</th> <th>Service ID</th> </tr> </thead> <tbody> <tr> <td>e-USPS Return Receipt</td> <td>105</td> </tr> </tbody> </table> For example: <ExtraService>105</ExtraService> | Extra Service Name | Service ID | e-USPS Return Receipt | 105 | String | whiteSpace=collapse enumeration= <ul style="list-style-type: none"> 105 |
| Extra Service Name | Service ID | | | | | | | |
| e-USPS Return Receipt | 105 | | | | | | | |
| eVSPriorityMailIntl Request / ActionCode | Optional | Used to specify the action code. Value is included in the Shipping Partner Event file for customers who have chose to have a Shipping Partner Event file submitted to USPS on their behalf. M0 – Mailer Owner S0 – Service Provider For example: <ActionCode>M0</ActionCode> | String | Default = M0 enumeration= <ul style="list-style-type: none"> M0 S0 | | | | |
| eVSPriorityMailIntl Request / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file. | Boolean | Default = True enumeration= <ul style="list-style-type: none"> true false | | | | |
| eVSPriorityMailIntl Request / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 | | | | |

| Tag Name | Occurs | Description | Type | Validation |
|---|------------------------|--|---------|---|
| eVSPriorityMailInt Request / AccountZipCode | Optional | ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: < AccountZipCode >00962</ AccountZipCode > | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSPriorityMailInt Request / ImportersReferenceType | Conditionally Required | Tax code / VAT no. / Importer Code Note: Required when <ImportersReferenceNumber> is used. | String | minOccurs=0 Enumerations= <ul style="list-style-type: none">TAXCODEVATIMPORTERCODE |
| eVSPriorityMailInt Request / ImportersTelephoneNumber | Optional | For Importer: 10 digits (including area code), with no punctuation. Use format: 2125551234. For example: <FromPhone>2125551234</FromPhone> | String | whiteSpace=collapse length=10 pattern=\d{10} |
| eVSPriorityMailInt Request / ImportersFaxNumber | Optional | For Importer: No format checking is done on international fax numbers. For example: <ImportersFaxNumber>011 52 (322) 222-0074</ImportersFaxNumber> | String | maxLength=30 |
| eVSPriorityMailInt Request / ImportersEmail | Optional | For Importer: Complete valid e-mail address is Required if tag is used. For example: <ImportersEmail>cpapple@email.com</ImportersEmail > | String | maxLength=30 whiteSpace=collapse pattern=(\w-\.\.+)@((\w-]+\.\.+) [a-zA-Z]{2,4} |
| eVSPriorityMailInt Request / Machinable | Optional | Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics. See International Mail Manual (IMM) Section 241 for more information. For example: <Machinable>>false</Machinable> | Boolean | default=true whiteSpace=collapse |
| eVSPriorityMailInt Request / DestinationRateIndicator | Required | Required for destination entry packages. I = International Service Center (ISC) N = None | String | enumerations= <ul style="list-style-type: none">IN |
| eVSPriorityMailInt Request / MID | Optional | Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID> | String | minOccurs=0 |
| eVSPriorityMailInt Request / LogisticsManagerMID | Optional | The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID> | String | minOccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|--------|---|
| eVSPriorityMailInt Request / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID> | String | minOccurs=0 |
| eVSPriorityMailInt Request / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode> | String | minOccurs=0 Default=8300 |
| eVSPriorityMailInt Request / VendorProductVersionNumber | Optional | Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1B</ VendorProductVersionNumber> | String | minOccurs=0 |
| eVSPriorityMailInt Request / ePostageMailerReporting | Optional | Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1 1 - (ePostage sender information in SSF) 2 - (ePostage sender information through DES) 3 - (ePostage sender information using child MID) | String | enumerations= <ul style="list-style-type: none"> • 1 • 2 • 3 |
| eVSPriorityMailInt Request / SenderFirstName | Optional | First Name of Sender. For example: <SenderFirstName>Adam</SenderFirstName> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=49 |
| eVSPriorityMailInt Request / SenderLastName | Optional | Last Name of Sender. For example: <SenderLastName>Smith</SenderLastName> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=75 |
| eVSPriorityMailInt Request / SenderBusinessName | Optional | Values for Sender Business Name must be sent. For example: <SenderBusinessName>USPS</SenderBusinessName> | String | minLength=0 maxLength=100 |
| eVSPriorityMailInt Request / SenderAddress1 | Optional | Sender address line. Use this tag for full address (Address1 and Address2) Must match Address1 and Address2 or will produce an error. For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=148 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|---|
| eVSPriorityMailInt Request / SenderCity | Optional | Sender city. For example: <SenderCity>BETHESDA</SenderCity> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=50 |
| eVSPriorityMailInt Request / SenderState | Optional | Sender state. For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=2 |
| eVSPriorityMailInt Request / SenderZip5 | Optional | Sender ZIP code. For example: <SenderZip5>20212</SenderZip5> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=d(5) |
| eVSPriorityMailInt Request / SenderPhone | Optional | Sender Phone #. 10 digits Required (including area code), with no punctuation. For example: <SenderPhone>2125551234</SenderPhone> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=d(10) |
| eVSPriorityMailInt Request / SenderEmail | Optional | E-mail Address of Sender. Valid e-mail addresses must be used. For example: <SenderEMail>cpapple@email.com</SenderEMail> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=([w\-\.\.]+)@([w\-\.\.]+)[a-zA-Z]{2,4} |
| eVSPriorityMailInt Request / ChargebackCode | Optional | Code used with the federal Agency Number or code for the customer's internal use. | String | 123456 (alphanumeric) |
| eVSPriorityMailInt Request | Optional | | (Alias) | |

3.2.1 Sample Request

Request:eVSPriorityMailInt

```
<eVSPriorityMailIntCertifyRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option />
<Revision>2</Revision>
<ImageParameters />
<FromFirstName>Garrison</FromFirstName>
<FromMiddleInitial>A</FromMiddleInitial>
<FromLastName>Johns</FromLastName>
<FromFirm />
<FromAddress1>radlab</FromAddress1>
<FromAddress2>6406 Ivy Lane</FromAddress2>
<FromCity>Greenbelt</FromCity>
<FromState>MD</FromState>
<FromZip5>20770</FromZip5>
<FromZip4>1234</FromZip4>
<FromPhone>3019187658</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
```

```
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Switzerland</ToCountry>
<ToPostalCode>20770</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<NonDeliveryOption>Return</NonDeliveryOption>
<Container>SMFLATRATEBOX</Container>
<ShippingContents>
<ItemDetail>
<Description>Description 1</Description>
<Quantity>1</Quantity>
<Value>1.11</Value>
<NetPounds>1</NetPounds>
<NetOunces>1</NetOunces>
<HSTariffNumber>123456</HSTariffNumber>
<CountryOfOrigin>Brazil</CountryOfOrigin>
</ItemDetail>
<ItemDetail>
<Description>Description 2</Description>
<Quantity>2</Quantity>
<Value>2.22</Value>
<NetPounds>2</NetPounds>
<NetOunces>2</NetOunces>
<HSTariffNumber>234567</HSTariffNumber>
<CountryOfOrigin>Switzerland</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<Insured>N</Insured>
<InsuredNumber></InsuredNumber>
<InsuredAmount></InsuredAmount>
<GrossPounds>3</GrossPounds>
<GrossOunces>5</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>PriorityMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<POZipCode>20770</POZipCode>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<ExtraServices>
<ExtraService></ExtraService>
</ExtraServices>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSPriorityMailIntlCertifyRequest>

eVS Priority Mail International w/ HS Tarriff Number & Tags
<eVSPriorityMailIntlCertifyRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
  <Option />
  <Revision>2</Revision>
```



```

<ImageParameters>
  <ImageParameter>4BY6LABEL</ImageParameter>
</ImageParameters>
<FromFirstName>Garrison</FromFirstName>
<FromMiddleInitial>A</FromMiddleInitial>
<FromLastName>Johns</FromLastName>
<FromFirm />
<FromAddress1>radlab</FromAddress1>
<FromAddress2>6406 Ivy Lane</FromAddress2>
<FromCity>Greenbelt</FromCity>
<FromState>MD</FromState>
<FromZip5>20770</FromZip5>
<FromZip4>1234</FromZip4>
<FromPhone>3019187658</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Switzerland</ToCountry>
<ToPostalCode>20770</ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<NonDeliveryOption>Return</NonDeliveryOption>
<Container>MDFLATRATEDBOX</Container>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>
<Insured>N</Insured>
<InsuredNumber></InsuredNumber>
<InsuredAmount></InsuredAmount>
<GrossPounds>3</GrossPounds>
<GrossOunces>5</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>PriorityMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<POZipCode>20770</POZipCode>
<LabelDate></LabelDate>

```

```

<HoldForManifest>N</HoldForManifest>
<ExtraServices>
  <ExtraService></ExtraService>
</ExtraServices>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSPriorityMailIntlCertifyRequest>
    
```

3.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|--------------|------------|
| eVSPriorityMailIntlResponse | Required | | (Alias) | |
| eVSPriorityMailIntlResponse / Postage | Required | Postage amount | Decimal | |
| eVSPriorityMailIntlResponse / TotalValue | Required | Value of all items being shipped | Decimal | |
| eVSPriorityMailIntlResponse / SDRValue | Required | Special Drawing Right calculated on Insured Amount | Decimal | |
| eVSPriorityMailIntlResponse / BarcodeNumber | Required | Mail service related barcode. | String | |
| eVSPriorityMailIntlResponse / LabelImage | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page2Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page3Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page4Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page5Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Page6Image | Required | Encoded images of label (may be empty depending upon layout option selected) | base64Binary | |
| eVSPriorityMailIntlResponse / Prohibitions | Required | List of items prohibited from mailing based on country of destination | String | |
| eVSPriorityMailIntlResponse / Restrictions | Required | Restrictions on items being shipped based on country of destination | String | |
| eVSPriorityMailIntlResponse / Observations | Required | Additional mailing information based on country of destination | String | |
| eVSPriorityMailIntlResponse / Regulations | Required | Additional regulations for shipping to destination country | String | |

| Tag Name | Occurs | Description | Type | Validation |
|--|---|---|---------|------------------|
| eVSPriorityMailIntlResponse / AdditionalRestrictions | Optional | Additional restrictions on items being shipped to destination country. This tag is available when the request Revision tag >= 2. If Revision tag < 2, the additional restrictions are appended to the Restrictions tag. | String | minOccurs=0 |
| eVSPriorityMailIntlResponse / DestinationBarcodeNumber | Optional | | String | minOccurs=0 |
| eVSPriorityMailIntlResponse / ParcelIndemnityCoverage | Required | Indemnity value | Decimal | |
| eVSPriorityMailIntlResponse / InsuranceFee | Optional | Fee for insurance | Decimal | minExclusive=0.0 |
| eVSPriorityMailIntlResponse / ExtraServices | Optional | Grouping of extra services | (Group) | minOccurs=0 |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService | Optional, repeating up to unbounded times | Groups extra service information | (Group) | |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService / ServiceID | Required | Extra Service ID echoed from request | String | |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService / ServiceName | Required | Extra Service name | String | |
| eVSPriorityMailIntlResponse / ExtraServices / ExtraService / Price | Required | Extra Service fee | Decimal | |
| eVSPriorityMailIntlResponse / RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSPriorityMailIntlResponse / Warning | Optional | | String | |
| eVSPriorityMailIntlResponse | Required | | (Alias) | |

3.3.1 Sample Response

```

<eVSPriorityMailIntlResponse>
<Postage>23.50</Postage>
<TotalValue>3.33</TotalValue>
<SDRValue></SDRValue>
<BarcodeNumber>LZ333007781US</BarcodeNumber>
<LabelImage>.....suppressed.....</LabelImage>
<Page2Image></Page2Image>
<Page3Image></Page3Image>
<Page4Image></Page4Image>
<Page5Image></Page5Image>

```

```
<Page6Image></Page6Image>
<Prohibitions>
Arms and weapons.
Firing caps and loaded metal cartridges for portable firearms, nonexplosive parts of artillery fuses, flammable
films, or articles made of celluloid.
Human remains.
Live plants and animals.
Lottery tickets and advertisements for lotteries.
Mini-spies (miniature wireless transmitters).
Radar detectors.
</Prohibitions>
<Restrictions>No list furnished.</Restrictions>
<Observations>
1. A parcel may be addressed to a street address or to a post office box. A local telephone number for the
addressee should be provided when the item is addressed to a street address and must be provided when
the item is addressed to a post office box.
2. For parcels, an invoice, in duplicate, is Required for all commercial shipments regardless of value and all
personal shipments valued at $300 or more. The invoices must be affixed to the outside of the parcel or may
be enclosed in PS Form 2976-E with the customs declaration.
3. A letter or card fully prepaid and bearing the same address as that of a Priority Mail International parcel
may be tied to or otherwise securely attached to the outside of the parcel in such manner as to prevent its
separation therefrom and not to interfere with the address of the parcel. Stamps to cover postage on the
parcel must be affixed to the wrapper of the parcel. Stamps to pay postage on the letter must be affixed to
the envelope thereof, or in the case of a postcard, to the address side of the card, preferably the upper-right
portion. Priority Mail International parcels to which such letters or cards are attached are treated as parcel
post.
</Observations>
<Regulations>
Country Code: CH
Reciprocal Service Name: There is no reciprocal service.
Required Customs Form/Endorsement
1. Business correspondence and commercial papers/documents.
No form Required. Endorse item clearly next to mailing label as BUSINESS PAPERS.
2. Merchandise samples without commercial value.
PS Form 2976, Customs - CN 22 and Sender's Declaration.
3. Merchandise and all articles subject to customs duty.
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs
Declaration Envelope CP 91. An invoice, in duplicate, is Required for all commercial shipments regardless of
value and all personal shipments valued at $300 or more. The invoices must be either affixed to the outside
of the parcel or enclosed in PS Form 2976-E with the customs declaration.
Notes:
1. An invoice, in duplicate, is Required for all commercial shipments regardless of value and for all personal
shipments valued at $300 or more. The invoices must be either affixed to the outside of the parcel or
enclosed in PS Form 2976-E with the customs declaration.
2. Arms, weapons, and human remains are prohibited.
3. Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer;
traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles
are prohibited in Priority Mail Express International shipments to Switzerland.
4. An Priority Mail Express International shipment may be addressed to a street address or to a post office
box. A local telephone number for the addressee should be provided when the item is addressed to a street
address and must be provided when the item is addressed to a post office box.
Areas Served:
All points in Switzerland and Liechtenstein.
</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<ParcelIndemnityCoverage>0.00</ParcelIndemnityCoverage>
```

```

<ExtraServices>
<ExtraService>
<ServiceID>9</ServiceID>
<ServiceName>Electronic USPS Delivery Confirmation International</ServiceName>
<Price>0.00</Price>
</ExtraService>
</ExtraServices>
<RemainingBarcodes>29< RemainingBarcodes>
</eVSPriorityMailIntlResponse>
    
```

4.0 eVS First Class Mail International Label API

4.1 Overview

The First Class Mail International Label API lets customers generate First Class International labels given the weight and dimensions of the item.

Note: The “eVSPriorityMailIntlCertify” API signature is for testing purposes and will not generate usable labels and barcodes.

4.1.1 API Signature

| Scheme | Host | Path | API | XML |
|----------|-------------------------|-----------------------|------------------------------------|-----------------------------------|
| https:// | secure.shippingapis.com | /ShippingAPI.dll ? | API=eVSPriorityMailIntl | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll ? | API=eVSPriorityMailIntl Certify | &XML=(see Tag Descriptions below) |

4.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|-------------|
| eVSPriorityMailIntl Request | Required | | (Alias) | |
| eVSPriorityMailIntl Request / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSPriorityMailIntl Request / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSPriorityMailIntl Request / Option | Optional | For future use. | Empty | |
| eVSPriorityMailIntl Request / Revision | Required | Use of value 2 Required as of January 2011. For example: <Revision>2</Revision> | String | |
| eVSPriorityMailIntl Request / ImageParameters | Optional | Groups alternate image options. | (Group) | minoccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|---|-----------------------------------|--|--------|--|
| eVSTFirstClassMailIntl Request / ImageParameters / ImageParameter | Optional, repeating up to 3 times | Returns alternate label image. Only alternate 4"x6" size label image may be requested at this time. <ul style="list-style-type: none"> 4X6LABEL (4X6 on a full page 8.5/11" background) 4X6LABELL (Landscape – true size 4X6; image rotated, not on an 8.5 x 11 background page) 4X6LABELP (Portrait – true size 4X6, not on an 8.5 x 11 background page) 4X6ZPL203DPI (ZPL - Zebra Programming Language) format 4X6ZPL300DPI – Prints a label formatted for ZPL printers in 300 dpi. <p>For example: <ImageParameter>4X6LABEL</ImageParameter></p> | String | Enumerations= <ul style="list-style-type: none"> 4X6LABEL 4X6LABELL 4X6LABELP 4X6ZPL203DPI 4X6ZPL300DPI |
| eVSTFirstClassMailIntl Request / FromFirstName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName> | String | maxLength=30 minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromMiddleInitial | Optional | Middle Initial. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial> | String | maxLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromLastName | Required | Both FromFirstName and FromLastName are Required if FromFirmName is left blank. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName> | String | maxLength=30 minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromFirm | Required | FromFirm is Required if FromFirstName and FromLastName are left blank. For example: <FromFirm>XYZ</FromFirm> | String | maxLength=32 whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|--------|--|
| eVSTFirstClassMailIntl Request / FromAddress1 | Optional | Use this tag for a suite or apartment number only. For example: <FromAddress1>Suite 100</FromAddress1> | String | maxLength=32 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromAddress2 | Required | Use this tag for the primary address line. For example: <FromAddress2>10 Elm Street</FromAddress2> | String | maxLength=32 minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromUrbanization | Optional | Use this tag for Puerto Rico only. ZIP Code prefixes 006 to 009, if area is so designated. For example:<FromUrbanization>URB Caparra Ter</FromUrbanization> | String | maxLength=32 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromCity | Required | Use this tag to specify originating city. For example: <FromCity>Anytown</FromCity> | String | maxLength=16 minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromState | Required | Use 2-letter USPS abbreviation. For example: <FromState>AK</FromState> | String | length=2 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / FromZip5 | Required | Five-digit valid ZIP code Required. For example: <FromZip5>01234</FromZip5> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSTFirstClassMailIntl Request / FromZip4 | Optional | If value is entered, four digits are Required. Must be a valid ZIP+4 extension. For example: <FromZip4>5678</FromZip4> | String | whiteSpace=collapse length=4 pattern=\d{4} |
| eVSTFirstClassMailIntl Request / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone> | String | whiteSpace=collapse length=10 pattern=\d{10} |
| eVSTFirstClassMailIntl Request / ToName | Optional | Deprecated. See "ToFirstName" and "ToLastName" tags. | String | maxLength=36 |
| eVSTFirstClassMailIntl Request / ToFirstName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToFirstName>John</ToFirstName> | String | maxLength=30 |
| eVSTFirstClassMailIntl Request / ToLastName | Required | Both ToFirstName and ToLastName are Required if ToFirm is left blank. For example: <ToLastName>Doe</ToLastName> | String | maxLength=30 |
| eVSTFirstClassMailIntl Request / ToFirm | Required | ToFirm is Required if ToFirstName and ToLastName are left blank. For example: <ToFirm></ToFirm> | String | maxLength=36 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|--------|--|
| eVSTFirstClassMailIntl Request / ToAddress1 | Optional | Three address lines are provided, but only one is Required. Use as many as needed for complete address. For example: <ToAddress1>Apartado 3068</ToAddress1> | String | maxLength=36 minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToAddress2 | Required | Three address lines are provided, but only one is Required. Use as many as needed for complete address. For example: <ToAddress2></ToAddress2> | String | maxLength=36 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToAddress3 | Optional | Three address lines are provided, but only one is Required. Use as many as needed for complete address. For example: <ToAddress3/> | String | maxLength=36 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToCity | Required | Recipient's city. For example: <ToCity>PUERTO VALLARTA</ToCity> | String | maxLength=18 minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToProvince | Optional | Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince> | String | maxLength=9 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToCountry | Required | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/Imm/Immctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <ToCountry>MEXICO</ToCountry> | String | minLength=1 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToPostalCode | Required | Enter the postal code for the recipient. For example: <ToPostalCode>46807</ToPostalCode > | String | maxLength=9 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToPOBoxFlag | Required | Indicates whether or not the To Address is a Post Office Box. For example: <ToPOBoxFlag>N</ToPOBoxFlag> | String | whiteSpace=collapse enumeration= • Y • N |
| eVSTFirstClassMailIntl Request / ToPhone | Optional | No format checking is done on international phone numbers. Required when FirstClassMailIntlRequest[ToPOBoxFlag='Y']. For example: <ToPhone>011 52 (322) 222-0069</ToPhone> | String | maxLength=30 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ToFax | Optional | No format checking is done on international fax numbers. For example: <ToFax>011 52 (322) 222-0074</ToFax> | String | maxLength=30 whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------------------------------|--|---------|---|
| eVSTFirstClassMailIntl Request / ToEmail | Optional | One single, complete, and valid e-mail address is Required if tag is used. For example: <ToEmail>cpapple@email.com</ToEmail> | String | maxLength=30 whiteSpace=collapse pattern=(<code>[\\w\\-\\.]+</code>)@(<code>(<code>[\\w-]+\\.</code>)</code>)+ <code>[a-zA-Z]{2,4}</code> |
| eVSTFirstClassMailIntl Request / FirstClassMailType | Optional | Used to determine the postage rate. See also FirstClassMailIntlRequest/Machinable. For example: <FirstClassMailType>LETTER</FirstClassMailType> | String | default= PACKAGE SERVICE whiteSpace=collapse enumeration= <ul style="list-style-type: none"> PACKAGE SERVICE |
| eVSTFirstClassMailIntl Request / ShippingContents | Required | | (Group) | |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail | Required repeating up to 5 times | | (Group) | |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / Description | Required | Description of the item. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCCodeEnforced>="true") the API enforces a blacklist of descriptions not permitted: none, not applicable, n/a, null, gift, merchandise Other non-descriptive wording always results in an error: gift, sample, other For example: <Description>Policy guidelines document</Description> | String | maxLength=30 minLength=2 whiteSpace=collapse |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / Quantity | Required | Quantity of the item. Integer value Required. For example: <Quantity>1</Quantity> | Integer | whiteSpace=collapse minExclusive=0 maxExclusive=1000 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|---|
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / Value | Required | The data entered with this tag provides the value of the set of items. If the item is 2 boxes of 50 pens and the value of each box is \$10.00, "20.00" (2 boxes x \$10.00) should be entered. If the value of each pen is .25 then "25.00" (100 pens x .25) should be entered. For example: <Value>55.00</Value> | Decimal | whiteSpace=collapse minExclusive=0 maxExclusive=100000 |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / NetPounds | Required | Provide the pounds component of the weight of the individual item listed within this ItemDetail. For example: <NetPounds>1</NetPounds> | Integer | default=0 whiteSpace=collapse minInclusive=0 |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / NetOunces | Required | Provide the ounces component of the weight of the individual item listed within this ItemDetail. For example: <NetOunces>5</NetOunces> | Decimal | default=0.0 whiteSpace=collapse minInclusive=0 |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / HSTariffNumber | Required | <p>For commercial items only. HS Tariff Numbers must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization.</p> <p>Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description.</p> <p>For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCodeEnforced>="true") the API requires a valid <HSTariffNumber>. Web Tools will not validate <HSTariffNumber> if provided in the correct format, but Web Tools will attempt to obtain a valid <HSTariffNumber> using the required <Description> and optional <ItemCategory> and <ItemSubCategory> values provided if <HSTariffNumber> is not provided or is in an incorrect format.</p> <p>For example: <HSTariffNumber>4901.10.0000</HSTariffNumber></p> | String | whiteSpace=collapse maxLength=17 minLength=0 pattern=\d{12} pattern=\d{0} |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|-------------------|------------------------------------|
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / CountryOfOrigin | Required | For commercial items only. Country of Origin means the country where the goods originated, e.g. were produced, manufactured, or assembled. It is recommended you supply this information and attach an invoice to the outside to accelerate customs clearance in processing the items. The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". (http://pe.usps.gov/text/lmm/lmmctry.htm - click on the link for "International Country Listings.") Using a country name not on the list will result in a request failure. For example: <CountryOfOrigin>United States</CountryOfOrigin> | String | whiteSpace=collapse minLength=0 |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / ItemCategory | Optional | Item Category. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods . | String | minLength=0 maxLength=100 |
| eVSTFirstClassMailIntl Request / ShippingContents / ItemDetail / ItemSubCategory | Optional | Item Subcategory. Per international shipping regulatory mandates, shipments to European Union (EU) countries are required to contain a valid Harmonization Code and Content/Item description. To learn more about providing acceptable item descriptions, view the chart in Appendix C or read the EU's guidance on acceptable terms at Guidance on Acceptable and Unacceptable Terms for the Description of Goods . | String | minLength=0 maxLength=100 |
| eVSTFirstClassMailIntl Request / Postage | Optional | Use this tag for entering a postage amount, if known. If the tag is present, but the value is blank, the postage will be automatically calculated. For example: <Postage></Postage> | String Decimal | length=0 whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|---------|---|
| eVSTFirstClassMailIntlRequest / GrossPounds | Required | Gross pounds and ounces together represent the total package weight, including packing material. For example, a package weighing 3 lbs 8 ounces would have "3" entered here and "8" entered with the "GrossOunces" tag. The Web Tool will check for maximum shipping weight of 70 pounds. Allowable weight may change based on the service used to send package and the destination country. For example: <GrossPounds>4</GrossPounds> | Integer | whiteSpace=collapse minInclusive=0 |
| eVSTFirstClassMailIntlRequest / GrossOunces | Required | Enter the ounces component of the total package weight with this tag. For example: <GrossOunces>0</GrossOunces> | Integer | whiteSpace=collapse minInclusive=0 |
| eVSTFirstClassMailIntlRequest / Machinable | Optional | Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics. See International Mail Manual (IMM) Section 241 for more information. For example: <Machinable>>false</Machinable> | Boolean | default=true whiteSpace=collapse enumeration= <ul style="list-style-type: none"> false true |
| eVSTFirstClassMailIntlRequest / ContentType | Required | Specifies the content of the package or envelope. For example: <ContentType>DOCUMENTS</ContentType> | String | whiteSpace=collapse enumeration= <ul style="list-style-type: none"> MERCHANDISE SAMPLE GIFT DOCUMENTS HUMANITARIAN DANGEROUSGOODS OTHER |
| eVSTFirstClassMailIntlRequest / ContentTypeOther | Optional | Required when FirstClassMailIntlRequest[ContentType='OTHER']. | String | maxLength=15 whiteSpace=collapse |
| eVSTFirstClassMailIntlRequest / Agreement | Required | Indicates the requestor's agreement to terms and conditions of mailing. Requires a value of Y to print and in Signature Box along with Current Date (Central Time USA). Any other value returns an error. | String | whiteSpace=collapse enumeration= <ul style="list-style-type: none"> Y |
| eVSTFirstClassMailIntlRequest / Comments | Optional | For future use. | String | maxLength=76 whiteSpace=collapse |
| eVSTFirstClassMailIntlRequest / LicenseNumber | Optional | For future use. | String | maxLength=24 whiteSpace=collapse |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|--------|--|
| eVSFirstClassMailIntl Request / CertificateNumber | Optional | For future use. | String | maxLength=24 whiteSpace=collapse |
| eVSFirstClassMailIntl Request / InvoiceNumber | Optional | For future use. | String | maxLength=24 whiteSpace=collapse |
| eVSFirstClassMailIntl Request / ImageType | Required | For example: <ImageType>PDF</ImageType> | String | whiteSpace=collapse enumeration= <ul style="list-style-type: none"> • PDF • TIF • NONE |
| eVSFirstClassMailIntl Request / ImageLayout | Optional | Specified whether the pages are to be returned one per file or all in one file. The current FCMI label is one page so this tag has no effect. For example: <ImageLayout>ONEPERFILE</ImageLayout> | String | default=ONEPERFILE whiteSpace=collapse enumeration= <ul style="list-style-type: none"> • ONEPERFILE • ALLINONEFILE |
| eVSFirstClassMailIntl Request / CustomerRefNo | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref 369246</CustomerRefNo> | String | maxLength=30 |
| eVSFirstClassMailIntl Request / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record For example: <CustomerRefNo2>ACT 369246</ CustomerRefNo2> | String | maxLength=30 |
| eVSFirstClassMailIntl Request / LabelDate | Optional | Date the mail will enter the mail stream. No more than three days in the future. Default is day of request. For example: <LabelDate>09/28/2010</LabelDate> | String | whiteSpace=collapse maxLength=10 pattern=\d{1,2}/\d{1,2}/\d{1,2}? |
| eVSFirstClassMailIntl Request / HoldForManifest | Optional | Restricted use. Holds manifest record for possible inclusion in SCAN request. | String | enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSFirstClassMailIntl Request / EELPFC | Optional | Exemption and Exclusion Legend or PFC Code. Currently Optional, in the future it may be Required for use. Please refer to the International Mail Manual for further information - http://pe.usps.gov/text/imm/immc5_007.htm . To activate check boxes use "30.37a" or "30.37h". For example: <EELPFC>30.37a</EELPFC> | String | whiteSpace=collapse minLength=0 maxLength=35 |
| eVSFirstClassMailIntl Request / Container | Optional | This tag has been deprecated | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|------------------------------------|
| eVSTFirstClassMailIntl Request / Length | Optional | <p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | minExclusive=0.0 totalDigits=10 |
| eVSTFirstClassMailIntl Request / Width | Optional | <p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p>Example: <Width>5</Width> <Length></Length> <Height>8</Height></p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | minExclusive=0.0 totalDigits=10 |

| Tag Name | Occurs | Description | Type | Validation | | | | |
|---|-----------------------------------|--|--------------------|------------------------------------|--|-----|--------|--|
| eVSTFirstClassMailIntl Request / Height | Optional | <p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing</p> | Decimal | minExclusive=0.0 totalDigits=10 | | | | |
| eVSTFirstClassMailIntl Request / Girth | Optional | <p>Value must be numeric. Units are inches.</p> <p>If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing</p> | Decimal | minExclusive=0.0 totalDigits=10 | | | | |
| eVSTFirstClassMailIntl Request / ExtraServices | Optional | Groups extra services elements | (Group) | | | | | |
| eVSTFirstClassMailIntl Request / ExtraServices / ExtraService | Optional, repeating up to 3 times | <p>Use to specify extra services. Currently, available extra service is electronic USPS Delivery Confirmation International.</p> <table border="1" data-bbox="613 1591 997 1797"> <thead> <tr> <th>Extra Service Name</th> <th>Service ID</th> </tr> </thead> <tbody> <tr> <td>e-USPS Delivery Confirmation International</td> <td>109</td> </tr> </tbody> </table> <p>For example: <ExtraService>109</ExtraService></p> | Extra Service Name | Service ID | e-USPS Delivery Confirmation International | 109 | String | enumeration= <ul style="list-style-type: none"> 109 |
| Extra Service Name | Service ID | | | | | | | |
| e-USPS Delivery Confirmation International | 109 | | | | | | | |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|---|
| eVSTFirstClassMailIntl Request / PriceOptions | Optional | Indicates if retail, commercial base or commercial plus pricing should be returned. For example: <PriceOptions>COMMERCIAL BASE</PriceOptions> | String | default=RETAIL enumeration= <ul style="list-style-type: none"> • COMMERCIAL BASE • COMMERCIAL PLUS |
| eVSTFirstClassMailIntl Request / ActionCode | Optional | Passed to SPE file via the shipment manifest. | String | Default = M0 enumeration= <ul style="list-style-type: none"> • M0 • S0 |
| eVSTFirstClassMailIntl Request / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file. | boolean | Default = True enumeration= <ul style="list-style-type: none"> • true • false |
| eVSTFirstClassMailIntl Request / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 |
| eVSTFirstClassMailIntl Request / AccountZipCode | Optional | ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSTFirstClassMailIntl Request / DestinationRateIndicator | Required | Required for destination entry packages I = International Service Center (ISC) N = None | String | enumerations= <ul style="list-style-type: none"> • I • N |
| eVSTFirstClassMailIntl Request / MID | Optional | Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID> | String | minOccurs=0 |
| eVSTFirstClassMailIntl Request / LogisticsManagerMID | Optional | The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID> | String | minOccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|--------|---|
| eVSTFirstClassMailInt Request / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID> | String | minOccurs=0 |
| eVSTFirstClassMailInt Request / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode> | String | minOccurs=0 default=8300 |
| eVSTFirstClassMailInt Request / VendorProductVersionNumber | Optional | Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1 B</ VendorProductVersionNumber> | String | minOccurs=0 |
| eVSTFirstClassMailInt Request / ePostageMailerReporting | Optional | Verifies Sender Information, sender fields must match From information when <ePostageMailerReporting>=1 1 - (ePostage sender information in SSF) 2 - (ePostage sender information through DES) 3 - (ePostage sender information using child MID) | String | enumerations= <ul style="list-style-type: none"> • 1 • 2 • 3 |
| eVSTFirstClassMailInt Request / SenderFirstName | Optional | First Name of Sender. For example: <SenderFirstName>Adam</ SenderFirstName> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=49 |
| eVSTFirstClassMailInt Request / SenderLastName | Optional | Last Name of Sender. For example: <SenderLastName>Smith</ SenderLastName> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=75 |
| eVSTFirstClassMailInt Request / SenderBusinessName | Optional | Values for Sender Business Name must be sent. For example: <SenderBusinessName>USPS</ SenderBusinessName> | String | minLength=0 maxLength=100 |

| Tag Name | Occurs | Description | Type | Validation |
|--|------------------------|--|--------|--|
| eVSTFirstClassMailInt Request / SenderAddress1 | Optional | Sender address line. Use this tag for full address (Address1 and Address2) Must match Address1 and Address2 or will produce an error. For example: <SenderAddress1>STE 150 10 Elm Street </SenderAddress1> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=148 |
| eVSTFirstClassMailInt Request / SenderCity | Optional | Sender city For example: <SenderCity>BETHESDA</SenderCity> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=50 |
| eVSTFirstClassMailInt Request / SenderState | Optional | Sender state. For example: <SenderState>MD</SenderState> Required when <ePostageMailerReporting>=1 | String | minLength=0 maxLength=2 |
| eVSTFirstClassMailInt Request / SenderZip5 | Optional | Sender ZIP code. For example: <SenderZip5>20212</SenderZip5> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=d(5) |
| eVSTFirstClassMailInt Request / SenderPhone | Optional | Sender Phone #. 10 digits Required (including area code), with no punctuation. For example: <SenderPhone>2125551234</SenderPhone> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=d(10) |
| eVSTFirstClassMailInt Request / SenderEmail | Optional | E-mail Address of Sender. Valid e-mail addresses must be used. For example: <SenderEMail>cpapple@email.com</SenderEMail> Required when <ePostageMailerReporting>=1 | String | minLength=0 pattern=(([\w\-\.\.]+)@(([\w-]+\.\.+)([a-zA-Z]{2,4} |
| eVSTFirstClassMailInt Request / RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSTFirstClassMailInt Request / ChargebackCode | Optional | Code used with the federal Agency Number or code for the customer's internal use. | String | 123456 (alphanumeric) |
| eVSTFirstClassMailInt Request / ImportersReferenceType | Conditionally Required | Tax code / VAT no. / Importer Code Enter a value for Importers Reference Type to pass IOSS data in the SSF for export compliance. Note: Required when <ImportersReferenceNumber> is used. | String | minOccurs=0 enumeration= <ul style="list-style-type: none"> TAXCODE VAT IMPORTERCODE |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|---------|--------------|
| eVSTFirstClassMailIntlRequest / ImportersReferenceNumber | Optional | Enter a value for Importers Reference to pass IOSS data in the SSF for export compliance. The text entered is any reference number that the recipient wishes to use. Note: Requires <ImportersReferenceType> to be specified if used. For example: <ImportersReferenceNumber>Order 23432</ImportersReferenceNumber> | String | maxLength=40 |
| eVSTFirstClassMailIntlRequest / FromCustomsReference | Optional | Enter a value for Sender Customs Reference Number to pass IOSS data in the SSF for export compliance. The text entered is any reference number that the sender wishes to use. For example: <FromCustomsReference></FromCustomsReference> | String | maxLength=14 |
| eVSTFirstClassMailIntlRequest | Required | | (Alias) | |

4.2.1 Sample Request

```

Request: eVSTFirstClassMailIntl
<eVSTFirstClassMailIntlRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
<Option />
<Revision>2</Revision>
<ImageParameters />
<FromFirstName>John</FromFirstName>
<FromMiddleInitial>L</FromMiddleInitial>
<FromLastName>Doe</FromLastName>
<FromFirm />
<FromAddress1>test</FromAddress1>
<FromAddress2>7 N Wilkes-Barre Blvd.</FromAddress2>
<FromCity>Wilkes-Barre</FromCity>
<FromState>PA</FromState>
<FromZip5>18702</FromZip5>
<FromZip4></FromZip4>
<FromPhone>5708203158</FromPhone>
<ToName></ToName>
<ToFirstName>Reza</ToFirstName>
<ToLastName>Dianat</ToLastName>
<ToFirm>HP</ToFirm>
<ToAddress1>HP</ToAddress1>
<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Brazil</ToCountry>
<ToPostalCode></ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
    
```

```
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<FirstClassMailType></FirstClassMailType>
<ShippingContents>
<ItemDetail>
<Description>Description 1</Description>
<Quantity>1</Quantity>
<Value>1.11</Value>
<NetPounds>1</NetPounds>
<NetOunces>1</NetOunces>
<HSTariffNumber>123456</HSTariffNumber>
<CountryOfOrigin>Switzerland</CountryOfOrigin>
</ItemDetail>
</ShippingContents>
<GrossPounds>3</GrossPounds>
<GrossOunces>2</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>FirstClassMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<Container></Container>
<Length>15.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth></Girth>
<ExtraServices>
<ExtraService>109</ExtraService>
</ExtraServices>
<PriceOptions>COMMERCIAL BASE</PriceOptions>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSTFirstClassMailIntlRequest>
```

eVS FirstClass Mail Intl Request with HS Tarriff Number and Tags

```
<eVSTFirstClassMailIntlCertifyRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
  <Option />
  <Revision>2</Revision>
  <ImageParameters />
  <FromFirstName>John</FromFirstName>
  <FromMiddleInitial>L</FromMiddleInitial>
  <FromLastName>Doe</FromLastName>
  <FromFirm />
  <FromAddress1>test</FromAddress1>
  <FromAddress2>7 N Wilkes-Barre Blvd.</FromAddress2>
  <FromCity>Wilkes-Barre</FromCity>
  <FromState>PA</FromState>
  <FromZip5>18702</FromZip5>
  <FromZip4></FromZip4>
  <FromPhone>5708203158</FromPhone>
  <ToName></ToName>
  <ToFirstName>Reza</ToFirstName>
  <ToLastName>Dianat</ToLastName>
  <ToFirm>HP</ToFirm>
  <ToAddress1>HP</ToAddress1>
```

```

<ToAddress2>5th floor</ToAddress2>
<ToAddress3>6406 Ivy Lane</ToAddress3>
<ToCity>Greenbelt</ToCity>
<ToProvince>Md</ToProvince>
<ToCountry>Brazil</ToCountry>
<ToPostalCode></ToPostalCode>
<ToPOBoxFlag>N</ToPOBoxFlag>
<ToPhone>5555555555</ToPhone>
<ToFax>3012929999</ToFax>
<ToEmail>b@aol.com</ToEmail>
<FirstClassMailType></FirstClassMailType>
<ShippingContents>
  <ItemDetail>
    <Description>Policy guidelines document</Description>
    <Quantity>1</Quantity>
    <Value>55.00</Value>
    <NetPounds>1</NetPounds>
    <NetOunces>5</NetOunces>
    <HSTariffNumber>4901.10.0000</HSTariffNumber>
    <CountryOfOrigin>United States</CountryOfOrigin>
    <ItemCategory>turbo</ItemCategory>
    <ItemSubCategory>charger</ItemSubCategory>
  </ItemDetail>
</ShippingContents>
<GrossPounds>3</GrossPounds>
<GrossOunces>2</GrossOunces>
<ContentType>Documents</ContentType>
<Agreement>Y</Agreement>
<Comments>FirstClassMailIntl Comments</Comments>
<ImageType>TIF</ImageType>
<LabelDate></LabelDate>
<HoldForManifest>N</HoldForManifest>
<Container>RECTANGULAR</Container>
<Size>LARGE</Size>
<Length>15.5</Length>
<Width>5.5</Width>
<Height>5.5</Height>
<Girth></Girth>
<ExtraServices>
  <ExtraService/>
</ExtraServices>
<PriceOptions>COMMERCIAL BASE</PriceOptions>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSTFirstClassMailIntlCertifyRequest>

```

4.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|----------------------------------|---------|------------|
| eVSTFirstClassMailIntlResponse | Required | | (Alias) | |
| eVSTFirstClassMailIntlResponse / Postage | Required | Postage amount | Decimal | |
| eVSTFirstClassMailIntlResponse / TotalValue | Required | Value of all items being shipped | Decimal | |
| eVSTFirstClassMailIntlResponse / BarcodeNumber | Required | Mail service related barcode. | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---|---|--|--------------|-------------|
| eVSTFirstClassMailIntlResponse / LabelImage | Required | Encoded images of label. (may be empty depending upon layout selection or items shipped) | base64Binary | |
| eVSTFirstClassMailIntlResponse / Page2Image | Required | Encoded images of label. (may be empty depending upon layout selection or items shipped) | base64Binary | |
| eVSTFirstClassMailIntlResponse / Page3Image | Required | Encoded images of label. (may be empty depending upon layout selection or items shipped) | base64Binary | |
| eVSTFirstClassMailIntlResponse / Prohibitions | Required | List of items prohibited from mailing based on country of destination | String | |
| eVSTFirstClassMailIntlResponse / Restrictions | Required | Restrictions on items being shipped based on country of destination | String | |
| eVSTFirstClassMailIntlResponse / Observations | Required | Additional mailing information based on country of destination | String | |
| eVSTFirstClassMailIntlResponse / Regulations | Required | Additional regulations for shipping to destination country | String | |
| eVSTFirstClassIntlResponse / AdditionalRestrictions | Required | Additional restrictions on items being shipped to destination country | String | |
| eVSTFirstClassIntlResponse / DestinationBarcodeNumber | Optional | | String | minOccurs=0 |
| eVSTFirstClassIntlResponse / ExtraServices | Optional | Appears if ExtraServices was populated in the request | (Group) | |
| eVSTFirstClassIntlResponse / ExtraServices / ExtraService | Optional, repeating up to unbounded times | Groups extra service information | (Group) | |
| eVSTFirstClassIntlResponse / ExtraServices / ExtraService / ServiceID | Required | Extra Service ID echoed from request | String | |
| eVSTFirstClassIntlResponse / ExtraServices / ExtraService / ServiceName | Required | Extra Service name | String | |
| eVSTFirstClassIntlResponse / ExtraServices / ExtraService / Price | Required | Extra Service fee | Decimal | |
| eVSTFirstClassMailIntlResponse / Warning | Optional | | String | |

| Tag Name | Occurs | Description | Type | Validation |
|---------------------------------------|----------|-------------|---------|------------|
| eVSTFirstClassMailIntlCertifyResponse | Required | | (Alias) | |

4.3.1 Sample Response

```

<eVSTFirstClassMailIntlResponse>
<Postage>30.42</Postage>
<TotalValue>1.11</TotalValue>
<BarcodeNumber>LZ333007778US</BarcodeNumber>
<LabellImage>.....removed.....</LabellImage>
<Page2Image></Page2Image>
<Page3Image></Page3Image>
<Prohibitions>
Banknotes; currency notes; paper money; securities payable to bearer; and traveler's checks.
Coins; manufactured and unmanufactured platinum, gold, and silver; precious stones; jewels; expensive
jewelry; and other valuable articles.
Commercial samples that promote tobacco products or smoking-related merchandise.
Commercial shipments that contain cigarettes, cigarillos, cigars, loose and packaged tobacco, pipes, and other
smoking devices.
Items that are fragile, either by nature or due to inadequate packing, that could cause harm to individuals or
equipment.
Medicines whose formulas are not listed in the official pharmacopeias or not licensed by the Brazilian
Department of Public Health.
Perishable infectious biological substances.
Perishable noninfectious biological substances.
Playing cards.
Poniards, stilettos, poniard blades; canes, umbrellas, or any other articles containing swords, daggers, or guns;
handcuffs, and blackjacks.
Primary educational books not written in Portuguese.
Radioactive materials.
Regulation arms and munitions of Brazil and parts. Air guns. Reducing tubes and silencers for firearms.
Salted or smoked meat, and other foodstuffs of animal origin.
Seeds and seedlings of coffee, shrubs.
Used consumer goods (See Observation #5 for exception).
</Prohibitions>
<Restrictions>
Medicines must be accompanied by a prescription from the attendant Brazilian doctor. This prescription should
be on a chemist's form, bearing the name, private address or office of the doctor, his registration number with
the Brazil National Medical Council and a Portuguese translation of the instructions, as necessary. Postal
packages containing medicaments and not satisfying the above-mentioned conditions will be returned to the
senders or, if abandoned, treated as undeliverable items.
Postage stamps are admitted only in registered shipments.
Saccharine and other artificial sweeteners for artificial beverages require permission from the Brazilian
Department of Public Health for importation.
</Restrictions>
<Observations>
1. Brazil reserves the right to collect a "presentation-to-Customs charge" from customers for any item submitted
to customs control, even if no customs charges are levied.
2. Import licenses are Required for many kinds of goods and senders should ascertain from the addressee
before mailing that the necessary documents are held.
3. Imports are allowed by mail, including mail order catalog shipments, up to a value of U.S. $500 (U.S. $1000
for computer software) without the requirement of an import license provided the item is not for resale.
Shipments valued at no more than U.S. $50 are duty free and are delivered to the addressee; shipments above
U.S. $50 can be picked up at the post office upon payment of import duties. Imports that are prohibited or
subject to special regulations must comply with applicable Brazilian government provisions. Identical shipments
from the same source to the same person or address in Brazil within a 90 day period are considered part of the
    
```

same shipment and may be subject to confiscation. Other merchandise that usually enters duty free includes items such as newspapers, maps, books, and magazines.

4. Shipments for which an import permit has not been issued are considered contraband and confiscated.
5. Shipments that do not indicate the applicable postage and fees on PS Form 2976-A will hinder the customs clearance process, causing delays to clear the items.
6. Used consumer goods may only be sent to charitable organizations that are recognized by the Brazilian government as being entities which serve the public interest.

```

</Observations>
<Regulations>
Country Code:
BR

Reciprocal Service Name;
Serca
Required Customs Form/Endorsement
1. Correspondence and business papers.
PS Form 2976, Customs - CN 22 and Sender's Declaration. Endorse item clearly next to mailing label as BUSINESS PAPERS.
2. Merchandise, merchandise samples without commercial value, documents, computer data, and all articles subject to customs duty.
PS Form 2976-A, Customs Declaration and Dispatch Note CP 72, inside a PS Form 2976-E, Customs Declaration Envelope CP 91. Include an invoice with all commercial shipments.
Note:
Coins; banknotes; currency notes, including paper money; securities of any kind payable to bearer; traveler's checks; platinum, gold, and silver; precious stones; jewelry; watches; and other valuable articles are prohibited in Priority Mail Express International shipments to Brazil.
Areas Served: All
</Regulations>
<AdditionalRestrictions>No Additional Restrictions Data found.</AdditionalRestrictions>
<ExtraServices>
<ExtraService>
<ServiceID>10</ServiceID>
<ServiceName>Electronic USPS Delivery Confirmation International (Service temporarily suspended)</ServiceName>
<Price>0.00</Price>
</ExtraService>
</ExtraServices>
<RemainingBarcodes>5< RemainingBarcodes>
</eVSTFirstClassMailIntlResponse>
    
```

5.0 eVS GXG Get Label API

5.1 Overview

Global Express Guaranteed is our fastest international shipping service, with transportation and delivery by FedEx Express. It features date-certain delivery in 1-3 business days* to more than 190 countries with a money-back guarantee** to all destinations. This document contains a Reference Guide to the eVS GXG Get Label Request. Please note that the GXG airway bill image is not currently supported in the response. The API returns the appropriate barcode numbers but requires the integrator to produce the GXG airway bill image.

5.1.1 API Signature

| Scheme | Host | Path | API | XML |
|----------|-------------------------|-------------------|----------------------------|-----------------------------------|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSGXGGetLabel | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSGXGGetLabel Certify | &XML=(see Tag Descriptions below) |

5.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|-------------|--|
| eVSGXGGetLabelRequest | Required | | (Alias) | |
| eVSGXGGetLabelRequest / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXX" | NMTO KEN | |
| eVSGXGGetLabelRequest / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXX" | NMTO KEN | |
| eVSGXGGetLabelRequest / Option | Required | For future use. | Empty | |
| eVSGXGGetLabelRequest / Revision | Optional | This is for versioning of the APIs and for triggering response tags for future versions. In this API use a value of 2 to trigger new functionality. For example: <Revision>1</Revision> | String | minLength=0 pattern=\d{1} pattern= |
| eVSGXGGetLabelRequest / ImageParameters | Required | For future use. | Empty | |
| eVSGXGGetLabelRequest / FromFirstName | Required | First and Last Name must be sent. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromFirstName>John</FromFirstName> | String | minLength=1 maxLength=30 |
| eVSGXGGetLabelRequest / FromMiddleInitial | Optional | First and Last Name must be sent. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromMiddleInitial>L</FromMiddleInitial> | String | minLength=0 maxLength=1 |
| eVSGXGGetLabelRequest / FromLastName | Required | First and Last Name must be sent. Maximum Length: 32 characters total for First, Middle, and Last Names with space after first and middle name. For example: <FromLastName>Doe</FromLastName> | String | minLength=1 maxLength=30 |
| eVSGXGGetLabelRequest / FromFirm | Required | Firm Name. For example: <FromFirm>USPS</FromFirm> | String | minLength=0 maxLength=32 |
| eVSGXGGetLabelRequest / FromAddress1 | Optional | Secondary address unit designator and number (such as an apartment or suite number (APT 202, STE 100)). For example: <FromAddress1/> | String | minLength=0 maxLength=32 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|--------|--|
| eVSGXGGetLabelRequest / FromAddress2 | Required | Street number and name (including predirectional, suffix, and postdirectional as shown in USPS ZIP+4 Product for the delivery address or rural route and box number (RR 5 BOX 10), highway contract route and box number (HC 4 BOX 45), or post office box number (PO BOX 458). For example: <FromAddress2>10 Elm Street </FromAddress2> | String | minLength=1 maxLength=32 |
| eVSGXGGetLabelRequest / FromUrbanization | Optional | Urbanization name (Puerto Rico only, ZIP Code prefixes 006 to 009, if area is so designated). For example: <FromUrbanization>URB Caparra Ter</FromUrbanization> | String | minLength=0 maxLength=32 |
| eVSGXGGetLabelRequest / FromCity | Required | City name. For example: <FromCity>Anytown</FromCity> | String | minLength=1 maxLength=16 |
| eVSGXGGetLabelRequest / FromState | Required | Use 2-letter USPS state abbreviation. For example: <FromState>PA</FromState> | String | pattern=\w\w |
| eVSGXGGetLabelRequest / FromZIP5 | Required | Five-digit ZIP code. For example: <FromZip5>01234</FromZip5> | String | pattern=\d{5} |
| eVSGXGGetLabelRequest / FromZIP4 | Optional | Four-digit extension of ZIP+4 code. For example: <FromZip4>5678</FromZip4> | String | minLength=0 pattern=\d{4} pattern= |
| eVSGXGGetLabelRequest / FromPhone | Required | 10 digits Required (including area code), with no punctuation. Use format: 2125551234 For example: <FromPhone>5555555555</FromPhone> | String | pattern=\d{10} |
| eVSGXGGetLabelRequest / ShipFromZIP | Optional | Origin ZIP Code shall be accepted as component in request via "ShipFromZip" tag. For example: <ShipFromZIP>18701</ShipFromZIP> | String | minLength=0 pattern=\d{5} pattern=\d{9} pattern= |
| eVSGXGGetLabelRequest / SenderEMail | Optional | E-mail address of sender. Valid e-mail addresses must be used. Note: No e-mail is returned when generating a Sample label request. For example: <SenderEMail>cpapple@email.com</SenderEMail> | String | pattern=(\w\-\.\.+)@\((\w\-\.\.+)([a-zA-Z]{2,4}) pattern= |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|--------|--|
| eVSGXGGetLabelRequest / ToFirstName | Required | First and Last Name must be sent. Maximum Length: 36 characters total for First, and Last Names with space after first name. For example: <ToFirstName>John</ToFirstName> | String | minLength=1 maxLength=34 |
| eVSGXGGetLabelRequest / ToLastName | Required | First and Last Name must be sent. Maximum Length: 36 characters total for First, and Last Names with space after first name. For example: <ToLastName>John</ToLastName> | String | minLength=1 maxLength=34 |
| eVSGXGGetLabelRequest / ToFirm | Required | Firm Name. For example: <ToFirm>USPS</ToFirm> | String | minLength=0 maxLength=36 |
| eVSGXGGetLabelRequest / ToAddress1 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress1>10 Elm Street </ToAddress1> | String | minLength=1 maxLength=36 |
| eVSGXGGetLabelRequest / ToAddress2 | Required | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress2>Suite 4000</ToAddress2> | String | minLength=0 maxLength=36 |
| eVSGXGGetLabelRequest / ToAddress3 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <ToAddress3/> | String | minLength=0 maxLength=36 |
| eVSGXGGetLabelRequest / ToPostalCode | Optional | Destination Postal Code. For example: <ToPostalCode> T2G 2W1</ToPostalCode> | String | minLength=1 maxLength=10 |
| eVSGXGGetLabelRequest / ToPhone | Optional | Up to 25 digits allowed with no punctuation. For example: <ToPhone>1234567890</ToPhone> | String | pattern=\d{25} |
| eVSGXGGetLabelRequest / RecipientEMail | Optional | E-mail address of recipient. Valid e-mail addresses must be used. Note: No e-mail is returned when generating a Sample label request. For example: <RecipientEMail>cpapple@email.com</RecipientEMail> | String | pattern=([\w\-\.\,]+)@([\w-]+\.)+[a-zA-Z]{2,4} pattern= |
| eVSGXGGetLabelRequest / ToDPID | Required | The Delivery Point ID as determined via the GXGGetDeliveryPoint API response. Please contact webtools@usps.gov for more information. For example: <ToDPID>142</ToDPID> | String | pattern=\d{1,10} |

| Tag Name | Occurs | Description | Type | Validation |
|---|-----------------------------------|--|---------|---|
| eVSGXGGetLabelRequest / ToProvince | Optional | Enter the province for the recipient. For example: <ToProvince>JALISCO</ToProvince> | String | minLength=0 maxLength=9 |
| eVSGXGGetLabelRequest / ToTaxID | Optional | Tax ID For example: <ToTaxID/> | String | minLength=0 maxLength=20 |
| eVSGXGGetLabelRequest / Container | Required | Container type. USPS refers to USPS-supplied large flat envelopes which incur weight-based postage. For example: <Container>LETTER</Container> | String | enumeration= <ul style="list-style-type: none"> • VARIABLE • LARGEENVELOPE • LETTER • LEGALENVELOPE • USPSGXGENVELOPE • USPSGXLEGAL ENVELOPE • USPSGXGTYVEKENVELOPE • PACKAGE |
| eVSGXGGetLabelRequest / ContentType | Required | Content type. For example: <ContentType>DOCUMENTS</ContentType> | String | enumeration= <ul style="list-style-type: none"> • DOCUMENTS • NON-DOC |
| eVSGXGGetLabelRequest / ShippingContents | Required | Contents of package. | (Group) | |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail | Required repeating up to 30 times | One item detail per item type enclosed. | (Group) | |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / Description | Required | Description of the item. For certain countries/destinations (i.e., when the Web Tools Price Calculator APIs return <HSCoDeEnforced>="true") the API enforces a blacklist of descriptions not permitted: none, not applicable, n/a, null, gift, merchandise Other non-descriptive wording always results in an error: gift, sample, other For example: <Description>Policy guidelines document</Description> | String | minLength=1 maxLength=35 |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / Commodity | Required | Commodity shall be a text String matching Commodity Name from GXGGetCommodityInfo. For example: <Commodity>Documents</Commodity> | String | minLength=1 maxLength=100 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------------------------------|---|---------|---|
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / Restriction | Optional repeating up to 4 times | Allows integrators to pass restrictions information (responses to footnote questions) for each "Commodity/CommodityName." | (Group) | |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / Restriction / FootnoteNumber | Required | Number associated with the commodity restriction question returned from the Get Commodity Restrictions service. Using a number which does not pertain to the passed commodity and derived country will result in an error return. For example: <FootnoteNumber>196</FootnoteNumber> | String | maxLength=4 |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / Restriction / Response | Required | May affect the need to use a Commercial invoice, and/or the ability to continue the transaction at all. For example: <Response>Y</Response> | String | enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / Quantity | Required | Quantity of the item. For example: <Quantity>4</Quantity> | String | pattern=\d{5} |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / UnitValue | Required | The data entered with this tag provides the value of the one of items in this Item Detail. For example: <UnitValue>125.00</UnitValue> | Decimal | minExclusive=0.0 |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / NetPounds | Optional | Rules: 1. If any <ItemDetail> contains either a <NetPounds> or <NetOunces> sub-tag, then all <ItemDetail> nodes must specify at least a <NetPounds> or <NetOunces> tag. 2. If the <NetPounds> and/or <NetOunces> are specified successfully, then those values will be used in the manifesting of the Customs Declarations. 3. If <NetPounds> and <NetOunces> are not specified, then the value for <NetPounds> and <NetOunces> for each customs declaration will be the <GrossPounds> and <GrossOunces> divided by the number of <ItemDetails> present. | Integer | minInclusive=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|---------|--|
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / NetOunces | Optional | Rules: 1. If any <ItemDetail> contains either a <NetPounds> or <NetOunces> sub-tag, then all <ItemDetail> nodes must specify at least a <NetPounds> or <NetOunces> tag. 2. If the <NetPounds> and/or <NetOunces> are specified successfully, then those values will be used in the manifesting of the Customs Declarations. 3. If <NetPounds> and <NetOunces> are not specified, then the value for <NetPounds> and <NetOunces> for each customs declaration will be the <GrossPounds> and <GrossOunces> divided by the number of <ItemDetails> present. | Decimal | default=0.0 minInclusive=0 |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / UnitOfMeasure | Optional | Unit of Measure for item quantity. For example: <UnitOfMeasure>Dozen</UnitOfMeasure> | String | minLength=0 maxLength=20 |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / HSTariffNumber | Optional | For commercial items only. If known, the HS tariff number must be based on the Harmonized Commodity Description and Coding System developed by the World Customs Organization. For example: <HSTariffNumber>123456</HSTariffNumber> | String | minLength=1 maxLength=12 |
| eVSGXGGetLabelRequest / ShippingContents / ItemDetail / CountryofManufacture | Optional | The country name entered must match an entry from the USPS-approved International Index of Countries and Localities or be "United States". Click on the link for " International Country Listings ." Using a country name not on the list will result in a request failure. Required when CIRequired="true". For example: <CountryOfManufacture>United States</CountryOfManufacture> | String | minLength=1 |
| eVSGXGGetLabelRequest / PurposeOfShipment | Required | Statement of shipment purpose. For example: <PurposeOfShipment>Gift</PurposeOfShipment> | String | minLength=1 |
| eVSGXGGetLabelRequest / PartiesToTransaction | Optional | Defines relationship of parties to transaction. For example: <PartiesToTransaction>Related</PartiesToTransaction> | String | enumeration= <ul style="list-style-type: none"> • Related • Unrelated • Other |

| Tag Name | Occurs | Description | Type | Validation |
|--------------------------------------|----------|---|---------|---|
| eVSGXGGetLabelRequest / Agreement | Required | Agreement to GXG service terms and conditions. For example: <Agreement>Y</Agreement> | String | enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSGXGGetLabelRequest / Postage | Optional | Use this tag for entering the postage amount, if known, excluding extra services. If the value is blank, the postage will be automatically calculated using retail rates. For example: <Postage>137.95</Postage> | Decimal | minInclusive=0 maxInclusive=9999.99 |
| eVSGXGGetLabelRequest / InsuredValue | Optional | If specified, InsuredValue is used to calculate the Insurance Fee. For example: <InsuredValue>180.00</InsuredValue> | Decimal | minExclusive=0.0 |
| eVSGXGGetLabelRequest / GrossPounds | Optional | GrossPounds + (GrossOunces/16) must be less than 70. For example: <GrossPounds>40</GrossPounds> | Decimal | maxInclusive=70 |
| eVSGXGGetLabelRequest / GrossOunces | Optional | GrossPounds + (GrossOunces/16) must be less than 70. For example: <GrossOunces>5</GrossOunces> | Decimal | maxInclusive=1120 |
| eVSGXGGetLabelRequest / Length | Optional | Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return. Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package. Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing. | Decimal | pattern=\d{1,2} |

| Tag Name | Occurs | Description | Type | Validation |
|--------------------------------|----------|---|---------|-----------------|
| eVSGXGGetLabelRequest / Width | Optional | <p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular packages.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | pattern=\d{1,2} |
| eVSGXGGetLabelRequest / Height | Optional | <p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | pattern=\d{1,2} |
| eVSGXGGetLabelRequest / Girth | Optional | <p>Value must be numeric. Units are inches. If partial dimensions are provided, an error response will return.</p> <p>Length, Width, Height are required for accurate pricing of a rectangular package when any dimension of the item exceeds 12 inches. In addition, Girth is required for non-rectangular package.</p> <p>Please reference https://about.usps.com/postal-bulletin/2018/pb22509/html/updt_002.htm for more details on dimensional weight pricing.</p> | Decimal | pattern=\d{1,2} |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|---------|--|
| eVSGXGGetLabelRequest / Shape | Optional | Required except when Container="USPS". Shape, plus the package's physical dimensions, help determine whether the scale weight or the dimensional weight is used to calculate the shipping cost. For example: <Shape>RECTANGULAR</Shape> | String | default=RECTANGULAR enumeration= <ul style="list-style-type: none"> • RECTANGULAR • NONRECTANGULAR |
| eVSGXGGetLabelRequest / CIRequired | Optional | Indicates if Commercial Invoice is Required. When CIRequired="true", commercial invoice image will be generated. For example: <CIRequired>>true</CIRequired> | boolean | default=false |
| eVSGXGGetLabelRequest / InvoiceDate | Optional | Invoice date. Required when CommercialShipment="true". For example: <InvoiceDate>01/01/2012</InvoiceDate> | | dateTime |
| eVSGXGGetLabelRequest / InvoiceNumber | Optional | Invoice number. Required when CommercialShipment="true". For example: <InvoiceNumber>20120101</InvoiceNumber> | String | minLength=1 maxLength=20 |
| eVSGXGGetLabelRequest / CustomerOrderNumber | Optional | Customer order number. User assigned number for internal use. For example: <CustomerOrderNumber>20120101</CustomerOrderNumber> | String | maxLength=20 |
| eVSGXGGetLabelRequest / CustOrderNumber | Optional | Customer order number. User assigned number for internal use. Either use CustomerOrderNumber or CustOrderNumber. For example: <CustOrderNumber>20120101</CustOrderNumber> | String | maxLength=20 |
| eVSGXGGetLabelRequest / TermsDelivery | Optional | Indicates terms of delivery. Required when CommercialShipment="true". For example: <TermsDelivery>CPT</TermsDelivery> | String | enumeration= <ul style="list-style-type: none"> • CPT • CIP • DAF • DDU • OTHER |
| eVSGXGGetLabelRequest / TermsDeliveryOther | Optional | Terms description. Required when TermsDelivery="OTHER". For example: <TermsDeliveryOther>DES</TermsDeliveryOther> | String | minLength=1 maxLength=30 |
| eVSGXGGetLabelRequest / PackingCost | Optional | Packing cost. For example: <PackingCost>15.00</PackingCost> | Decimal | minInclusive=0.00 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|---------|---|
| eVSGXGGetLabelRequest / CountryUltDest | Required | Ultimate destination country. For example: <CountryUltDest>Austria</CountryUltDest> | String | minLength=1 maxLength=38 |
| eVSGXGGetLabelRequest / CIAgreement | Optional | Agreement to Commercial Invoice terms and conditions. Required when CIRequired="true". For example: <CIAgreement>true</CIAgreement> | boolean | |
| eVSGXGGetLabelRequest / ImageType | Required | Controls the file format of the commercial invoice image returned. For example: <ImageType>NONE</ImageType> | String | enumeration= <ul style="list-style-type: none"> • PDF • TIF • NONE |
| eVSGXGGetLabelRequest / ImageLayout | Optional | For future use. | Empty | |
| eVSGXGGetLabelRequest / CustomerRefNo | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo>Ref 369246</CustomerRefNo> | String | maxLength=30 |
| eVSGXGGetLabelRequest / CustomerRefNo2 | Optional | Written to Postal Manifest Detail record. For example: <CustomerRefNo2>ACT 369246</ CustomerRefNo2> | String | maxLength=30 |
| eVSGXGGetLabelRequest / ShipDate | Required | Format: mm/dd/yyyy. Should "ShipDate" value not be provided, the service shall use the current date as a basis for delivery date calculations. For example: <ShipDate>01/01/2012</ShipDate> | String | minLength=0 pattern=\d{1,2}/\d{1,2}/\d{4} pattern= |
| eVSGXGGetLabelRequest / HoldForManifest | Optional | Restricted use. For authorized users, holds manifest record for possible inclusion in SCAN request when Y. All other users should omit or specify N. For example: <HoldForManifest>Y</HoldForManifest> | String | enumeration= <ul style="list-style-type: none"> • Y • N |
| eVSGXGGetLabelRequest / PriceOptions | Optional | Returns commercial pricing. | String | minOccurs=0 default=COMMERCIAL BASE |
| eVSGXGGetLabelRequest / CommercialShipment | Optional | If True, then Invoice/Buyer info Required. If False, then Optional. For example: <CommercialShipment>true</CommercialShipment> | boolean | default=false |
| eVSGXGGetLabelRequest / BuyerFirstName | Optional | Buyer first name. Required when CommercialShipment="true". For example: <BuyerFirstName>John</BuyerFirstName> | String | minLength=1 maxLength=34 |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|--|---------|-----------------------------|
| eVSGXGGetLabelRequest / BuyerLastName | Optional | Buyer last name. Required when CommercialShipment="true". For example: <BuyerLastName>Smith</BuyerLastName> | String | minLength=1 maxLength=34 |
| eVSGXGGetLabelRequest / BuyerAddress1 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. Required when CommercialShipment="true". For example: <BuyerAddress1>Lazarette Str. 7</BuyerAddress1> | String | minLength=1 maxLength=36 |
| eVSGXGGetLabelRequest / BuyerAddress2 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <BuyerAddress2/> | String | minLength=1 maxLength=36 |
| eVSGXGGetLabelRequest / BuyerAddress3 | Optional | Three address lines are provided, but only 1 is Required. Use as many as needed for complete address. For example: <BuyerAddress3/> | String | minLength=1 maxLength=36 |
| eVSGXGGetLabelRequest / BuyerCity | Optional | Buyer city. Required when CommercialShipment="true". For example: <BuyerCity>Berlin</BuyerCity> | String | minLength=1 maxLength=18 |
| eVSGXGGetLabelRequest / BuyerState | Optional | Buyer state. Required when CommercialShipment="true". For example: <BuyerState/> | String | minLength=1 maxLength=9 |
| eVSGXGGetLabelRequest / BuyerPostalCode | Optional | Buyer postal code. Required when CommercialShipment="true". For example: <BuyerPostalCode>10117</BuyerPostalCode> | String | minLength=1 maxLength=9 |
| eVSGXGGetLabelRequest / BuyerCountry | Optional | Buyer country. Required when CommercialShipment="true". For example: <BuyerCountry>Germany</BuyerCountry> | String | minLength=0 maxLength=38 |
| eVSGXGGetLabelRequest / BuyerTaxID | Optional | Buyer TaxID. For example: <BuyerTaxID>11123456789</BuyerTaxID> | String | minLength=1 maxLength=20 |
| eVSGXGGetLabelRequest / BuyerRecipient | Optional | Indicates that Buyer and Recipient are the same. When CommercialShipment="true" and BuyerRecipient="true", buyer information is not Required. For example: <BuyerRecipient>>true</BuyerRecipient> | Boolean | default=true |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|---------|--|
| eVSGXGGetLabelRequest / TermsPayment | Optional | TermsPayment is Required when CommercialShipment ="true". For example: <TermsPayment>Net 50</TermsPayment> | String | minLength=1 maxLength=100 |
| eVSGXGGetLabelRequest / ActionCode | Optional | Passed to SPE file via the shipment manifest. | String | Default = M0 enumeration= <ul style="list-style-type: none"> • M0 • S0 |
| eVSGXGGetLabelRequest / OptOutOfSPE | Optional | Allows a customer to opt out of SPE file creation. "false" WILL create a SPE file. | boolean | Default = true enumeration= <ul style="list-style-type: none"> • true • false |
| eVSGXGGetLabelRequest / PermitNumber | Optional | Number associated with a mailing permit. The permit is permission to use a certain postage payment method for bulk and commercial mailings | String | minOccurs=0 |
| eVSGXGGetLabelRequest / AccountZipCode | Optional | ZIP of Account Post Office where mailed if different from <FromZip5/>. Written to Postal Manifest Detail record. Must be valid ZIP Code. For example: <POZipCode>00962</POZipCode> | String | whiteSpace=collapse length=5 pattern=\d{5} |
| eVSGXGGetLabelRequest / Machinable | Optional | Indicates whether or not the item is machinable. A surcharge is applied to a First-Class Mail International item if it has one or more non-machinable characteristics. See International Mail Manual (IMM) Section 241 for more information. For example: <Machinable>>false</Machinable> | Boolean | default=true whiteSpace=collapse |
| eVSGXGGetLabelRequest / DestinationRateIndicator | Required | Required for destination entry packagesenter either "I" or "N". I= International Service Center (ISC) N = None | String | enumeration= <ul style="list-style-type: none"> • I • N |
| eVSGXGGetLabelRequest / MID | Optional | Mailer ID (MID), Represents Mail Owner MID. Located in position #13 in the Detail 1 record of the Shipping Services File v2.0. For example: <MID>847654321</ MID> | String | minOccurs=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|--|---------|-----------------------------|
| eVSGXGGetLabelRequest / LogisticsManagerMID | Optional | The MID of the company that manages the mailing. Located in position #12 in the Detail 1 record of the Shipping Services File v2.0. Note: If LogisticsManagerMID is populated, either CRID or MID must also be populated. For example: <LogisticsManagerMID>489001< / LogisticsManagerMID> | String | minOccurs=0 |
| eVSGXGGetLabelRequest / CRID | Optional | Customer Registration ID, Represents Mail Owner CRID. Located in position #20 in the Detail 1 record of the Shipping Services File v2.0. For example: <CRID>544762</ CRID> | String | minOccurs=0 |
| eVSGXGGetLabelRequest / VendorCode | Optional | Code from vendor software to identify the developer of the shipping system. Located in position #15 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorCode>1234<VendorCode> | String | minOccurs=0 default=8300 |
| eVSGXGGetLabelRequest / VendorProductVersionNumber | Optional | Shipping software's product version number. Located in position #16 in the Detail 1 record of the Shipping Services File v2.0. For example: <VendorProductVersionNumber>5.02.1 B</ VendorProductVersionNumber> | String | minOccurs=0 |
| eVSGXGGetLabelRequest / OverrideMID | Optional | | String | |
| eVSGXGGetLabelRequest / ChargebackCode | Optional | | String | |
| eVSGXGGetLabelRequest | Required | | (Alias) | |

5.2.1 Sample Request

Request: eVSGXGGetLabelRequest

```
<eVSGXGGetLabelRequest USERID="XXXXXXXXX" PASSWORD="XXXXXXXXX">
<Option></Option>
<Revision>2</Revision>
<ImageParameters></ImageParameters>
<FromFirstName>Test From First</FromFirstName>
<FromMiddleInitial></FromMiddleInitial>
<FromLastName>Test From Last</FromLastName>
<FromFirm>Test From Firm</FromFirm>
<FromAddress1>APT 1027</FromAddress1>
<FromAddress2>15555 N FRANK LLOYD WRIGHT BLVD</FromAddress2>
<FromUrbanization></FromUrbanization>
<FromCity>SCOTTSDALE</FromCity>
```

```

<FromState>AZ</FromState>
<FromZIP5>85260</FromZIP5>
<FromZIP4>2073</FromZIP4>
<FromPhone>5555555555</FromPhone>
<ShipFromZIP>85260</ShipFromZIP>
<ToFirstName>TestToFirst</ToFirstName>
<ToLastName>TestToLast</ToLastName>
<ToFirm>TestToFirm</ToFirm>
<ToAddress1>Test ToAddress1</ToAddress1>
<ToAddress2>Test ToAddress2</ToAddress2>
<ToAddress3>Test ToAddress3</ToAddress3>
<ToDPID>108993</ToDPID>
<ToProvince></ToProvince>
<ToTaxID></ToTaxID>
<Container>VARIABLE</Container>
<ContentType>NON-DOC</ContentType>
<ShippingContents>
<ItemDetail>
<Description>cabling kit</Description>
<Commodity>pamphlets</Commodity>
<Quantity>1</Quantity>
<UnitValue>89.0</UnitValue>
<HSTariffNumber>854411</HSTariffNumber>
<CountryofManufacture>China</CountryofManufacture>
</ItemDetail>
</ShippingContents>
<Agreement>Y</Agreement>
<InsuredValue></InsuredValue>
<GrossPounds>2</GrossPounds>
<GrossOunces>11</GrossOunces>
<Length>13.5</Length>
<Width>6.5</Width>
<Height>5.5</Height>
<Girth>7.75</Girth>
<Shape>RECTANGULAR</Shape>
<CIRequired></CIRequired>
<InvoiceDate></InvoiceDate>
<InvoiceNumber></InvoiceNumber>
<CustOrderNumber></CustOrderNumber>
<TermsDelivery></TermsDelivery>
<PackingCost></PackingCost>
<CountryUltDest></CountryUltDest>
<CIAgreement></CIAgreement>
<ImageType>TIF</ImageType>
<ImageLayout></ImageLayout>
<ShipDate></ShipDate>
<HoldForManifest>N</HoldForManifest>
<PriceOptions></PriceOptions>
<DestinationRateIndicator>N</DestinationRateIndicator>
</eVSGXGGetLabelRequest>
    
```

5.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|------------------------|----------|------------------------|---------|------------|
| eVSGXGGetLabelResponse | Required | Public GXGGetLabel API | (Alias) | |

| Tag Name | Occurs | Description | Type | Validation |
|---|----------|---|--------------|---------------------------------------|
| eVSGXGGetLabelResponse / Postage | Required | Postage for this package. | Decimal | minExclusive=0 .0 |
| eVSGXGGetLabelResponse / CommodityGuarantee | Required | | (Group) | |
| eVSGXGGetLabelResponse / CommodityGuarantee / CommodityType | Required | Guarantee date shall be provided in response where all commodities 'W' or 'D' only. | String | enumeration= • D • W |
| eVSGXGGetLabelResponse / CommodityGuarantee / GuaranteeDate | Required | Where CI Required, the non-document transit time/number of days will be used in calculating the guarantee GXG date. | String | pattern=\d{1,2}/\d{1,2}/(\d{2})?\d{2} |
| eVSGXGGetLabelResponse / Insurance | Optional | Deprecated. | Decimal | |
| eVSGXGGetLabelResponse / USPSBarcodeNumber | Required | USPS 10 digit human readable barcode number. | String | pattern=82\d{8} |
| eVSGXGGetLabelResponse / FedExBarcodeNumber | Required | FedEx 12 digit human readable barcode number. | String | pattern=8982\d{8} |
| eVSGXGGetLabelResponse / LabelImage | Required | For future use. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / LabelImagePage2 | Required | For future use. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / LabelImagePage3 | Required | For future use. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / LabelImagePage4 | Required | For future use. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / CIImage | Required | When CIAgreement and CIRequired both = true in the request, the Commercial Invoice image is returned. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / CIImagePage2 | Required | When CIAgreement and CIRequired both = true in the request, the Commercial Invoice image is returned. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / CIImagePage3 | Required | When CIAgreement and CIRequired both = true in the request, the Commercial Invoice image is returned. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |
| eVSGXGGetLabelResponse / CIImagePage4 | Required | When CIAgreement and CIRequired both = true in the request, the Commercial Invoice image is returned. Will still return an empty response tag when request indicates an image is requested. | base64Binary | minLength=0 |

| Tag Name | Occurs | Description | Type | Validation |
|--|----------|---|---------|----------------------|
| eVSGXGGetLabelResponse / InsuranceFee | Optional | Insurance fee as calculated from the InsuredValue in GXGGetLabelRequest | Decimal | minExclusive=0 .0 |
| eVSGXGGetLabelResponse / DimensionalWeight | Required | | String | |
| eVSGXGGetLabelResponse / LogMessage | Optional | A text message for integrators of this API. It may contain additional information about this particular request/response, or general information about the API or Web Tools. In typical implementations, whenever this tag is encountered, the message is written to the console log file for later analysis. | String | |
| eVSGXGGetLabelResponse / RemainingBarcodes | Required | This contains the number of remaining barcodes that can be generated for this particular request. | String | |
| eVSGXGGetLabelResponse | Required | | (Alias) | |

5.3.1 Sample Response

Response: eVSGXGGetLabel

```
<eVSGXGGetLabelResponse>
<Postage>68.37</Postage>
<CommodityGuarantee>
<CommodityType>W</CommodityType>
<GuaranteeDate>03/09/2015</GuaranteeDate>
</CommodityGuarantee>
<Insurance></Insurance>
<USPSBarcodeNumber>8399055744</USPSBarcodeNumber>
<FedExBarcodeNumber>898399055744</FedExBarcodeNumber>
<LabelImage></LabelImage>
<LabelImagePage2></LabelImagePage2>
<LabelImagePage3></LabelImagePage3>
<LabelImagePage4></LabelImagePage4>
<CIImage></CIImage>
<CIImagePage2></CIImagePage2>
<CIImagePage3></CIImagePage3>
<CIImagePage4></CIImagePage4>
<InsuranceFee>0.00</InsuranceFee>
<DimensionalWeight>4</DimensionalWeight>
<LogMessage></LogMessage>
<RemainingBarcodes>1202< RemainingBarcodes>
```

6.0 eVS International Cancel API

6.1 Overview

The eVS International Cancel request allows an eVS label to be removed from processing if the request is made prior to 11:59 PM Central Time on the day of label creation.

6.1.1 API Signature

| Scheme | Host | Path | API | XML |
|----------|-------------------------|-------------------|-----------------------|-----------------------------------|
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSiCancel | &XML=(see Tag Descriptions below) |
| https:// | secure.shippingapis.com | /ShippingAPI.dll? | API=eVSiCancelCertify | &XML=(see Tag Descriptions below) |

6.2 Request Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|-----------------------------------|----------|--|---------|------------|
| eVSICancelRequest | Required | | (Group) | |
| eVSICancelRequest / USERID | Required | This attribute specifies your Web Tools user ID. See the Developer's Guide for information on obtaining your USERID. For Example: USERID="XXXXXXX" | NMTOKEN | |
| eVSICancelRequest / PASSWORD | Required | This attribute specifies your Web Tools password. See the Developer's Guide for information on your Password. For Example: PASSWORD="XXXXXXX" | NMTOKEN | |
| eVSICancelRequest / BarcodeNumber | Required | BarcodeNumber of original label. Length of 22, 30 or 34 numbers. Note: The eVSICancel API can contain only one package barcode in a single request. | | |
| eVSICancelRequest | Required | | | |

6.2.1 Sample Request

```
<eVSICancelRequest USERID="XXXXXXXXXX" PASSWORD="XXXXXXXXXX">
<BarcodeNumber>1234567890</BarcodeNumber>
</eVSICancelRequest>
```

6.3 Response Descriptions

| Tag Name | Occurs | Description | Type | Validation |
|------------------------------------|----------|---|---------|--|
| eVSICancelResponse | Required | | (Alias) | |
| eVSICancelResponse / BarcodeNumber | Required | Returned in the eVS Label Request Length of 22, 30 or 34 numbers. | | |
| eVSICancelResponse / Status | Required | Success or Failure Indicator | String | "Cancelled" "Not Cancelled" |
| eVSICancelResponse / Reason | Required | | String | "Order Cancelled Successfully" "Order Already Cancelled" "Order Not Found" |
| eVSICancelResponse | Required | | (Alias) | |

6.3.1 Sample Response

Responses: eVSICancel

```
<eVSICancelResponse>
<BarcodeNumber>1234567890</BarcodeNumber>
<Status>Not Cancelled</Status>
<Reason>Order Not Found</Reason>
</eVSICancelResponse>

<eVSICancelResponse>
<BarcodeNumber>EC502016316US</BarcodeNumber>
<Status>Cancelled</Status>
<Reason>Order Cancelled Successfully</Reason>
</eVSICancelResponse>
```



```
<eVSICancelResponse>  
  <BarcodeNumber>EC502016316US</BarcodeNumber>  
  <Status>Not Cancelled</Status>  
  <Reason>Order Already Cancelled</Reason>  
</eVSICancelResponse>
```

```
<eVSICancelResponse>  
  <BarcodeNumber>EC900000362US</BarcodeNumber>  
  <Status>Not Cancelled</Status>  
  <Reason>Order Already Manifested</Reason>  
</eVSICancelResponse>
```

7.0 Appendices

7.1 Appendix A

7.1.1 eVS International Label Example – Express Mail International

| | | | | | | | | | |
|---|---|--|---|---|---------------------------------|--|-----------------------------|--|--|
| F R O M | JOHN L DOE 7 NORTH WILKE-BARRE BLVD WILKES-BARRE PA 18702 US | | 555-555-5555 MID: 901065076 | | CP72-CUSTOMS DECLARATION | | |  | PRIORITY MAIL EXPRESS INT'L U.S. POSTAGE PAID No Valid Test Label eVS |
| | Origin Post: US POSTAL SERVICE | | Date of Mailing: 10/27/2017 | | Importer's reference: | | | | |
| | Importer's contact: | | | | | | | | |
| | | | | | | | | | |
| Detailed description of contents | | | Qty | Net Weight (lbs/oz) | Value (US\$) | HS Tariff Number | Origin | Insured Value: \$ Up to 100.00 | |
| Policy guidelines document | | | 1 | 1 5 | 55.00 | 450110 | US | SDR Value: \$ 71.59 | |
| | | | | | | | | Insured Fee: \$ | |
| | | | | | | | | Postal charges/ Fees: \$ 79.71 | |
| Category of items: DOCUMENTS | | | TOTAL | 4 | 0 | 55.00 | Corporate Account #: | | |
| Exporter's reference: | | Exporter's contact: 555-555-5555 | | Total Dimensions: L: 20.5 W: 5.5 H: 5.5 | | I certify the particulars given in this customs declaration are correct. The form does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations. | | | |
| AES/ITN/Exemption | | | Invoice/License/Certificate No(s) INV-040903/CERT-07865342/L-24356879 | | | | | | |
| Delivery Information | | | | | | | | | |
| Scheduled Delivery Date: 11/02/2017 | Delivery Date: | Delivery Time: AM/PM | Addressee's Signature | | | | | | |
| | | | Sender's Signature and Date John L Doe 10/27/2017 | | | | | | |
| | | | Return to Sender Instructions in case of nondelivery Return to Sender | | | | | | |
| T O | MS. C. P. APPLE APARTADO 3068 2046 GOLDEN ROCK AUSTRALIA | | 01W 52 (322) 222-0069 | | |  | | | |
| | | | | | | | EC 000 091 125 US | | |
| PS Form 2976-B (March 2015) Web Tools | | | Do not duplicate this form without USPS approval. | | | This item may be opened officially. | | | |

7.1.2 eVS International Label Example – Priority Mail International

| | | | | | | | | | | | | |
|---|---|--|---|----------------------------|---------------------------------------|---|---|-----------------------|--|--|--|--|
| F R O M | 301-918-7658 MID: 444444444 | | CP72-CUSTOMS DECLARATION | | | P | PRIORITY MAIL INT'L U.S. POSTAGE PAID | | | | | |
| | GARRISON A. JOHNS RADLAB 6406 IVY LN GREENBELT MD 20770-1435 US | | Origin Post: US POSTAL SERVICE | | Date of Mailing: 04/18/2023 | | Not Valid Test Label eVS | | | | | |
| | | | Importer's reference: | | | | | | | | | |
| | | | Importer's contact: | | | | | | | | | |
| Detailed description of contents | | | Qty | Net Weight (lbs/oz) | | Value (US\$) | HS Tariff Number | Origin Country | Insured Value: \$ Up to 100.00 | | | |
| Description 1 | | | 1 | 1 1 | | 1.11 | 28486 284867 | BR | SDR Value: \$ | | | |
| Description 2 | | | 2 | 2 2 | | 2.22 | | CH | Insured Fee: \$ | | | |
| | | | | | | | | | Postal charges/ Fees: \$ 42.13 | | | |
| Category of items: DOCUMENTS | | | TOTAL | 3 3 | | 3.33 | I certify the particulars given in this customs declaration are correct. This form does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations. | | | | | |
| Exporter's reference: | Exporter's contact: 301-918-7658 | | Total Dimensions: L: 0.0 W: 0.0 H: 0.0 | | | Sender's Signature and Date: Garrison A Johns 04/18/2023 | | | | | | |
| AES/ITN/Exemption | | | Invoice/License/Certificate No(s) | | | Return to Sender Instructions in case of nondelivery: Return to Sender | | | | | | |
|  3.3 lb. | | |  | | |  | | | | | | |
| T O | 5555555555 | | REZA DIANA HP HP 5TH FLOOR 6406 IVY LANE 20770 GREENBELT MD SWITZERLAND | | |  CB 000 090 598 US | | | | | | |
| | | | | | | | | | | | | |
| PS Form 2976-A (March 2015) Web Tools | | | Do not duplicate this form without USPS approval. | | | | This item may be opened officially. | | | | | |

7.1.3 eVS International Label Example – First Class Mail International

| | | | | | | | | | | |
|--|----------------|--------------------------------|--|--|---|--|---|--|--|------------|
| CN22 - CUSTOMS DECLARATION | | | | F R O M | 570-820-3158 MID: 901065076 | |  | FIRST-CLASS PKG INT'L SERVICE U.S. POSTAGE PAID Not Valid Test Label VS | | |
| Origin Post: US Postal Service | | Date of Mailing: 10/27/2017 | | | JOHN L DOE TEST 7 N WILKES-BARRE BLVD. WILKES-BARRE PA 18702 US | | | | | |
| Category of Item: DOCUMENTS | | | | | | | | | | |
| AES/ITN/Exemptions: | | | | | | | | | | |
| Detailed description of contents | | | | TO REZA DIANAT HP HP 5TH FLOOR 6406 IVY LANE GREENBELT MD FRANZ | | | | | | |
| Description 1 | | | | | | | | | | 5555555555 |
| Qty | Wgt (lb/oz) | Value (US\$) | HS Tariff Number: Country of Origin |  3.1 lb.  | | | | | | |
| 1 | 1 | 1 | 1.11 | | | | | | | 123456 CH |
| 3 | | | TOTAL | | | | | | | |
| I certify the particulars given in this customs declaration are correct. This form does not contain any undeclared dangerous articles, or articles prohibited by Legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations | | | | | | | | | | |
| Sender's Signature and Date John L Doe | | | | 10/27/2017 | | | | | | |
| PS Form 2976 (March 2015) Web Tools | | | | Do not duplicate this form without USPS approval. | | | | This item may be opened officially. | | |

7.1.4 eVS International Label Example – GXG Get Label

| Sign the top copy of this form and place all three copies in the pouch with the air waybill. Commercial Invoice | | | | |
|--|----------------------------|--|---|--|
| 1. Global Express Guaranteed® Tracking Number | | 8. Commercial Shipments Only* | | |
| | | a. Invoice Date | b. Invoice Number | c. Customer Invoice Number |
| 2a. SHIPPER Name TEST FROM FIRST TEST FROM LAST | | 9a. BUYER Name | | |
| b. Address (Number, street, apartment/suite/PO box number) APT 1027 15555 N FRANK LLOYD WRIGHT BLVD | | b. Address (Number, street, apartment/suite/PO box number) | | |
| c. City SCOTTSDALE | d. State AZ | e. ZIPCode® 85260-2073 | f. Country US | |
| g. E-mail (if available) | | g. Tax ID Number or EIN (if applicable) | | |
| h. Telephone Number (if number is available, include Code(s)) 555-555-5555 | | | | |
| 3a. RECIPIENT Name TESTTOFIRST TESTTOLAST | | 10. Terms and Conditions of: | | |
| b. Address (Number, street, apartment/suite/PO box number) TEST TOADDRESS1 TEST TOADDRESS2 TEST TOADDRESS3 | | Payment Terms (Indicate below) _____ _____ _____ | | |
| c. City SaintIsidore, NB | d. State | e. Postal Code (if applicable) | f. Country CA | Delivery <input type="checkbox"/> CPT = Carriage Paid To <input type="checkbox"/> CIP = Carriage, Insurance, Paid To <input type="checkbox"/> DAF = Delivery at Frontier <input type="checkbox"/> DDU = Delivered Duty Unpaid <input type="checkbox"/> Other _____ |
| g. E-Mail (if Available) | | * The Commercial Shipments Only section, which includes 8, 9, & 10 on the commercial invoice should be completed with business transaction, or by customers buying or selling goods. | | |
| h. Telephone Number (if number is available, include Code(s)) | | | | |
| i. Tax ID Number or EIN (if applicable) | | 4. Country of Ultimate Destination | 5. Exporting Carrier FedEx | 6. Total Number of Packages 1 |
| j. Purpose of Shipment | | 7a. Total Gross Weight 2 lb 11 oz | 7b. Parties to Transaction <input type="checkbox"/> Related <input type="checkbox"/> Unrelated | |
| 11. Full Description of Each Item/Product in Shipment | 12. Country of Manufacture | 13. Quantity and Unit of Measure | 14. Unit Value | 15. Currency Type and Amount |
| cabling kit | China | 1 | US \$###0.00 | US \$89.00 |
| These commodities, technologies, or software were exported from the United States of America in accordance with the Export Administration regulations. Diversion contrary to U.S. law is prohibited. It is hereby certified that this invoice shows: (1) the actual price of the goods described, (2) that no other invoice has been or will be issued, and (3) that all particulars are true and correct. | | | 18. Currency Type and Subtotal Amount | US \$89.00 |
| 16a. Name of Authorized Person TEST FROM FIRST TEST FROM LAST | | b. Date (MM/DD/YYYY) 10/27/2017 | | 19. Packing Cost US \$###0.00 |
| c. Location (City and State) SCOTTSDALE, AZ | | d. Signature of Authorized Person | | 20. Postage/Shipping Charges US \$###0.00 |
| 17. RESERVED | | | | 21. Insurance Cost US \$0.00 |
| | | | | 22. Total Invoice Value (Add lines 18-21) US \$###0.00 |
| PS Form 6182, August 2009 PSN 7530-07-000-3483 (Page 1 of 2) See Privacy Act Statement on Page 2 (Reverse) of this form USE FOR GXG ONLY United States Postal Service® | | | | |

7.2 Appendix B - Country Codes

| Country | Code |
|---|------|
| Abu Dhabi | AE |
| Admiralty Islands (Papua New guinea) | PG |
| Afghanistan | AF |
| Aitutaki, Cook Islands (New Zealand) | NZ |
| Ajman (United Arab Emirates) | AE |
| Aland Island (Finland) | FI |
| Albania | AL |
| Alberta (Canada) | CA |
| Alderney (Channel Islands) (Great Britain and Northern Ireland) | GB |
| Algeria | DZ |
| Alhucemas (Spain) | ES |
| Alofi Island (New Caledonia) | NC |
| American Samoa, United States | AS |
| Andaman Islands (India) | IN |
| Andorra | AD |
| Angola | AO |
| Anguilla | AI |
| Anjouan (Comoros) | KM |
| Annobon Island (Equatorial Guinea) | GQ |
| Antigua (Antigua and Barbuda) | AG |
| Argentina | AR |
| Armenia | AM |
| Aruba | AO |
| Ascension | SH |
| Astypalaia (Greece) | GR |
| Atafu (Samoa) | WS |
| Atiu, Cook Islands (New Zealand) | CK |
| Australia | AU |
| Austria | AT |
| Avarua (New Zealand) | NZ |
| Azerbaijan | AZ |
| Azores (Portugal) | PT |
| Bahamas | BS |
| Bahrain | BH |
| Balearic Islands (Spain) | ES |
| Balochistan (Pakistan) | PK |
| Bangladesh | BD |
| Banks Island (Vanuatu) | VU |
| Barbados | BB |
| Barduda (Antigua and Barbuda) | AG |
| Barthelemy (Guadeloupe) | BL |
| Belarus | BY |
| Belgium | BE |
| Belize | BZ |
| Benin | BJ |

| Country | Code |
|--|------|
| Bermuda | BM |
| Bhutan | BT |
| Bismark Archipelago (Papua New Guinea) | PG |
| Bolivia | BO |
| Bonaire, Sint Eustatius and Saba | BQ |
| Bora Bora (French Polynesia) | PF |
| Borneo (Indonesia) | ID |
| Botswana | BW |
| Bougainville (Papua New Guinea) | PG |
| Bourbon (Reunion) | RE |
| Brazil | BR |
| British Columbia (Canada) | CA |
| British Guiana (Guyana) | GY |
| British Virgin Islands | VG |
| Brunei Darussalam | BN |
| Buka (Papua New Guinea) | PG |
| Bulgaria | BG |
| Burkina Faso | BF |
| Burundi | BI |
| Caicos Islands(Turks and Caicos Islands) | TC |
| Cambodia | KH |
| Cameroon | CM |
| Canada | CA |
| Canary Islands (Spain) | ES |
| Canton Island (Kiribati) | KI |
| Cape Verde | CV |
| Cayman Islands | KY |
| Central African Republic | CF |
| Ceuta (Spain) | ES |
| Ceylon (Sri Lanka) | LK |
| Chad | TD |
| Chaferinas Islands (Spain) | ES |
| Chalki (Greece) | GR |
| Channel Islands (Jersey, Guemsey, Alderney and Sark) (Great Britain and Norther Ireland) | JE |
| Chile | CL |
| China | CN |
| Christmas Island (Australia) | AU |
| Christmas Island (Kiribati) | KI |
| Cocos (Keeling) Islands | CC |
| Colombia | CO |
| Comoros | KM |
| Congo, the Democratic Republic of the | CD |
| Congo | CG |
| Cook Islands | CK |
| Corisco Island (Equatorial Guinea) | GQ |
| Corsica (France) | FR |

| Country | Code |
|--|------|
| Costa Rica | CR |
| Cote d'Ivoire | CI |
| Crete (Greece) | GR |
| Croatia | HR |
| Cuba | CU |
| Cumino Island (Malta) | MT |
| Curacao | CW |
| Cyjrenaica (Libya) | LY |
| Cyprus | CY |
| Czech Republic | CZ |
| Dahomey (Benin) | BN |
| Damao (India) | IN |
| Danger Islands (New Zealand) | NZ |
| Denmark | DK |
| Desirade Island (Guadeloupe) | GP |
| Diu (India) | IN |
| Djibouti | DJ |
| Dodecanese Islands (Greece) | GR |
| Doha (Qatar) | QA |
| Dominica | DM |
| Dominican Republic | DO |
| Dubai (United Arab Emirates) | AE |
| East Timor (Timor-Leste) | TL |
| Ecuador | EC |
| Egypt | EG |
| Eire (Ireland) | IE |
| El Salvador | SV |
| Ellice Islands (Tuvalu) | TV |
| Elobey Islands (Equatorial Guinea) | GQ |
| Enderbury Island (Kiribati) | KI |
| England (Great Britain and Northern Ireland) | GB |
| Equatorial Guinea | GQ |
| Eritrea | ER |
| Ethiopia | ET |
| Estonia | EE |
| Fakaofu (Samoa) | WS |
| Falkland Islands (Malvinas) | FK |
| Fanning Island (Kiribati) | KI |
| Faroe Islands | FO |
| Fernando Po (Equatorial Guinea) | GQ |
| Fiji | FJ |
| Fezzan (Libya) | LY |
| Finland | FI |
| Fomosa (Taiwan) | TW |
| France | FR |
| French Guiana | GF |

| Country | Code |
|---|------|
| French Oceania (French Polynesia) | PF |
| French Polynesia | PF |
| French West Indies (Guadeloupe) | GP |
| French West Indies (Martinique) | MQ |
| Friendly Islands (Tonga) | TO |
| Fujairah (United Arab Emirates) | AE |
| Futuna (Wallis and Futuna Islands) | WF |
| Gabon | GA |
| Gambia | GM |
| Gambier (French Polynesia) | PF |
| Georgia | GE |
| Germany | DE |
| Ghana | GH |
| Gibraltar | GI |
| Gilbert Islands (Kiribati) | KI |
| Goa (India) | IN |
| Gozo Island (Malta) | MT |
| Grand Comoro (Comoros) | KM |
| Great Britain and Northern Ireland | GB |
| Greece | GR |
| Greenland | GL |
| Grenada | GD |
| Grenadines (Saint Vincent and the Grenadines) | VC |
| Guadeloupe | GP |
| Guatemala | GT |
| Guernsey (Channel Islands) (Great Britain and Northern Ireland) | GG |
| Guinea | GN |
| Guinea-Bissau | GW |
| Guyana | GY |
| Hainan Island (China) | CN |
| Haiti | HT |
| Hashemite Kingdom (Jordan) | JO |
| Hervey, Cook Islands (New Zealand) | NZ |
| Hivaoa (French Polynesia) | PF |
| Holland (Netherlands) | NL |
| Honduras | HN |
| Hong Kong | HK |
| Huahine (French Polynesia) | HM |
| Huan Island (New Caledonia) | HN |
| Hungary | HU |
| Iceland | IS |
| India | IN |
| Indonesia | ID |
| Iran | IR |
| Irian Barat (Indonesia) | ID |
| Isle of Man | IM |

| Country | Code |
|--|------|
| Isle of Pines (New Caledonia) | NC |
| Isle of Pines, West Indies (Cuba) | CU |
| Israel | IL |
| Issas (Djibouti) | DJ |
| Italy | IT |
| Ivory Coast (Cote d'Ivoire) | CI |
| Iraq | IQ |
| Jersey | JE |
| Jamaica | JM |
| Jordan | JO |
| Johore (Malaysia) | MY |
| Japan | JP |
| Kalymnos (Greece) | GR |
| Kampuchea (Cambodia) | CO |
| Karpathos (Greece) | GR |
| Kassos (Greece) | GR |
| Kazakhstan | KZ |
| Kedah (Malaysia) | MY |
| Keeling Islands (Australia) | AU |
| Kelantan (Malaysia) | MY |
| Kenya | KE |
| Kiribati | KI |
| Korea, Democratic People's Republic of | KP |
| Korea, Republic of | KR |
| Kos (Greece) | GR |
| Kosovo, Republic of | RS |
| Kowloon (Hong Kong) | HK |
| Kuwait | KW |
| Kyrgyzstan | KG |
| Labrador (Canada) | CA |
| Laos People's democratic Republic | LA |
| Latvia | LV |
| Labuan (Malaysia) | MY |
| Lebanon | LB |
| Leipsos (Greece) | GR |
| Leros (Greece) | GR |
| Les Saints Island (Guadeloupe) | GP |
| Liberia | LR |
| Lesotho | LS |
| Libya | LY |
| Liechtenstein | LI |
| Lithuania | LT |
| Lord Howe Island (Australia) | AU |
| Loyalty Islands (New Caledonia) | NC |
| Luxembourg | LU |
| Macao | MO |

| Country | Code |
|--|------|
| Macau (Macao) | MO |
| Macedonia, the former Yugoslav Republic of | MK |
| Madagascar | MG |
| Madeira Islands (Portugal) | PT |
| Malacca (Malaysia) | MY |
| Malawi | MW |
| Malaysia | MY |
| Maldives | MV |
| Mali | ML |
| Malta | MT |
| Manahiki (New Zealand) | NZ |
| Manchuria (China) | CN |
| Manitoba (Canada) | CA |
| Marie Galante (Guadeloupe) | GP |
| Marquesas Islands (French Polynesia) | PF |
| Martinique | MQ |
| Mauritania | MR |
| Mauritius | MU |
| Mayotte (France) | FR |
| Melilla (Spain) | ES |
| Mexico | MX |
| Miquelon (Saint Pierre and Miquelon) | PM |
| Moheli (Comoros) | KM |
| Moldova, Republic of | MD |
| Monaco | MC |
| Mongolia | MN |
| Montenegro | ME |
| Montserrat | MS |
| Moorea (French Polynesia) | PF |
| Morocco | MA |
| Mozambique | MZ |
| Muscat (Oman) | OM |
| Myanmar (Burma) | MM |
| Namibia | NA |
| Nansil Islands (Japan) | JP |
| Nauru | NR |
| Negri Sembilan (Malaysia) | MY |
| Nepal | NP |
| Netherlands | NL |
| Nevis (Saint Kitts and Nevis) | KN |
| New Britain (Papua New guinea) | PG |
| New Brunswick (Canada) | CA |
| New Caledonia | NC |
| New Hanover (Paoua New Guinea) | PG |
| New Hebrides (Vanuatu) | VU |
| New Ireland (Papua New Guinea) | PG |

| Country | Code |
|--|------|
| New South Wales (Australia) | AU |
| New Zealand | NZ |
| Newfoundland (Canada) | CA |
| Nicaragua | NI |
| Niger | NE |
| Nigeria | NG |
| Nissiros (Greece) | GR |
| Niue | NU |
| Norfolk Island | NF |
| North Borneo (Malaysia) | MY |
| North Korea | KP |
| Northern Ireland (Great Britain and Northern Ireland) | GB |
| Northwest Territory (Canada) | CA |
| Norway | NO |
| Nova Scotia (Canada) | CA |
| Nukahiva (French Polynesia) | PF |
| Nukunonu (Samoa) | WS |
| Ocean Island (Kirbati) | KI |
| Okinawa (Japan) | JP |
| Ontario (Canada) | CA |
| Oman | OM |
| Pakistan | PK |
| Palmerston, Avarua (New Zealand) | NZ |
| Panama | PA |
| Papua New Guinea | PG |
| Paraguay | PY |
| Parry, Cook Islands (New Zealand) | NZ |
| Patmos (Greece) | GR |
| Pemba (Tanzania) | TZ |
| Penang (Malaysia) | MY |
| Penghu Islands (Taiwan) | TW |
| Penon de Velez de la Gomera (Spain) | ES |
| Penrhyn, Tongareva (New Zealand) | NZ |
| Perak (Malaysia) | MY |
| Perlis (Malaysia) | MY |
| Persia (Iran) | IR |
| Peru | PE |
| Pescadores Islands (Taiwan) | TW |
| Petite Terre (Guadeloupe) | GP |
| Philippines | PH |
| Poland | PL |
| Pitcaim | PN |
| Puerto Rico | PR |
| Prince Edward Island (Canada) | CA |
| Portugal | PT |
| Pukapuka (New Zeland) | NZ |

| Country | Code |
|---|------|
| Qatar | QA |
| Qubec (Canada) | CA |
| Queensland (Australia) | AU |
| Quemoy (Taiwan) | TW |
| Raiatea (French Polynesia) | PF |
| Rakaanga (New Zealand) | NZ |
| Rarotonga, Cook Islands (New Zealand) | NZ |
| Ras al Kaimah (United Arab Emirates) | AE |
| Redonda (Antigua and Barbuda) | AG |
| Reunion | RE |
| Rio Muni (Equatorial Guinea) | GN |
| Rodos (Greece) | GR |
| Rodrigues (Mauritius) | MU |
| Romania | RO |
| Rwanda | RW |
| Russian Federation | RU |
| Rwanda | RW |
| Saba (Bonaire, Sint Eustatius, and Saba) | SA |
| Sabah (Malaysia) | MY |
| Saint Barthelemy (Guadeloupe) | BL |
| Saint Bartholomew (Guadeloupe) | BL |
| Saint Helena | SH |
| Saint Kitts and Nevis | KN |
| Saint Lucia | LC |
| Saint Martin (French) (Guadeloupe) | MF |
| Saint Pierre and Miquelon | PM |
| Saint Vincent and the Grenadines | VC |
| Sainte Marie de Madagascar (Madagascar) | MG |
| Salvador (El Salvador) | SV |
| Samoa | WS |
| San Marino | SM |
| Santa Cruz Islands (Solomon Islands) | SB |
| Sao Tome and Principe | ST |
| Sarawak (Malaysia) | MY |
| Sark (Channel Islands) (Great Britain and Northern Ireland) | GB |
| Saskatchewan (Canada) | CA |
| Saudi Arabia | SA |
| Savage Island, Niue (New Zealand) | NZ |
| Savaii Island (Samoa) | WS |
| Scotland (Great Britain and Northern Ireland) | GB |
| Seberang Perai (Malaysia) | MY |
| Selangor (Malaysia) | MY |
| Senegal | SN |
| Serbia, Republic of | RS |
| Seychelles | SC |
| Sharja (United Arab Emirates) | AE |

| Country | Code |
|--|------|
| Shikoku (Japan) | JP |
| Sierra Leone | SL |
| Sikkim (India) | IN |
| Singapore | SG |
| Sint Eustatius (Bonaire, Sint Eustatius, and Saba) | SE |
| Solomon Islands | SB |
| Seychelles | SC |
| Sudan | SD |
| Sweden | SE |
| Singapore | SG |
| Saint Helena, Ascension and Tristan da Cunha | SH |
| Sint Maarten | SX |
| Slovakia | SK |
| Slovenia | SI |
| Society Islands (French Polynesia) | PF |
| Solomon Islands | SB |
| Somali Democratic Republic (Somalia) | SN |
| Somalia | SO |
| Somaliland (Somalia) | SO |
| South Africa | ZA |
| South Australia (Australia) | AU |
| South Georgia (Falkland Islands) | FK |
| South Korea (Korea, Republic of) | KR |
| Spain | ES |
| Spitzbergen (Norway) | NO |
| Sri Lanka | LK |
| Sudan | SD |
| Suriname | SR |
| Suwarrow Islands (New Zealand) | NZ |
| Swan Islands (Honduras) | HN |
| Swaziland | SZ |
| Sweden | SE |
| Symi (Greece) | GR |
| Syrian Arab Republic (Syria) | SY |
| Swaziland | SZ |
| Symi (Greece) | GR |
| Syrian Arab Republic (Syria) | SY |
| Tahaa (French Polynesia) | PF |
| Tahiti (French Polynesia) | PF |
| Taiwan, Province of China | TW |
| Tajikistan | TJ |
| Tanzania | TZ |
| Tasmania (Australia) | AU |
| Tchad (Chad) | TD |
| Thailand | TH |
| Thursday Island (Australia) | AU |

| Country | Code |
|---|------|
| Tibet (China) | CN |
| Tilos (Greece) | CR |
| Timor (Indonesia) | ID |
| Timor-Leste, Democratic Republic of | TL |
| Trinidad and Tobago | TT |
| Togo | TG |
| Tokelau | TK |
| Tonga | TO |
| Tongareva (New Zealand) | NZ |
| Tori Shima (Japan) | JP |
| Torres Island (Vanuatu) | VU |
| Trans-Jordan, Hashemite Kingdom (Jordan) | JO |
| Transkei (South Africa) | ZA |
| Trengganu (Malaysia) | MY |
| Tripolitania (Libya) | LY |
| Tristan da Cunha | TA |
| Trucial States (United Arab Emirates) | AE |
| Tuamotou (French Polynesia) | PF |
| Tubuai (French Polynesia) | PF |
| Tunisia | TN |
| Turkmenistan | TM |
| Turks and Caicos Islands | TC |
| Türkiye | TR |
| Tuvalu | TV |
| Ukraine | UA |
| Uganda | UG |
| Umm al Quaiwain (United Arab Emirates) | AE |
| Umm Said (Qatar) | QA |
| United Arab Emirates | AE |
| United Kingdom (Great Britain and Northern Ireland) | GB |
| Upolu Island (Samoa) | WS |
| United States of America | US |
| Uruguay | UY |
| Uzbekistan | UZ |
| Vatican City | VA |
| Venezuela, Bolivarian Republic of | VE |
| Victoria (Australia) | AU |
| Viet Nam | VN |
| Virgin Islands (British) | VG |
| Wales (Great Britain and Northern Ireland) | GB |
| Vanuatu | VU |
| Wallis and Futuna | WF |
| Wellesley, Province (Malaysia) | MY |
| West New Guinea (Indonesia) | PG |
| Western Australia (Australia) | AU |
| Yemen | YE |

| Country | Code |
|--------------------------|------|
| Yukon Territory (Canada) | CA |
| Zafarani Islands (Spain) | SB |
| Zambia | ZM |
| Zanzibar (Tanzania) | TZ |
| Zimbabwe | ZW |

7.3 Appendix C - Categories for International Shipping Regulatory Mandates

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---------------------------------|--|
| Appliances, Parts & Accessories | <ul style="list-style-type: none"> • Air Compressors • Bathroom Appliances • Clothing Iron • Coffee Makers, Toasters & Other Heat-generating Kitchen Appliances • Cutting Blades • Fans • Food Grinders • Heaters, Radiators & Air Conditioning Units • Mechanical Kitchen Appliances • Microwave Ovens • Other Household Appliances • Other Kitchen Appliances • Oven, Cooktops & Ventilating Hoods • Refrigerators & Freezers • Sewing Machines • Sinks, Toilets & Bathtubs • Vacuum Cleaners • Washing Machines & Dryers • Weighing Scales |
| Arts & Collectibles | <ul style="list-style-type: none"> • Antique Hand-Painted & Hand-Drawn Art • Antiques Over 100 Years Old • Archaeological, Zoological & Historical Collector's Pieces • Art Paint & Brushes • Art Prints • Blank Art Canvas • Coin • Hand-Painted & Hand-Drawn Art • Non-Original Wooden Art • Original Prints & Engravings • Original Sculptures & Carvings • Sewing Materials • Stamp Collections • Statuettes and Ornaments |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---------------------------|--|
| Automotive & Vehicles | <ul style="list-style-type: none"> • Aircraft & Parts • Bicycles & Accessories • Car, Truck & Tractor Parts • Cranes • Diesel-powered Cars & Trucks • Electric Cars & Trucks • Gas-powered Cars & Trucks • Motorcycle & Bicycle Parts • Motorcycles • Railway & Tramway Vehicles & Parts • Scooters & Chairs for the Disabled & Parts • Ship & Boat Parts • Ships & Boats • Spacecraft & Parts • Special Vehicles (e.g., Fire Trucks, Cement Mixers, etc.) • Tractors & Work Trucks • Trailers |
| Beauty & Health | <ul style="list-style-type: none"> • Air Fresheners & Incense • Bath & Hand Soap • Bath salts • Contact Lenses • Contraceptives • Dental Fittings & Hygiene • Feminine Hygiene • Hair Cutting Tools • Hair Dryers, Straighteners & Curlers • Make-up • Manicure & Pedicure Sets • Massage Tools • Medicine, Ointments, First Aid & Bandages • Other Hygiene • Pedometer • Perfume & Deodorant • Personal Medical Equipment • Shampoo & Hair Products • Shaving & Waxing • Vaccines, Blood, & Cell Cultures |
| Books, Movies & Music | <ul style="list-style-type: none"> • Books & Brochures • Catalogs • Coloring Books • DVDs, CDs, Tapes & Other Recorded Media • Maps & Globes • Music Boxes • Musical Instruments & Parts • Newspapers, Journals & Magazines • Printed Decals • Sheet Music |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|----------------------------------|---|
| Clothing & Accessories | <ul style="list-style-type: none"> • Baby Clothes • Belts & Buckles • Fabric Material • Glasses & Sunglasses • Gloves and Mittens • Hats & Headgear • Hoodies, Sweaters & Cardigans • Luggage, Backpacks, Bags & Wallets • Men's & Boys' Jackets, Shirts & Suits • Men's & Boys' Pants & Swimwear • Men's & Boys' Underwear & Pajamas • Other Clothing Accessories • Shoes & Accessories • Socks, Pantyhose & Tights • Ties & Scarves • Used Clothing • Wigs & False Hair • Women's & Girls' Jackets, Shirts & Dresses • Women's & Girls' Pants, Skirts & Swimwear • Women's & Girls' Underwear & Pajamas |
| Electronics, Computers & Cameras | <ul style="list-style-type: none"> • Audio-playing Devices • Batteries & Power Banks • Cables & Connectors • Cameras, Video Cameras & Parts • Chargers • Computer Parts & Accessories • Device Cases & Bags • DVD & Blu-ray Players • Gift, Credit & Smart Cards • GPS Devices & Radios • Laptops & Desktops • Electrical Parts • Smoke Detectors & Alarms • Speakers, Headphones & Microphones • Streaming Service Devices • Telephones & Smartphones • Televisions & Projectors • Traffic & Safety Signal Equipment • Video Game Consoles & Games |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---------------------------|---|
| Food & Groceries | <ul style="list-style-type: none"> • Alcoholic Beverages • Baby Formula • Chocolate & Cocoa Products • Coffee, Tea & Mate • Dairy & Eggs • Extracts & Concentrates • Fats & Oils • Fruit • Fruit & Nut Mix • Grains & Flour • Jams & Jellies • Live Fish & Seafood • Meat & Fish • Nuts • Other Food Items • Sauces • Soda & Other Drinks • Soups & Broths • Spices & Sugar • Syrup & Molasses • Tobacco Products & E-cigarettes • Treats • Vegetables & Other Plants |
| Home & Garden | <ul style="list-style-type: none"> • Adhesives & Tape • Animal Hides & Parts • Artificial Plants & Flowers • Bedding & Towels • Candles • Clocks & Parts • Clothing Hangers • Containers & Baskets • Curtains • Electric Kitchen Appliances • Furniture • Household Cleaners & Trash Bags • Lamps & Lighting • Live Plants & Fresh Flowers • Mirrors • Other Household Items • Other Outdoor & Garden Items • Rugs & Mats • Sacks & Bags • Safes & Strong-boxes • Statuettes & Other Decor • Tableware & Kitchenware • Toilet Paper, Napkins & Tablecloths |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|------------------------------------|--|
| Industrial, Scientific & Machinery | <ul style="list-style-type: none"> • Agricultural & Food Machinery • Batteries & Accumulators • Buttons & Mannequins • Dies & Tanning Extracts • Electric Parts, Electronic Waste & Scrap • Energy-generating Equipment • Explosives & Combustibles • Industrial Animal Products • Industrial Furnaces & Ovens • Industrial Glass Items • Industrial Metal Items • Industrial Plastic Items • Industrial Rubber Items • Industrial Stone & Cement Items • Industrial Textile Items • Industrial Vacuum Cleaners • Industrial Washers & Dryers • Industrial Wood Items • Laboratory Equipment • Magnets • Measuring Equipment • Medical Equipment • Metal-working Machinery • Motors & Generators • Moulds • Navigation & Surveying Equipment • Ores, Mineral Fuels & Oils • Organic Compounds • Other Chemical Products • Other Electrical Machinery & Parts • Other Industrial Machinery • Other Industrial Machinery Parts • Other Minerals & Stone • Packing Materials & Containers • Precious Metal Compounds & Inorganic Chemicals • Printing & Paper Machinery • Railway Materials • Semiconductor-producing Machinery • Textile Machinery • Transformers • Vegetative Materials • Vending Machines • Welding Equipment |
| Jewelry & Watches | <ul style="list-style-type: none"> • Imitation Jewelry & Parts • Jewelry Boxes & Cases • Jewelry of Pearls or Precious Metal & Parts • Pearls & Precious Stones • Precious Metals • Watches & Parts |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|---------------------------|--|
| Office Products | <ul style="list-style-type: none"> • Account Books, Receipt Books & Binders • Adhesive & Tape • Calculators • Calendars • Chalkboards & Dry Erase Boards • Documents & Business Cards • Erasers • Filing Cabinets & Trays • Letter Openers • Other Mathematical Tools • Other Plastic School Supplies • Paper & Paperboard • Pencil Sharpeners, Staplers & Other Office Machines • Pens & Pencils • Printers & Ink • Safety Pins, Paper Clips & Staples • Scissors • Stamps |
| Pet Supplies | <ul style="list-style-type: none"> • Cages & Accessories • Fish Tanks, Terrariums & Accessories • Food Bowls • Leashes, Harnesses & Saddles • Litter Box • Pet Beds • Pet Food • Pet Toys |
| Sports & Outdoors | <ul style="list-style-type: none"> • Air Mattresses & Sleeping Bags • Air Pumps • Binoculars & Telescopes • Camping Backpacks & Sports Bags • Compasses • Firearms & Weapons • Firewood & Charcoal • Fireworks & Flares • Fishing Gear • Grills & Stoves • Hammocks • Lamps & Flashlights • Matches & Lighters • Pans & Dutch Ovens • Sports Equipment & Balls • Tents, Tarps & Rope • Umbrellas • Walking Sticks & Whips • Water Sports • Winter Sports |

| Category (<ItemCategory>) | SubCategory (<ItemSubCategory>) |
|--------------------------------|--|
| Tools & Construction materials | <ul style="list-style-type: none"> • Carpet, Flooring and Tile • Doors & Windows • Hand Tools • Lawn Equipment • Lumber & Furniture Wood • Metal Mountings • Moulding Patterns & Engineering Drawings • Nails, Screws & Bolts • Other Equipment • Other Metal Equipment • Paint, Varnish & Paint Thinner • Pipes & Hoses • Power Tools & Parts • Pulleys, Winches & Generators • Pumps, Compressors & Generators • Roofing • Safety Gear & Scaffolding • Stone, Gravel & Brick • Tape, Construction Adhesive & Putty • Wire & Rods |
| Toys & Games | <ul style="list-style-type: none"> • Amusement Park Equipment • Arcade Games • Games & Puzzles • Other Toys • Wheeled Toys |